

MIXTURE REQUIREMENTS

LOCATIONS		I-55 & RAMPS	I-55 & RAMPS	SHOULDERS (2' & 2 1/4') & INCIDENTAL SURFACE/CROSSOVERS	SHOULDERS (10')	RTE 123	RTE 123
MIXTURE USE(S):	BASE COURSE WIDENING	POLYMER SURFACE	POLYMER BINDER	HMA SHOULDER	HMA SHOULDER	POLYMER HMA SURFACE	POLYMER HMA BINDER
PG:	PG 64-22	SBS PG 76-22	SBS PG 70-22	PG 64-22	PG 58-22	SBS PG 70-22	SBS PG 70-22
DESIGN AIR VOIDS:	4.0% @ N105	4.0% @ N105	4.0% @ N105	4.0% @ N50	2.0% @ N30	4.0% @ N90	4.0% @ N90
MIXTURE COMPOSITION (GRADATION MIXTURE)	IL 19.0	IL 9.5 OR 12.5	IL 19.0	IL 9.0 OR 12.5	BAM (OTHER)	IL 9.5 OR 12.5	IL 19.0
FRICTION AGGREGATE:	N/A	N/A	N/A	MIX C	N/A	MIX D	N/A

FILE NAME =	USER NAME = laughlinr1	DESIGNED - R.A.W.	REVISED -
c:\pw_work\PWIDOT\LAUGHLINRL\0169970\572e38-akt-gennote.dgn		DRAWN - R.A.W.	REVISED -
		CHECKED - J.S.A.	REVISED -
PLOT SCALE = 2.0000 ' / IN.		DATE - 7/24/09	REVISED -
PLOT DATE = Oct-28-2009 08:04:46AM			

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

INDEX OF SHEETS, GENERAL NOTES AND COMMITMENTS

SCALE: SHEET NO. OF SHEETS STA. TO STA.

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
I-55	84-1-2RS4150RS1	SANGAMON	65	3
CONTRACT NO. 72C38			ILLINOIS FED. AID PROJECT	