

TRAFFIC BARRIER TERMINAL, TYPE 6 (SPECIAL)

LOCATION				NO.
				(EACH)
LT.	718+06.15	TO	718+52.43	1.0
RT.	718+92.83	TO	719+37.86	1.0
TOTAL =				2.0

GUARDRAIL MARKER, TYPE A

STATION	TO	STATION	LOCATION	EACH	(COLOR)
706+53.59		725+06.94	LT. SHLD	19.0	CRYSTAL
710+88.00		718+83.09	RT. SHLD	11.0	CRYSTAL
716+45.52		718+75.03	RT. MED	4.0	AMBER
723+42.10		725+82.28	LT. MED	4.0	AMBER
794+93.87		797+33.87	RT. MED	4.0	AMBER
795+26.98		797+66.98	RT. SHLD	4.0	CRYSTAL
800+68.69		803+08.69	LT. SHLD	4.0	CRYSTAL
801+01.74		803+41.74	LT. MED	4.0	AMBER
				TOTAL =	54.0
				TOTAL CRYSTAL	38.0
				TOTAL AMBER	16.0

TRAFFIC BARRIER TERMINAL, TYPE 6

LOCATION				NO.
				(EACH)
RT. MEDIAN	718+70.98	TO	719+37.86	1.0
LT.	722+88.40	TO	723+34.67	1.0
LT. MEDIAN	723+09.61	TO	723+53.04	1.0
RT. MEDIAN	797+20.45	TO	797+66.09	1.0
RT.	797+66.80	TO	798+12.45	1.0
LT.	800+23.21	TO	800+68.86	1.0
LT. MEDIAN	800+69.57	TO	801+15.21	1.0
TOTAL =				7.0

STEEL PLATE BEAM GUARD RAIL, REMOVAL

LOCATION				LENGTH
				(FEET)
LT.	718+06.15	TO	718+55.92	49.8
MEDIAN	717+46.03	TO	719+13.85	167.8
RT.	718+92.83	TO	719+45.78	52.9
LT.	722+82.74	TO	724+41.00	158.3
MEDIAN	723+09.61	TO	724+96.57	187.0
MEDIAN	795+72.00	TO	797+63.59	191.6
RT.	796+25.00	TO	798+09.94	184.9
LT.	800+25.71	TO	802+14.00	188.3
MEDIAN	800+72.07	TO	802+60.00	187.9
TOTAL =				1368.5

TERMINAL MARKER-DIRECT APPLIED

LOCATION	STATION	EACH
RT. MEDIAN	716+35.52	1.0
LT. SHLD	723+85.38	1.0
LT. MEDIAN	725+91.00	1.0
RT. MEDIAN	794+83.87	1.0
RT. SHLD	797+16.98	1.0
LT. SHLD	801+18.69	1.0
LT. MEDIAN	803+51.74	1.0
TOTAL =		7.0