

GENERAL NOTES

All structural steel shall be cleaned and painted. Cleaning and painting shall conform to the requirements of special provision "Cleaning And Painting Existing Steel Structures". Near White Metal Blast Cleaning - SSPC - SP10 and Paint System 1 - OZ/E/U shall be used.

The color of the final finish coat for all interior steel surfaces shall be gray, Munsell No. 5B 7/1. The color of the final finish coat for the exterior and bottom flange of the fascia beams shall be Interstate Green, Munsell No. 7.5G 4/8.

SSPC - QP1 and SSPC - QP2 Painting Contractor Certifications are required.

The existing structural steel coating contains lead. The Contractor shall take appropriate precautions to deal with the presence of lead on this project.

A minimum of three (3) air monitors are required at Structure No. 100-0040. See special provision "Containment and Disposal of Lead Paint Cleaning Residues".

Cleaning and painting of new bearings at the abutments of Structure No. 097-0044 is not required.

FILE NAME =	USER NAME = gautney-k	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	----- ----- -----	F.A.S. RTL 903 816	SECTION (X1-4)P-1, (97-1)P-1	COUNTY WILLIAMSON, WHITE	TOTAL SHEETS 10	SHEET NO. 3
	PLOT SCALE = 4915.2000' / IN.	CHECKED -	REVISED -		SCALE: -----	SHEET NO. OF SHEETS STA. TO STA.		CONTRACT NO. 78139 ILLINOIS FED. AID PROJECT		
	PLOT DATE = 10/6/2009	DATE -	REVISED -							