


TYPICAL CUT SECTION

TYPICAL FILL SECTION

**TYPICAL PROPOSED CROSS SECTION**

STA 50+00 TO STA 55+00  
 STA 400+00 TO STA 420+00  
 STA 441+00 TO STA 442+75



**TYPICAL PROPOSED CROSS SECTION**

STA 420+00 TO STA 433+00

STA 435+50 TO STA 441+00

BITUMINOUS SEAL COAT A-2 SCHEDULE

STA TO STA	BITUMINOUS MATERIALS PRIME	BITUMINOUS MATERIALS COVER & SEAL CT.	SEAL COAT AGGREGATE
400+00 TO 420+00	838 GAL	1676 GAL	70 TON
420+00 TO 433+00	505 GAL	975 GAL	37 TON
435+00 TO 442+75	401 GAL	752 GAL	29 TON
50+00 TO 55+00	273 GAL	513 GAL	20 TON
1+00 TO 1+98	38 GAL	72 GAL	3 TON
PARKING LOT 425+50	223 GAL	446 GAL	19 TON
<b>TOTALS</b>	<b>2278 GAL</b>	<b>4434 GAL</b>	<b>178 TON</b>

TREE REMOVAL, ACRES SCHEDULE

STA TO STA	QUANTITY
403+00 TO 409+00	0.3 ACRES
419+00 TO 421+00	0.1 ACRES
<b>TOTALS</b>	<b>0.4 ACRES</b>

EARTHWORK SUMMARY

STA TO STA	EARTH EXCAVATION	FURNISHED EXCAVATION
400+00 TO 420+00	885 CU.YD.	447 CU.YD.
420+00 TO 433+00	18 CU.YD.	725 CU.YD.
436+00 TO 442+75	65 CU.YD.	156 CU.YD.
50+00 TO 55+00	9 CU.YD.	750 CU.YD.
1+00 TO 1+98	19 CU.YD.	6 CU.YD.
<b>TOTALS</b>	<b>996 CU.YD.</b>	<b>2084 CU.YD.</b>

**LEGEND**

1. BITUMINOUS SURFACE COAT (A-2): BITUMINOUS MATERIALS (PRIME COAT; MC 30); 2 LAYERS OF BITUMINOUS SEAL COAT (A-2) (HFE-150 AND CA-16 CRUSHED STONE)
2. EXISTING SUBGRADE
3. AGGREGATE BASE COURSE 6"
4. EARTH EXCAVATION & FURNISHED BORROW
5. EXISTING GROUND PROFILE
6. PROPOSED GROUND PROFILE
7. SEEDING CLASS 2 WITH MULCH METHOD 2 (\*\*)

(\*\*) STA. 50 + 00 TO STA. 62 + 00 SHALL BE SEEDED WITH A PRAIRIE MIX SEED. SEE THE CROSS SECTIONS AND SPECIAL PROVISIONS

CITY OF SHELBYVILLE ILLINOIS  
 GENERAL DACEY TRAIL  
 PHASE 4