
CODE NO .	ITEM
50800205	REINFORCEMENT BARS, EPOXY COATED
50800515	BAR SPLICERS
52000110	PREFORMED JOINT STRIP SEAL
59000200	EPOXY CRACK INJECTION
60500060	REMOVING INLETS
60601105	CONCRETE CURB, TYPE M
64300450	IMPACT ATTENUATORS (NON-REDIRECTIVE), TEST LEVEL 3
67000400	ENGINEER'S FIELD OFFICE, TYPE A
-	
11 C	
X7010216	TRAFFIC CONTROL AND PROTECTION (SPECIAL)
70100207	TRAFFIC CONTROL AND PROTECTION, STANDARD 701402
70100420	TRAFFIC CONTROL AND PROTECTION, STANDARD 701411
70100500	TRAFFIC CONTROL AND PROTECTION, STANDARD 701326
<del>,010/025</del>	
70300100	SHORT TERM PAVEMENT MARKING

	USER NAME = NOLASCOCJ	DESIGNED	REVISED -						
		DRAWN	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	SUMMARY OF QUA			ANTITIES	
	PLOT SCALE = 100.0000 * / in.	CHECKED -	REVISED -		1				
	PLOT DATE = 10/16/2020	DATE	REVISED +		SCALE:	SHEET	OF	SHEETS	STA.



<u>∕</u> 1 REV. 12/18/20	REV. 10/22/20
--------------------------	---------------

TO STA.

CODE NO .	ITEM
70300150	SHORT TERM PAVEMENT MARKING REMOVAL
70300220	TEMPORARY PAVEMENT MARKING - LINE 4"
70400100	TEMPORARY CONCRETE BARRIER
70400200	RELOCATE TEMPORARY CONCRETE BARRIER
70600350	IMPACT ATTENUATORS, RELOCATE (NON- REDIRECTIVE), TEST LEVEL 3
78003100	PREFORMED PLASTIC PAVEMENT MARKING, TYPE B - LETTERS AND SYMBOLS
<	
78003180	PREFORMED PLASTIC PAVEMENT MARKING, TYPE B - LINE 24"
78008210	POLYUREA PAVEMENT MARKING TYPE I = LINE 4"
78008230	POLYUREA PAVEMENT MARKING TYPE I > LINE 6"
78008240	POLYUREA PAVEMENT MARKING TYPE I 🗧 LINE 8"
78008250	POLYUREA PAVEMENT MARKING TYPE I = LINE 12"
78100100	RAISED REFLECTIVE PAVEMENT MARKER
78200020	CURB REFLECTORS
-	
78300200	RAISED REFLECTIVE PAVEMENT MARKER REMOVAL
*= SPECIAL	

			T = SPECIALIY TIEIVI					
	USER NAME = NOLASCOCJ	OCJ DESIGNED - REVISED -						
+		DRAWN	REVISED -	STATE OF ILLINOIS	SUMMAR			/ OF QUA
	PLOT SCALE = 100.0000 * / in.	CHECKED	REVISED -	DEPARTMENT OF TRANSPORTATION	1			
	PLOT DATE = 10/16/2020	DATE -	REVISED +		SCALE:	SHEET	OF	SHEETS

		3	CONSTR. CODE	
		90% FED 10% STATE	FUND TYPE	
			NHPP BR I DGE	
		TOTAL	0047	
	UNIT	QUANTITY	050-0171	
			-	
	SQ FT	444	444	
	FOOT	20912	20912	
	ĺ	1		
	FOOT	1126	1126	
	FOOT	1126	1126	
	EACH	3	3	
5	SQ FT	199	199	
	FOOT	84	84	
	1001	04	04	
		-		
	FOOT	20912	20912	
		1 Mari		
	FOOT	1032	1032	
5	FOOT	1143	1143	
	FOOT	155	155	
	FOOT	155	155	
	EACH	14	14	
	EACH	154	154	
	EACH	14	14	
				l
01101177-1		FR	A.I. SECTION	COUNTY TOTAL SHEET SHEETS NO.
	=0 C		39 (50-6HB-1)I-3	LASALLE 34 5 CONTRACT NO. 66L00
EETS STA.	TO ST			FED. AID PROJECT

TA. | ILLINOIS FED. AID PROJECT [1] REV. 12/18/20 REV. 10/29/20 REV. 10/22/20

	CODE NO .		ITEM
	X0326223	FOAM, EXPANDING POLYURETHANE, H	IGH-DENS I TY
	X0326649	LINEAR DELINEATOR PANELS, 6 INC	1
	X0327371	PLUG EXISTING PIPE	
	X0327809	LINEAR DELINEATOR PANELS, 4 INC	1
	ст		
	X0327980	PAVEMENT MARKING REMOVAL - WATER	R BLASTING
	n		
$\sim$		TEMPORARY RUMBLE STRIPS (SPECIAI	
سسسين	X5030250	BRIDGE DECK GROOVING (LONGITUDINAL)	
ξ	50300260	BRIDGE DECK GROOVING	
ξ			
L L	X5060601	CONTAINMENT AND DISPOSAL OF NON	LEAD PAINT CLEANING RESIDUES N
	uuu		
	X5067501	BRIDGE CLEANING AND PAINTING WAR	RRANTY NUMBER 1
	42001300	PROTECTIVE COAT	
r	·····		
ξ	X704020E	TEMPODADY CONCRETE DADDIED TEDA	ALMAL SECTION (SPECIAL)
٢	·····		
*	X7830060	GROOVING FOR RECESSED PAVEMENT	MARKING, LETTERS AND SYMBOLS
*	X7830070	GROOVING FOR RECESSED PAVEMENT I	MARKING 5"
*	X7830076	GROOVING FOR RECESSED PAVEMENT	MARKING 9"
	*= SPECIAL	TY ITEM	
	S	STATE OF ILLINOIS	SUMMARY OF QU

			*= SPECIALTY ITEM		
USER NAME = NOLASCOCJ	DESIGNED -	REVISED -			
	DRAWN -	REVISED -	STATE OF ILLINOIS		
PLOT SCALE = 100.0000 * / in.	CHECKED	REVISED -	DEPARTMENT OF TRANSPORTATION		
PLOT DATE = 10/16/2020	DATE -	REVISED +		SCALE:	SHEE

	12/14/20	REV. 12/8/	20 RFV. 10/29/	20 REV. 10/22/20
SUMMARY OF QUANTITIES	TO STA.	F.A.I. RTE. 39	SECTION (50-6HB-1)I-3	COUNTY TOTAL SHEETS SHEE NO.   LASALLE 34 6   CONTRACT NO. 66L00   AID PROJECT AD 6
				]
T MARKING 9"	FOOT	1143	1143	
T MARKING 5"	FOOT	20912	20912	
T MARKING, LETTERS AND SYMBOLS	SQ FT	199	199	
		······		μ
ERMINAL SECTION (SPECIAL)	EACH	8	8	
	SQ YD	2013	2013	K
		2012	2012	B A
WARRANTY NUMBER 1	L SUM	1	1	
	·····	·····	·······	
ON-LEAD PAINT CLEANING RESIDUES NO. 1	L SUM	1	1	
		1303	1505	
AL)	SQ YD	805.8	805.8	
	EACH	· · · · · · · · · · · · · · · · · · ·		
TER BLASTING	SQ FT	11519	11519	
NCH	EACH	14	14	
	EACH	14	14	
	CU YD	8	8	
NCH	EACH	14	14	
HIGH-DENSITY	POUND	630	630	
		(20)	(20	
ITEM	UNIT	QUANTITY	050-0171	
		TOTAL	BR IDGE 0047	
		90% FED 10% STATE	FUND TYPE NHPP	
			CONSTR. CODE	]


CODE	
NO .	ITEM
X7830090	GROOVING FOR RECESSED PAVEMENT MARKING 25"
Z0004556	HOT-MIX ASPHALT SURFACE REMOVAL (DECK)
Z0006012	BRIDGE DECK LATEX CONCRETE OVERLAY, 2 1/4 INCHES
i.	
Z0010501	CLEANING AND PAINTING STEEL BRIDGE NO. 1
Z0012130	BRIDGE DECK SCARIFICATION 3/4"
Z0012754	STRUCTURAL REPAIR OF CONCRETE (DEPTH EQUAL TO OR LESS THAN 5 INC
Z0016001	DECK SLAB REPAIR (FULL DEPTH, TYPE I)
Z0016002	DECK SLAB REPAIR (FULL DEPTH, TYPE II)
-	
Z0030850	TEMPORARY INFORMATION SIGNING

\*= SPECIALTY ITEM

	USER NAME = NOLASCOCJ	DESIGNED -	REVISED –						
		DRAWN -	REVISED -	STATE OF ILLINOIS		SU	MMARY	of Qu/	ANT
1	PLOT SCALE = 100.0000 * / in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION					
1	PLOT DATE = 10/16/2020	DATE	REVISED +		SCALE:	SHEET	OF	SHEETS	STA

			CONSTR. CODE	
		90% FED 10% STATE	FUND TYPE NHPP	
			BRIDGE	
		TOTAL	0047	
	UNIT	QUANTITY	050-0171	
	FOOT	84	84	
	SQ YD	1338	1338	<u>/1</u>
		ann	mmm	
	SQ YD	1303	1303	
1				
	L SUM	1	1	
	SQ YD	1303	1303	
CHES)	SQ FT	289	289	
	SQ YD	5	5	
	SQ YD	35	35	
	SQ FT	42	42	
				5

		_									
		F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.					
UANTITIES			(50-6HB-1)I-3	LASALLE	34	7					
				CONTRACT	NO. 66	5L00					
гs	STA. TO STA.	ILLINOIS FED. AID PROJECT									
⚠ REV. 12/18/20 REV. 12/8/20 REV. 10/29/20 REV. 10/22/20											



PLOT DATE = SDATES

DATE

REVISED

**GENERAL** F SHEET OF \_\_\_\_\_SHEET

SCALE:

GENERAL NOTES

PLAN DIMENSIONS AND DETAILS RELATIVE TO EXISTING PLANS ARE SUBJECT TO NOMINAL CONSTRUCTION VARIATIONS. THE CONTRACTOR SHALL FIELD VERIFY EXISTING DIMENSIONS AND DETAILS AFFECTING NEW CONSTRUCTION AND MAKE NECESSARY APPROVED ADJUSTMENTS PRIOR TO CONSTRUCTION OR ORDERING OF MATERIALS. SUCH VARIATIONS SHALL NOT BE CAUSE FOR ADDITIONAL COMPENSATION FOR A CHANGE IN SCOPE OF WORK; HOWEVER, THE CONTRACTOR WILL BE PAID FOR THE QUANTITY ACTUALLY FURNISHED AT THE UNIT PRICE BID FOR THE WORK.

EXISTING REINFORCEMENT BARS EXTENDING INTO THE REMOVAL AREA SHALL BE CLEANED, STRAIGHTENED AND INCORPORATED INTO THE NEW CONSTRUCTION. ANY REINFORCEMENT BARS THAT ARE DAMAGED DURING CONCRETE REMOVAL SHALL BE REPLACED WITH AN APPROVED BAR SPLICER OR ANCHORAGE SYSTEM. COST INCLUDED WITH CONCRETE REMOVAL.

AREAS OF DECK REPAIRS SHOWN ARE ESTIMATED. THE ENGINEER SHALL SHOW ACTUAL LOCATIONS OF DECK REPAIRS ON AS-BUILT PLANS.

PROTECTIVE COAT SHALL BE APPLIED TO THE NEW OVERLAY AND NEW CONCRETE AREAS OF THE DECK, MEDIAN AND PARAPETS ADJACENT TO THE JOINTS ONLY.

PRIOR TO POURING THE NEW CONCRETE DECK, ALL HEAVY OR LOOSE RUST, LOOSE MILL SCALE, AND OTHER LOSSE POTENTIALLY DETRIMENTAL FOREIGN MATERIAL SHALL BE REMOVED FROM THE SURFACE IN CONTACT WITH CONCRETE. TIGHTLY ADHERED PAINT SHALL REMAIN UNLESS OTHERWISE NOTED. REMOVAL SHALL BE ACCOMPLISHED BY METHODS THAT WILL NOT DAMAGE THE STEEL AND THE COST WILL BE INCLUDED WITH THE PAYITEM COVERING REMOVAL OF THE EXISTING CONCRETE. 

CLEANING AND PAINTING OF EXISTING STRUCTURAL STEEL SHALL BE AS SPECIFIED IN THE SPECIAL PROVISION FOR "CLEANING AND PAINTING EXISTING STEEL STRUCTURES" AND AS SPECIFIED BELOW. A. ALL EXISTING STRUCTURAL STEEL (INCLUDING BEAMS/GIRDERS, DIAPHRAGMS, CROSS/LATERAL FRAMING, STEEL COMPONENTS OF BEARINGS, DRAINS, AND ANGLE BRACKETS SHALL BE CLEANED PER THE REQUIREMENTS OF "NEAR WHITE BLAST CLEANING-SSPC-SP-10"

B. THE DESIGNATED AREAS CLEANED PER NEAR WHITE BLAST CLEANING (SPCC-SP 10) SHALL BE PAINTED PER THE REQUIREMENTS OF "PAINT SYSTEM 1-OZ/E/U".

1. THE FINAL FINISH COAT FOR ALL INTERIOR STRUCTURAL STEEL SHALL BE "GRAY MUNSELL NO. 5B 7/1". 2. THE FINISH COAT FOR EXTERIOR FACE, BOTTOM FLANGE, AND BEARING ASSEMBLIES OF THE FASCIA BEAMS SHALL BE 'GREEN MUSELL NO, 7.5G 1/2'.

THE CONTRACTOR SHALL BE REQUIRED TO SECURE WASTE CONTAINERS THAT REMAIN ON THE JOB SITE. THIS WILL ENTAIL THAT ALL WASTE CONTAINERS CAN NOT BE MOVED OR OPENED DURING

WORKING DAYS SHALL BE CHARGED UNTIL THE CONTRACTOR/SUBCONTRACTOR LICENSED TO DISPOSE OF NON-LEAD PAINT RESIDUES HAS REMOVED THE WASTE MATERIAL FROM THE JOB SITE ACCORDING TO ALL FEDERAL, STATE, AND LOCAL LAWS AND ORDINANCES. IF THE LICENSED CONTRACTOR OR SUBCONTRACTOR FAILS TO DISPOSE OF THE NON-LEAD PAINT RESIDUES ON OR BEFORE THE SPECIFIED COMPLETION DATE, LIQUIDATED DAMAGES SHALL BE CHARGED PER CALENDAR DAY ACCORDING TO ARTICLE 108.09 OF THE STANDARD SPECIFICATIONS UNTIL SUCH TIME THAT ALL PAINT RESIDUE MATERIALS HAVE BEEN PROPERLY REMOVED AND DISPOSED OF.

## TOTAL BILL OF MATERIALS

ITEM	UNIT	QUANTITY
FACE REMOVAL (DECK)	SQ YD	1303
	SQ YD	724
NG (LONGITUDINAL)	SQ YD	1303
ONCRETE OVERLAY 2 1/4"	SQ YD	1303
CATION 3/4"	SQ YD	1303
	SQ YD	1796
ILL DEPTH TYPE I)	SQ YD	5
ILL DEPTH TYPE II)	SQ YD	35
	CU YD	17.5
CTURE	CU YD	19.5
, EPOXY COATED	POUND	2076
DN	FT	63
F CONCRETE (DEPTH EQUAL TO OR LESS THAN 5")	SQ FT	289
IP SEAL	FOOT	134
	EACH	30
NG_STEEL_BRIDGE_No_1	L. SUM	1
SPOSAL OF NON-LEAD PAINT RESIDUE No. 1	L. SUM	1
E.A.I. CECTION	. 1	
BTE SECTION	1	COUNTY SHEE

PLAN		SECTION		COUNTY	SHEETS	NO.		
		(50-6H	(50-6HB-1)I-3			34	14	
					CONTRACT	NO. 66	5L00	
TS STA TO STA			ILLINOIS	FED. AI	AID PROJECT			