01-15-2021 LETTING ITEM 176

FOR INDEX OF SHEETS, SEE SHEET NO. 2

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

0-91-021-21

PROPOSED HIGHWAY PLANS

ROUTE: VARIOUS DISTRICT ONE SECTION: 2020–222–I
ARTERIAL HIGHWAY CLEANING (SWEEPING)
COUNTY: WILL
C-91–020–21




FULL SIZE PLANS HAVE BEEN PREPARED USING STANDARD ENGINEERING SCALES. REDUCED SIZED PLANS WILL NOT CONFORM TO STANDARD SCALES. IN MAKING MEASUREMENTS ON REDUCED PLANS, THE ABOVE SCALES MAY BE USED.

J.U.L.I.E.
JOINT UTILITY LOCATION INFORMATION FOR EXCAVATION
1-800-892-0123
OR 811

PROJECT MANAGER: J. ALAIN MIDY (847) 221-3056

LOCATION MAPS - SEE INDEX OF SHEETS



PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

REV-SEP

CONTRACT NO. 62M99

0

			CONTRA		NO.		
F.A RTE.	SECTION		COUNT	Y	SHEE	AL TS	SHEET NO.
VAR.	2020-22	2-I	WII	LL	7		2
STA.		1	TO STA.				
FF0 D0	AD DICT NO	7 74.	016 FFD	410	DD0 1	F 6 T	

INDEX OF SHEETS

1.	TITLE SHEET
2.	INDEX OF SHEETS APPLICABLE STATE STANDARDS

- 3. SUMMARY OF QUANTITIES SCHEDULE OF CLEANING STARTING DATES
- 4. ARTERIAL TYPICAL SECTIONS
- 5. ARTERIAL CLEANING: WILL COUNTY JOLIET TEAM SECTION
- 6. ARTERIAL CLEANING: WILL COUNTY NEW LENOX TEAM SECTION
- TRAFFIC CONTROL AND PROTECTION FOR SIDE ROADS, INTERSECTIONS AND DRIVEWAYS (TC-10)

STATE STANDARDS

70	01001-02	OFF-ROAD OPERATION 2L, 2W, 15' MIN. AWAY FOR SPEEDS > 45 MPH
70	01006-05	OFF-ROAD OPERATION 2L, 2W, 15 TO PAVEMENT EDGE FOR SPEEDS > 45 MPH
70	01011-04	OFF-ROAD MOVING OPERATION 2L, 2W, DAY ONLY
70	1301-04	LANE CLOSURE, 2L 2W, SHORT TIME OPERATIONS
70	01311-03	LANE CLOSURE, 2L 2W, MOVING OPERATIONS - DAY ONLY
70	01411-09	LANE CLOSURE, MULTILANE AT ENTERANCE/EXIT RAMP FOR SPEEDS > 45 MPH
701	1426-09	LANE CLOSURE, MULTILANE INTERMITTENT OR MOVING OPERATION FOR SPEEDS > 45 MPH
701	1427-05	LANE CLOSURE, MULTILANE, INTERMITTENT OR MOVING OPERATIONS < 40 MPH
70	1901-08	TRAFFIC CONTROL DEVICES

REV-SEP

REVISIONS		ILLINOIS DEPARTMENT OF TRANSPORTATION		
NAME	DATE	ILLINOIS DEFARTMENT OF TRANSFORTATION		
		INDEX OF SHEETS AND STATE STANDARDS		
	1			
		VERT.		
		SCALE: HORIZ. DRAWN BY		
		DATE CHECKED BY		

FILE NAME : put/pjarroom.dot.illnois.gov/PWIDDT/Documents/IDDT Offices/District INP-ojects/Sweeping Contracts/CADDeta/Design/S PLOT SCALE : 1085.8824 ' / 1n. SUMMARY OF QUANTITIES

	SUMMARY OF GUARTITIES	URBAN	100 % STATE 0044	
CODE NO.	ITEM	UNIT	TOTAL QUANTITIES	ARTERIAL
x0330600	FULL ARTERIAL CLEANING CYCLE	EACH	2	2

NOTES:

- 1. SCHEDULE MAY VARY AS DIRECTED BY THE ENGINEER.
- 2. THE CONTRACTOR MAY NOT START CLEANING CYCLES BEFORE AN AUTHORIZED WORK ORDER HAS BEEN SUBMITTED TO THE CONTRACTOR BY THE ENGINEER.
- 3. NO WORK WILL BE ALLOWED DURING ANY LEGAL HOLIDAY PERIOD.
- 4. NO DAILY CONTRACTOR WORK REQUESTS/ SCHEDULING SHALL BE AUTORIZED OR APPROVED TO START WHEN IT IS DETERMINED BY THE ENGINEER THAT WEATHER CONDITIONS WILL BE UNFAVORABLE. APPROVAL OF ALL DAILY CONTRACTOR WORK SCHEDULE REQUEST SHALL BE SOLELY DETERMINED BY THE ENGINEER AND OR PROJECT SUPERVISOR.
- 5. ALL LANE AND SHOULDER CLOSURES SHALL BE IMMEDIATELY REMOVED DURING ALL ADVERSE WEATHER CONDITIONS <u>WITHOUT EXCEPTION</u>, INCLUDING BUT NOT LIMITED TO RAIN, WET ROAD SURFACE (SPRAY FROM TIRES), MIST, DRIZZLE, SLEET, SNOW, FOG AND ANY OTHER CIRCUMSTANCE DETERMINED UNSAFE BY THE ENGINEER. THE CONTRACTOR SHALL IMPLEMENT THIS CONTRACT REQUIREMENT IMMEDIATELY WITHOUT WAITING FOR DEPARTMENT INSTRUCTIONS.
- 6. BECAUSE SWEEPING OPERATIONS NEED WATER TO WORK EFFECTIVELY, SWEEPING
 WILL <u>NOT</u> BE ALLOWED WHEN TEMPERATURES OR WIND CHILL FACTORS ARE FORECASTED BY THE
 DEPARTMENTS CERTIFIED CONSULTING METEOROLOGISTS TO BE AT OR DROP BELOW FREEZING.

 <u>TEMPERATURE MUST BE ABOVE THIRTY TWO (32) DEGREES FARENHEIT.</u> ALL SHOULDER AND CURB
 LINES MUST BE FREE OF ANY EXISTING SNOW AND OR ICE. DRY SWEEPING SHALL BE ALLOWED ONLY
 IF IT IS CONSIDERED AN EMERGENCY, IMMEDIATE HAZARD, OR ANY WORK AS DESIGNATED BY THE
 DEPARTMENT THAT REQUIRES FIRST PRIORITY CORRECTIVE ACTION.
- 7. NO WORK WILL BE ALLOWED DAY OR NIGHT ON THE FOLLOWING DATES UNLESS IT IS CONSIDERED AN EMERGENCY, IMMEDIATE HAZARD OR ANY WORK AS DESIGNATED BY THE DEPARTMENT THAT REQUIRES FIRST PRIORITY CORRECTIVE ACTION:

2021: APRIL 2 - APRIL 5
MAY 28 - JUNE 1
JULY 2 - JULY 6
SEPTEMBER 3 - SEPTEMBER 7
NOVEMBER 24 - NOVEMBER 29
DECEMBER 23 - JANUARY 1/2022

EASTER HOLIDAY
MEMORIAL DAY HOLIDAY
INDEPENDENCE DAY HOLIDAY
LABOR DAY HOLIDAY
THANKSGIVING HOLIDAY
CHRISTMAS/NEW YEAR'S HOLIDAY

PLOT DATE : 8/26/2020 FILE MAME : part/plarroom.dot.illnois.govPWIDOT\Documents\IDOT Offices\District INProjec

REVISIONS
NAME DATE

SUMMARY OF QUANTITIES
AND


SCHEDULE OF STARTING DATES


SCALE: VERT.
HORIZ.


DRAWN BY

CHECKED BY

DATE







4) ALL PAVED DITCHES AND SPILLWAYS WITHIN 10' OF STABILIZED BASE

SHALL BE CLEANED

AND CURB RETURN DETAIL

DRAWN BY

SCALE: VERT. HORIZ.

CONTRACT NO. 62M99


COUNTY TOTAL SHEET NO. RTE. SECTION VAR. 2020-222-I WILL STA. TO STA. FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT RIDGE EAST BOLINGBROOK TEAM SECTION JOILET KEY LOCATIONS J1 - J15 ROMEO-VILLE LOCKPORT J7 CANTON FARM CATON FARM MARLEY J5 SHOREWOOD JOLIET DISTRICT NO. 1 ROCK J5 STATE HIGHWAYS & EXPRESSWAYS
WITHIN STATE JURISDICTION
(EXCEPT TOLLWAYS) STATE HIGHWAYS & EXPRESSWAYS
TO BE CLEANED PRESTON HEIGHTS :== FUTURE HIGHWAYS ---- VARIOUS AGENCIES HIGHWAYS LARAWAY ILLINOIS DEPARTMENT OF TRANSPORTATION MANHATTAN CUL-DE-SAC MANHATTAN MONEE ARTERIAL CLEANING LOCATION MAP WILL COUNTY JOLIET TEAM SECTION MANHATTAN • CHANNAHON

SCALE: VERT. DATE

DRAWN BY CHECKED BY

CONTRACT NO. 62M99 RTE. SECTION VAR. 2020-222-I STA. TO STA. FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT MARLEY DRAPER 6 NL4

DRAPER AVE. WARNUT ST. MOKENA JEFFERSON ST. JOLIET SHOREWOOD NL5 NL4 FRANKFORT TEAM SECTION NEW LENNOX KEY LOCATIONS NL1 - NL17 STEGER NL8 NL16 NL16 MANHATTAN MONEE CHANNAHON, ELWOOD GOODENOW BLODGETT ANDRES NL12 WILTON CENTER BEECHER LORENZO LORENZO PEOTONE-BEECHER DISTRICT NO. 1 PEOTONE STATE HIGHWAYS & EXPRESSWAYS
WITHIN STATE JURISDICTION
(EXCEPT TOLLWAYS) SYMERTON NL13 WILMINGTON - PEOTONE STATE HIGHWAYS & EXPRESSWAYS
TO BE CLEANED NL10 NL8 NL6 WILMINGTON :== FUTURE HIGHWAYS NL15 ----- VARIOUS AGENCIES HIGHWAYS RAIDWOOD NL13 GODLEY GODLEY RD. ILLINOIS DEPARTMENT OF TRANSPORTATION T DATE = 8/26/2020 : NAME = pw:\planroom.dot T SCALE = 105.8824 '/ in. R NAME = midyJe NL2 ARTERIAL CLEANING LOCATION MAP WILL COUNTY NEW LENOX TEAM SECTION SCALE: VERT. HORIZ. DRAWN BY DATE CHECKED BY



NOTES:

- 1. SIDE ROAD WITH A SPEED LIMIT OF 40 MPH (60 km/h) OR LESS AS SHOWN ON THE DRAWING AND AS DIRECTED BY THE ENGINEER:
- a) ONE "ROAD CONSTRUCTION AHEAD" SIGN 36 x 36 (900x900) WITH A FLASHER MOUNTED ON IT APPROXIMATELY 200' (60 m) IN ADVANCE OF THE MAIN ROUTE.
- b) THE CLOSED PORTION OF THE MAIN ROUTE SHALL BE PROTECTED BY BLOCKING WITH TYPE I, TYPE II OR TYPE III BARRICADES, 1/3 OF THE CROSS SECTION OF THE CLOSED PORTION.
- 2. SIDE ROAD WITH A SPEED LIMIT GREATER THAN 40 MPH (60 km/h) AS SHOWN ON THE DRAWING AND AS DIRECTED BY THE ENGINEER:
- a) ONE "ROAD CONSTRUCTION AHEAD" SIGN 48 x 48 (1.2 m x 1.2 m) WITH A FLASHER MOUNTED ON IT APPROXIMATELY 500' (150 m) IN ADVANCE OF THE MAIN ROUTE,
- THE CLOSED PORTION OF THE MAIN ROUTE SHALL BE PROTECTED BY
 b) BLOCKING WITH TYPE III BARRICADES, 1/2 OF THE CROSS SECTION
 OF THE CLOSED PORTION.
- 3. CONES MAY BE SUBSTITUTED FOR BARRICADES OR DRUMS AT HALF THE SPACING DURING DAY OPERATIONS. CONES SHALL BE A MINIMUM OF 28 (710) IN HEIGHT
- WHEN THE SIDE ROAD LIES BETWEEN THE BEGINNING OF THE MAINLINE
 4. SIGNING AND THE WORK ZONE, A SINGLE HEADED ARROW (M6-1) SHALL
 BE USED IN LIEU OF THE DOUBLE HEADED ARROW (M6-4).

- 5. WHEN WORK IS BEING PERFORMED ON A SIDE ROAD OR DRIVEWAY, FOLLOW THE APPLICABLE STANDARD(S). THE DIRECTIONAL ARROW (M6-1 OR M6-4) SHALL BE COVERED OR REMOVED WHEN NO LONGER CONSISTENT WITH THE TRAFFIC CONTROL SET-UP.
- 6. ADVANCE WARNING SIGNS ARE TO BE OMITTED ON DRIVEWAYS UNLESS OTHERWISE SPECIFIED IN THE PLANS OR BY THE ENGINEER
- THE TRAFFIC CONTROL AND PROTECTION FOR SIDE ROADS, INTERSECTIONS, AND DRIVEWAYS SHALL BE INCLUDED IN THE COST OF SPECIFIED TRAFFIC CONTROL STANDARDS OR ITEMS.

All dimensions are in inches (millimeters) unless otherwise shown.

USER NAME = midyja	DESIGNED - L.H.A.	REVISED - A. HOUSEH 10-15-96
	DRAWN -	REVISED - T. RAMMACHER 01-06-00
PLOT SCALE = 100.0000 ' / in.	CHECKED -	REVISED - A. SCHUETZE 07-01-13
PLOT DATE = 8/26/2020	DATE - 06-89	REVISED _ A. SCHUETZE 09-15-16

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

TRAFFIC CONTROL AND PROTECTION FOR SIDE ROADS, INTERSECTIONS, AND DRIVEWAYS							
SCALE: NONE	SHEET	1 OF	1	SHEETS	STA.	TO STA.	