

LOCATION	SUB-BASE GRANULAR MATERIAL TYPE A 12"	AGGREGATE BASE COURSE TYPE B			HOT-MIX ASPHALT BASE COURSE, 6"	BITUMINOUS MATERIALS (PRIME COAT)	HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N50	LEVELING BINDER (MACHINE METHOD), N50	HOT-MIX ASPHALT SURFACE COURSE, MIX D, N50	AGGREGATE SHOULDERS, TYPE, A 6"	INCIDENTAL BITUMINOUS SURFACING
		4"	8"	12"							
		SQ YD	SQ YD	SQ YD							
STA 56+36 TO 60+50	1104			847	306	111	47	192			
STA 56+50 - LT		21									
STA 56+83 - RT			34							34	
STA 57+40 - LT		26									
STA 57+58 TO 104+68 - LT		4696									
STA 57+80 - LT		35									
STA 58+31 - RT			34							34	
STA 58+95 - LT		55									
STA 59+30 - LT		55									
STA 59+30 - RT			37							37	
STA 60+15 - LT		44									
STA 60+31 - RT			36							36	
STA 60+50 TO 64+60	1867			1639	574	207		161			
STA 61+20 - LT		43									
STA 61+30 - RT			33							33	
STA 62+26 - RT			34							34	
STA 63+37 - RT		36									
STA 63+91 - RT			33							33	
STA 64+60 TO 71+25	1293			157	981	399	144	68	334	44	
STA 65+30 - RT			32							32	
STA 65+85 - RT		36									
STA 67+29 - RT			31							31	
STA 68+16 - RT			32							32	
STA 70+50 - RT		34									
STA 71+25 TO 73+90	1266			1119	392	141		110			
STA 71+95 - RT			32							32	
STA 72+63 - RT			37							37	
STA 73+90 TO 85+25	2432			1852	659	237	107	500			
STA 74+00 - RT			30							30	
STA 74+97 - RT			37							37	
STA 75+45 - RT			29							29	
STA 77+00 - RT			31							31	
STA 77+95 - RT			37							37	
STA 78+45 - RT			32							32	
STA 82+06 - RT		14									
STA 85+25 TO 88+50	1553			1372	481	173		135			
STA 88+50 TO 91+74	832			652	229	83	36	135			
STA 91+14 - LT		32									
STA 91+74 TO 92+04	143			127	45	17		14			
STA 92+04 TO 104+68	3068			2410	850	306	133	546			
STA 94+59 - LT		37									
TOTAL	13558	5158	601	199	11026	3935	1419	391	2127	44	601

LOCATION	TURF ESTABLISHMENT SCHEDULE		
	TOP SOIL FURNISH & PLACE	SEEDING CLASS 1 SPECIAL	SODDING
	SQ YD	AC	SQ YD
STA 56+36 TO 68+92 RT	1294	0.27	
STA 56+36 TO 61+44 - 30 LT	228		228
STA 57+88 TO 61+44 - 35 LT	188	0.04	
STA 61+44 TO 68+93 LT	1325	0.28	
STA 68+92 TO 81+90 RT	1402	0.29	
STA 68+93 TO 81+80 LT	1780	0.37	
STA 81+80 TO 104+68 RT	3362	0.70	
STA 81+80 TO 101+59 LT	2806	0.58	
STA 101+59 TO 104+68 LT	361	0.08	
TOTAL	12746	2.61	228

NOTE: TOP SOIL FURNISH AND PLACE IS INCIDENTAL TO SEEDING AND SODDING - SEE SPECIAL PROVISIONS

STRIP REFLECTIVE CRACK CONTROL SCHEDULE	
LOCATION	STRIP REFLECTIVE CRACK CONTROL TREATMENT SYSTEM A
	FOOT
STA 56+36 TO 60+50	951
STA 64+60 TO 71+25	1479
STA 73+90 TO 75+80	469
STA 78+70 TO 85+25	1490
STA 88+50 TO 91+74	728
STA 92+04 TO 104+68	2823
TOTAL	7940

EROSION CONTROL SCHEDULE			
LOCATION	STONE RIP RAP		INLET AND PIPE PROTECTION EACH
	CLASS A3	CLASS A4	
	SQ YD	SQ YD	
STA: 56+54 - 33 R			1
STA: 56+99 - 29 L			1
STA: 57+24 - 33 R			1
STA: 57+59 - 29 L			1
STA: 58+04 - 33 R			1
STA: 58+68 - 36 L			1
STA: 59+01 - 33 R			1
STA: 59+12 - 36 L			1
STA: 59+89 - 36 L			1
STA: 59+92 - 22.7 L			1
STA: 60+00 - 22 R			1
STA: 60+00 - 33 R			1
STA: 60+97 - 36 L			1
STA: 61+06 - 33 R			1
STA: 61+51 - 22 L			1
STA: 61+51 - 46 L			1
STA: 61+58 - 33 R			1
STA: 61+93 - 18 L			1
STA: 61+93 - 22 R			1
STA: 62+00 - 18 L			1
STA: 62+00 - 22 R			1
STA: 62+59 - 35 R	5		
STA: 62+66 - 44 L	7		
STA: 63+53 - 18 L			1
STA: 63+53 - 22 R			1
STA: 63+55 - 33 R			1
STA: 63+60 - 18 L			1
STA: 63+60 - 22 R			1
STA: 64+07 - 33 R			1
STA: 65+58 - 33 R			1
STA: 66+15 - 18 L			1
STA: 66+15 - 22 R			1
STA: 66+15 - 33 R			1
STA: 67+51 - 34 R			1
STA: 70+25 - 33 R			1
STA: 71+30 - 33 R			1
STA: 72+11 - 42 L			1
STA: 72+23 - 18 L			1
STA: 72+23 - 22 R			1
STA: 72+31 - 18 L			1
STA: 72+31 - 22 R			1
STA: 73+24 - 33 R			1
STA: 74+20 - 18 L			1
STA: 74+20 - 22 R			1
STA: 74+24 - 34 R			1
STA: 75+07 - 33 R			1
STA: 76+26 - 33 R			1
STA: 77+20 - 18 L			1
STA: 77+20 - 22 R			1
STA: 77+20 - 36 L			1
STA: 79+40 - 37 L			1
STA: 79+40 - 41 R			1
STA: 80+50 - 18 L			1
STA: 80+50 - 22 R			1
STA: 80+50 - 37 L			1
STA: 82+27 - 22 R			1
STA: 82+27 - 18 L			1
STA: 85+00 - 18 L			1

SIDEWALK SCHEDULE		
LOCATION	PORTLAND CEMENT CONCRETE SIDEWALK, 5"	DETECTABLE WARNING
	SQ FT	SQ FT
STA 57+58 TO 104+68 LT	42261	114
STA 82+06 RT	126	7
TOTAL	42387	121

EROSION CONTROL SCHEDULE			
LOCATION	STONE RIP RAP		INLET AND PIPE PROTECTION EACH
	CLASS A3	CLASS A4	
	SQ YD	SQ YD	
STA: 85+00 - 22 R			1
STA: 85+00 - 37 L			1
STA: 86+92 - 18 L			1
STA: 86+92 - 22 R			1
STA: 87+00 - 18 L			1
STA: 87+00 - 22 R			1
STA: 90+78 - 39 L			1
STA: 91+00 - 18 L			1
STA: 91+00 - 22 R			1
STA: 91+84 - 40 L		16	
STA: 91+91 - 50 R		51	
STA: 94+30 - 18 L			1
STA: 94+30 - 22 R			1
STA: 94+37 - 18 L			1
STA: 98+50 - 18 L			1
STA: 98+50 - 22 R			1
STA: 98+50 - 37 L			1
STA: 100+95.5 - 21 L			1
STA: 100+99 - 38 L			1
STA: 102+24 - 22 R			1
STA: 102+24 - 21 L			1
STA: 104+00 - 18 L			1
STA: 104+00 - 22 R			1
STA: 104+45 - 39 L			1
TOTAL	12	67	78

MISCELLANEOUS SCHEDULE							
LOCATION	RELOCATE EXISTING SIGN	SIGN PANEL TYPE 1	TELESCOPING STEEL SIGN SUPPORT	FRAMES AND GRATES TO BE ADJUSTED	MANHOLES TO BE ADJUSTED	MANHOLES TO BE RECONSTRUCTED	DESCRIPTION
	EACH	SQ FT	FT	EACH	EACH	EACH	
STA 56+39 - 25 LT				1			4' DIA STORM MANHOLE
STA 57+07 - 20 RT					1		4' DIA SANITARY MANHOLE
STA 59+50 - 20 RT						1	4' DIA SANITARY MANHOLE
STA 62+68 - 19 RT						1	4' DIA SANITARY MANHOLE
STA 63+00 - 22 LT		2.25	14				BIKE WARNING SIGN
STA 65+70 - 22 RT					1		4' DIA SANITARY MANHOLE
STA 66+70 - 25 RT	1		14				STOP AHEAD SIGN
STA 67+64 - 22 RT					1		4' DIA SANITARY MANHOLE
STA 67+90 - 22 LT	1		14				SPEED LIMIT 30 SIGN
STA 68+55 - 25 RT	1	3.75	14				STOP SIGN ABOVE BIKE ROUTE SIGN
STA 69+19 - 32 RT	1		14				STOP SIGN
STA 69+25 - 37 LT		1.86	11				BIKE STOP SIGN
STA 69+40 - 22 LT	1		14				STOP SIGN
STA 70+14 - 20 RT					1		4' DIA SANITARY MANHOLE
STA 70+95 - 25 RT		5.00	14				SPEED LIMIT 30 SIGN
STA 71+35 - 22 LT	1		14				STOP AHEAD SIGN
STA 74+25 - 19 RT					1		4' DIA SANITARY MANHOLE
STA 78+28 - 22 RT					1		4' DIA SANITARY MANHOLE
STA 80+05 - 22 LT	1		14				SPEED LIMIT 30 SIGN
STA 81+35 - 22 LT		1.86	11				BIKE STOP SIGN
STA 81+72 - 43 LT				1			4' DIA SANITARY MANHOLE
STA 82+05 - 37 LT		1.86	11				BIKE STOP SIGN
STA 83+38 - 25 RT		5.00	14				SPEED LIMIT 30 SIGN
STA 93+63 - 32 LT					1		4' DIA SANITARY MANHOLE
STA 99+95 - 22 LT	1		14				SPEED LIMIT 30 SIGN
STA 100+85 - 22 LT		1.86	11				BIKE STOP SIGN
STA 101+34 - 28 LT				1			4' DIA SANITARY MANHOLE
STA 102+10 - 37 LT		1.86	11				BIKE STOP SIGN
STA 103+50 - 22 LT	1		14				SPEED LIMIT 30 SIGN
TOTAL	9	25.30	223	3	7	2	

CONCRETE SCHEDULE			
LOCATION	PORTLAND CEMENT CONCRETE DRIVEWAY PAVEMENT, 6"	COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.12	COMBINATION CONCRETE CURB AND GUTTER, TYPE M-3.12
	SQ YD	FT	FT
STA 56+36 TO 104+68		9536	7
STA 56+50 LT	21		
STA 57+40 LT	26		
STA 57+80 LT	35		
STA 58+95 LT	55		
STA 59+30 LT	55		
STA 60+15 LT	44		
STA 61+20 LT	43		
STA 63+37 RT	36		
STA 65+85 RT	36		
STA 70+50 RT	34		
STA 91+14 LT	32		
STA 94+59 LT	37		
TOTAL	454	9536	7



REVISIONS			
DATE	BY	DESCRIPTION	
2/11/08	AJC/JWP	PER IDOT REVIEW	
3/27/08	JWP	PER IDOT REVIEW	
4/1/08	JWP	PER REVIEWS	
5/7/08	JWP	BIKE PATH REDIGN PER COMMENT	