
CONTRACT NO. 6819 RTE. SECTION COUNTY 313 18 RS, (18HB)] KNOX 70 TO STA. FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT



ONE-WAY TRAFFIC

Begin reflectors at

10' (3m) point

NOTE: Omit terminal marker when terminal over 10' (3m) from edge of paved shoulder or break point of unpaved shoulder, or when terminal buried in backslope.

Traffic Barrier Terminal Type(*) and/or


Turned-Down Terminal [Terminal over 10' (3m) from edge of shoulder]

Spacing 80 ft. (24 m) max. for first 400 ft. (122 m) or curve spacing shown in Standard 635001, whichever is less (min. 4 reflectors regardless of length).

> Greater than 10' (3m)

② After 400 ft. (122 m), transition to normal delineator spacing shown in Standard 635001, and continue as required.

-Edge of shoulder




Bidirectional silver/silver should be used In lieu of monodirectional silver on both sides of two-lane bridges where the bridge pavement is less than 24 (610) wider than the pavement approaching the bridge.

TWO-WAY TRAFFIC


LEGEND

- Left or Right as appropriate



NOTE: Omit terminal marker when terminal over (10') from edge of paved shoulder or break point of unpaved shoulder.

Traffic Barrier Terminal Type 1 (Special) [Terminal over 10' (3m) from edge of shoulder]



Traffic Barrier Terminal Type 1(Specia) [Terminal 10' (3m) or less from edge of shoulder] All dimensions are in inches (millimeters) unless otherwise noted.

ILLINOIS DEPARTMENT OF TRANSPORTATION DISTRICT CADD STANDARD

GUARDRAIL AND BARRIER WALL DELINEATION

CADD STD. NO. 635101-D4 SCALE: NOT DRAWN TO SCALE

REVISIONS BY
RENUM. E-10.02, NEW REVISION BOX T.P.
CORRECT STD. SPEC. J.A.
ISED TO 2007 SPEC. M.A.

SHEET 1 OF 3 DRAWN BY CADD CHECKED BY

GUARDRAIL / BARRIER WALL / BRIDGE RAIL REFLECTORS

- ✓ Monodirectional silver
- ◀ Monodirectional amber
- Terminal Marker Black/Yellow

10' (3m) or less -Edge of shoulder (1.5 - 3 m)

*See Plans for Type

Traffic Barrier Terminal Type(*) and/or Turned-Down Terminal

[Terminal over 10' (3m) or less from edge of shoulder] *See Plans for Type

TERMINAL MARKER PLACEMENT