

INDEX OF SHEETS

1	TITLE SHEET
2	INDEX OF SHEETS, GENERAL NOTES AND HIGHWAY STANDARDS
3-14	SUMMARY OF QUANTITIES
15-18	TYPICAL SECTIONS
19	SCHEDULE OF QUANTITIES
20	ALIGNMENT, TIES, AND BENCHMARKS
21-24	REMOVAL PLAN
25-30	PLAN AND PROFILE
31-36	STAGING AND TRAFFIC CONTROL
37-39	EROSION AND SEDIMENT CONTROL
40-45	DRAINAGE PLAN
46	DRAINAGE SCHEDULE
47-52	PLAT OF HIGHWAYS
53	RAISED ISLAND DETAIL
54	INTERSECTION DETAIL
55	SUPERELEVATION DETAIL
56	PAVEMENT MARKING AND LANDSCAPING PLAN
57-68	TRAFFIC SIGNAL INSTALLATION PLAN (TS-1 - TS-12)
69	STREET LIGHTING PLAN (LTG-01)
70	BD01 - DRIVEWAY DETAILS - DISTANCE BETWEEN R.O.W. AND CURB OR EDGE GREATER THAN OR EQUAL TO 15'
71	BD02 - DRIVEWAY DETAILS - DISTANCE BETWEEN R.O.W. AND FACE OF CURB IS LESS THAN 15'
72	BD08 - FRAMES AND LIDS ADJUSTMENT WITH MILLING; AND FRAMES AND LIDS ADJUSTMENT WITHOUT MILLING
73	BD22 - PAVEMENT PATCHING FOR HMA SURFACED PAVEMENT
74	BD32 - BUTT JOINTS AND HMA TAPER
75	BD36 - FIRE HYDRANT TO BE MOVED
76	TC11 - RAISED REFLECTIVE PAVEMENT MARKERS (SNOW PLOW RESISTANT)
77	TC13 - DISTRICT ONE TYPICAL PAVEMENT MARKINGS
78	TC16 - PAVEMENT MARKING LETTERS AND SYMBOLS FOR TRAFFIC STAGING
79	TC22 - ARTERIAL ROAD INFORMATION SIGN
80	TC26 - DRIVEWAY ENTRANCE SIGNING
81-95	CROSS SECTIONS

INDEX OF HIGHWAY STANDARDS

STANDARD NO.	DESCRIPTION
000001 - 06	SYMBOLS, ABBREVIATION, AND PATTERNS
280001 - 07	TEMPORARY EROSION CONTROL SYSTEMS
406201 - 01	MAILBOX TURNOUT, STATE SYSTEM
424001 - 07	PERPENDICULAR CURB RAMPS
424006 - 01	DIAGONAL CURB RAMPS
424011 - 01	CORNER PARALLEL CURB RAMPS FOR SIDEWALKS
442201 - 03	CLASS C AND D PATCHES
482001 - 02	HMA SHOULDER ADJACENT TO FLEXIBLE PAVEMENT
542001 - 03	CONCRETE END SECTIONS FOR PIPE CULVERTS 15" THROUGH 84"
542306 - 02	PRECAST REINFORCED CONCRETE ELLIPTICAL FLARED END SECTION
542311 - 04	TRAVERSABLE PIPE GRATE
542401 - 01	METAL END SECTION FOR PIPE CULVERTS
602001 - 02	CATCH BASIN, TYPE A
602301 - 03	INLET TYPE A
602401 - 03	MANHOLE TYPE A
602601 - 02	PRECAST REINFORCED CONCRETE FLAT SLAB TOP
602701 - 02	MANHOLE STEPS
604001 - 03	FRAME AND LIDS, TYPE 1
604036 - 02	GRATE, TYPE B
604051 - 03	FRAME AND GRATE TYPE 11
604086 - 02	FRAME AND GRATE TYPE 23
604091 - 02	FRAME AND GRATE TYPE 24
606001 - 05	COMBINATION CONCRETE CURB AND GUTTER
606006 - 02	OUTLETS FOR CONCRETE CURB AND GUTTER TYPE B-6.24
606301 - 04	PCC ISLANDS AND MEDIANS
701006 - 04	OFF ROAD OPERATIONS 2L, 2W, 15 FEET TO 24 INCHES FROM PAVEMENT EDGE
701011 - 03	OFF ROAD MOVING OPERATIONS, DAY ONLY, 2L, 2W
701326 - 04	LANE CLOSURE, 2L, 2W, PAVEMENT WIDENING, FOR SPEEDS > 45 MPH
701501 - 06	URBAN LANE CLOSURE 2L, 2W, UNDIVIDED
701801 - 05	SIDEWALK CORNER OR CROSSWALK CLOSURE
701901 - 03	TRAFFIC CONTROL DEVICES
720001 - 01	SIGN PANEL MOUNTING DETAILS
720006 - 03	SIGN PANEL ERECTION DETAILS
720011 - 01	METAL POST FOR SIGNS, MARKERS, AND DELINEATORS
720016 - 03	MAST ARM MOUNTED STREET NAME SIGNS
782001	PRISMATIC CURB REFLECTORS
805001 - 01	ELECTRICAL SERVICE INSTALLATION DETAILS
814001 - 02	HANDHOLES
814006 - 02	DOUBLE HANDHOLES
857001 - 01	STANDARD PHASE DESIGNATION DIAGRAM AND PHASE SEQUENCES
862001 - 01	UNINTERRUPTIBLE POWER SUPPLY (UPS)
873001 - 02	TRAFFIC SIGNAL GROUNDING AND BONDING
876001 - 02	PEDESTRIAN PUSH BUTTON POST
877001 - 05	STEEL MAST ARM ASSEMBLY AND POLE 16' THRU 55'
878001 - 09	CONCRETE FOUNDATION DETAILS
880006 - 01	TRAFFIC SIGNAL MOUNTING DETAILS
886001 - 01	DETECTOR LOOP INSTALLATION

GENERAL NOTES

BEFORE STARTING ANY EXCAVATION, THE CONTRACTOR SHALL CALL "JULIE" AT (800) 892-0123 OR 811 FOR FIELD LOCATIONS OF BURIED ELECTRIC, TELEPHONE, AND GAS FACILITIES. (48 HOUR NOTIFICATION REQUIRED)

THE CONTRACTOR WILL NOT BE ABLE TO SET UP A YARD OR FIELD OFFICE ON STATE PROPERTY WITHOUT THE WRITTEN PERMISSION OF THE DEPARTMENT.

THE CONTRACTOR SHALL COORDINATE CONSTRUCTION ACTIVITIES WITH UTILITY COMPANIES AND THE VILLAGE OF LEMONT.

10 FT (3 M) TRANSITIONS SHALL BE USED TO MATCH PROPOSED ITEMS OF WORK TO EXISTING ITEMS IN THE FIELD, UNLESS OTHERWISE SHOWN. THE TRANSITIONS SHALL BE PAID FOR AT THE CONTRACT UNIT PRICE FOR THE PROPOSED ITEM OF WORK SPECIFIED.

PRIOR TO EMBANKMENT PLACEMENT, ALL VEGETATION, LOOSE MATERIAL, AND UNSTABLE MATERIAL SHOULD BE REMOVED TO DEPTH ENCOUNTERED AND REPLACED WITH SUITABLE EMBANKMENT MATERIAL. ANY EMBANKMENT WIDENING ON EXISTING SLOPES SHOULD BE BENCHED IN ACCORDANCE WITH ARTICLE 205.04 OF THE STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION.

WHEN ARTIFICIAL LIGHTING IS UTILIZED IN NIGHT OPERATIONS, THE CONTRACTOR SHALL EXERCISE THE UTMOST PRECAUTIONS IN PREVENTING ADVERSE VISIBILITY TO THE MOTORING PUBLIC AND ADJOINING RESIDENTIAL AREAS.

BEFORE BEGINNING ANY WORK, THE CONTRACTOR SHALL RETAIN AND RECORD FOR FUTURE REFERENCE, ALL EXISTING PAVEMENT MARKING LINES (AND RAISED REFLECTIVE PAVEMENT MARKERS) IN ORDER THAT THESE LOCATIONS CAN BE RE-ESTABLISHED FOR STRIPING. EXACT LOCATIONS OF ALL PAVEMENT MARKINGS SHALL BE AS DIRECTED BY THE ENGINEER.

DOUBLE LANE MARKERS ARE TO BE USED AS SHOWN ON THE DISTRICT ONE DETAIL "TYPICAL APPLICATIONS - RAISED REFLECTIVE PAVEMENT MARKERS (SNOW- PLOW RESISTANT) SHOWN IN THE PLANS.

THE RESIDENT ENGINEER SHALL CONTACT MS. PATRICE HARRIS, AREA TRAFFIC FIELD ENGINEER, AT (708) 597-9800 A MINIMUM OF 2 WEEKS PRIOR TO PLACEMENT OF FINAL PAVEMENT MARKINGS.

THE CONTRACTOR SHALL CONTACT THE TRAFFIC CONTROL SUPERVISOR AT (847) 705-4470 A MINIMUM OF 72 HOURS IN ADVANCE OF BEGINNING WORK.

THE UNIT WEIGHT USED TO CALCULATE ALL FERTILIZER QUANTITIES IS 90 LBS/ACRE FOR SEEDING AND 60 LBS/ACRE FOR SODDING.

THE DEPARTMENT HAS DETERMINED THAT IN STREAM WORK IS NOT REQUIRED FOR THE WORK SPECIFIED IN THIS CONTRACT. THE DEPARTMENT HAS NOT OBTAINED A 404 PERMIT. IF THE CONTRACTOR CHOOSES TO USE ACTIVITIES REQUIRING A USACE 404 PERMIT, IT IS THE CONTRACTOR'S RESPONSIBILITY TO SECURE THE PROPER USACE PERMIT.

THIS PROJECT WILL REQUIRE AUTHORIZATION UNDER NPDES ILR10 (SWPPP PERMIT).

CHANGEABLE MESSAGE SIGNS SHALL BE USED TO ANNOUNCE NEW SIGNAL TURN-ON FOR TWO (2) WEEKS PRIOR TO AND TWO (2) AFTER THE SIGNAL TURN-ON IN BOTH DIRECTIONS ALONG MCCARTHY ROAD AND WALKER ROAD.

THE GENERAL CONTRACTOR IS REQUIRED TO HIRE AN ENVIRONMENTAL FIRM WITH AT LEAST FIVE (5) DOCUMENTED LEAKING UNDERGROUND STORAGE TANK CLEANUPS OR THAT IS PRE-QUALIFIED IN HAZARDOUS WASTE BY THE DEPARTMENT TO REMEDIATE THE SOIL CONTAMINATION AND MONITOR FOR WORKER PROTECTION.



I:\27812101 - MCD - by at Water - Intersection - I:\27812101\GOOD SHEETS\600 SHEETS\602.DWG 12/11/12

FILE NAME *	USER NAME * mrcantor	DESIGNED - RG	REVISIONS	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION		MCCARTHY ROAD AND WALKER ROAD INDEX OF SHEETS, GENERAL NOTES, & HIGHWAY STANDARDS		F.A.U. RTE. 1587	SECTION 3098-R	COUNTY COOK	TOTAL SHEETS 95	SHEET NO. 2
	PLOT SCALE * 2.0000' / in.	DRAWN - RG	REVISIONS									
	PLOT DATE * 10/26/2012	CHECKED - MGR	REVISIONS									
		DATE - MARCH, 2012	REVISIONS									
SCALE:						SHEET NO. OF SHEETS		STA. TO STA.		CONTRACT NO. 60L79		
												ILLINOIS FED. AID PROJECT

CODE NO.	ITEM	UNIT	TOTAL QUANTITY	CONSTRUCTION CODE							
				URBAN		80% FED. 20% STATE	80% FED/ 15% STATE/ 5% LEMONT	60% FED/ 40% STATE/ 5% LEMONT	100% LEMONT	100% LEMONT	400%
				ROADWAY	TRAFFIC SIGNALS	TRAFFIC SIGNAL INTERCONNECT	SAFETY	EMERGENCY VEHICLE PREEMPTION (EVP)	LOCAL		
				0004	0021	0021	0021	0021	0021		
* 72400500	RELOCATE SIGN PANEL ASSEMBLY - TYPE A	EACH	9	9							
* 72400600	RELOCATE SIGN PANEL ASSEMBLY - TYPE B	EACH	2	2							
* 78000100	THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	240	240							
* 78000200	THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	10313	10313							
* 78000400	THERMOPLASTIC PAVEMENT MARKING - LINE 6"	FOOT	1435	1435							
* 78000500	THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	416	416							
* 78000600	THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	727	727							
* 78000650	THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	173	173							
* 78100100	RAISED REFLECTIVE PAVEMENT MARKER	EACH	153	153							
* 78100300	REPLACEMENT REFLECTOR	EACH	18	18							
	78300100	PAVEMENT MARKING REMOVAL	SQ FT	408	408						
	78300200	RAISED REFLECTIVE PAVEMENT MARKER REMOVAL	EACH	69	69						
* 80500020	SERVICE INSTALLATION - POLE MOUNTED	EACH	1		1						
* 81028200	UNDERGROUND CONDUIT, GALVANIZED STEEL, 2" DIA.	FOOT	1754		1754						
* 81028210	UNDERGROUND CONDUIT, GALVANIZED STEEL, 2 1/2" DIA.	FOOT	25		25						
* 81028220	UNDERGROUND CONDUIT, GALVANIZED STEEL, 3" DIA.	FOOT	61		61						

1587R-028200 - McCarty & Miller - Intersections Design/Construction Services - Parkland

Rev. 1-3-13

* - DENOTES SPECIALTY ITEM

FILE NAME:	USER NAME: cregal	DESIGNED: RG	REVISED:	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	SUMMARY OF QUANTITIES			F.A.U. RTE.:	SECTION:	COUNTY:	TOTAL SHEET NO.:
		DRAWN: RG	REVISED:					1587	3098-R	COOK	95 10
	PLANT SCALE: 1/8" = 1'-0"	CHECKED: MGR	REVISED:					CONTRACT NO. 60L79			
	PLANT DATE: 10/27/2012	DATE: MARCH, 2012	REVISED:					SCALE:	SHEET NO. OF SHEETS:	STA. TO STA.:	ILLINOIS FED. AID PROJECT

CODE NO.	ITEM	UNIT	TOTAL QUANTITY	CONSTRUCTION CODE					
				URBAN					
				ROADWAY 0004	80% FED/ 15% STATE/ 5% LEMONT TRAFFIC SIGNALS 0021	90% FED/ 15% STATE/ 5% LEMONT TRAFFIC SIGNAL INTERCONNECT 0024	100% LEMONT SAFETY 0021	400% LEMONT EMERGENCY VEHICLE PREEMPTION (EVP) 0024	400% LEMONT LOCAL 0024
81028230	UNDERGROUND CONDUIT, GALVANIZED STEEL, 3 1/2" DIA.	FOOT	27		27				
81028240	UNDERGROUND CONDUIT, GALVANIZED STEEL, 4" DIA.	FOOT	661		661				
81400100	HANDHOLE	EACH	6		6				
81400200	HEAVY-DUTY HANDHOLE	EACH	6		6				
81400300	DOUBLE HANDHOLE	EACH	2		2				
84200500	REMOVAL OF LIGHTING UNIT, SALVAGE	EACH	1				1		
84400105	RELOCATE EXISTING LIGHTING UNIT	EACH	2				2		
85700200	FULL-ACTUATED CONTROLLER AND TYPE IV CABINET	EACH	1		1				
86200200	UNINTERRUPTABLE POWER SUPPLY, STANDARD	EACH	1		1				
86400100	TRANSCEIVER - FIBER OPTIC	EACH	2		2				
87301215	ELECTRIC CABLE IN CONDUIT, SIGNAL NO. 14 2C	FOOT	2533		2533				
87301225	ELECTRIC CABLE IN CONDUIT, SIGNAL NO. 14 3C	FOOT	3061		467		2594		
87301245	ELECTRIC CABLE IN CONDUIT, SIGNAL NO. 14 5C	FOOT	1457		1457				
87301255	ELECTRIC CABLE IN CONDUIT, SIGNAL NO. 14 7C	FOOT	1481		1481				
87301295	ELECTRIC CABLE IN CONDUIT, SIGNAL NO. 20 3C	FOOT	467		467				
87301305	ELECTRIC CABLE IN CONDUIT, LEAD-IN, NO. 14 1 PAIR	FOOT	1745		1745				

ILLINOIS DEPARTMENT OF TRANSPORTATION
 DIVISION OF HIGHWAYS
 PROJECT NO. 3098-R
 SHEET NO. 95 OF 111
 DATE: 10/23/2012

Rev. 1-3-13

Rev.
- - DENOTES SPECIALTY ITEM

DESIGNED: RG	DRAWN: RG	CHECKED: MGR	DATE: MARCH, 2012	REVISED: -	REVISED: -	REVISED: -	REVISED: -
STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION				SUMMARY OF QUANTITIES			
SCALE:		SHEET NO. OF SHEETS		STA. TO STA.		F.A.U. RTE. 1587 SECTION 3098-R COUNTY COOK TOTAL SHEETS 95 SHEET NO. 11 CONTRACT NO. 60L79 ILLINOIS FED. AID PROJECT	

CODE NO.	ITEM	UNIT	TOTAL QUANTITY	CONSTRUCTION CODE							
				80% FED. / 20% STATE	80% FED/ 15% STATE / 5% LEMONT	80% FED / 15% STATE / 5% LEMONT	100% LEMONT	100% LEMONT	100% LEMONT		
				URBAN	TRAFFIC SIGNALS	TRAFFIC SIGNAL INTERCONNECT	SAFETY	EMERGENCY VEHICLE PREEMPTION (EVP)	LOCAL		
				0004	0021	0021	0021	0021	0021		
87301732	ELECTRIC CABLE IN CONDUIT, COMMUNICATION NO. 20 3C	FOOT	467				467				
87301805	ELECTRIC CABLE IN CONDUIT, SERVICE, NO. 6 2C	FOOT	80		80						
87301900	ELECTRIC CABLE IN CONDUIT, EQUIPMENT GROUNDING CONDUCTOR, NO. 6 1C	FOOT	563		563						
87502440	TRAFFIC SIGNAL POST, GALVANIZED STEEL 10 FT.	EACH	2		2						
87502500	TRAFFIC SIGNAL POST, GALVANIZED STEEL 16 FT.	EACH	2		2						
87700190	STEEL MAST ARM ASSEMBLY AND POLE, 30 FT.	EACH	1		1						
87700240	STEEL MAST ARM ASSEMBLY AND POLE, 40 FT.	EACH	1		1						
87700250	STEEL MAST ARM ASSEMBLY AND POLE, 42 FT.	EACH	1		1						
87700260	STEEL MAST ARM ASSEMBLY AND POLE, 44 FT.	EACH	1		1						
87800100	CONCRETE FOUNDATION, TYPE A	FOOT	16		16						
87800150	CONCRETE FOUNDATION, TYPE C	FOOT	4		4						
87800415	CONCRETE FOUNDATION, TYPE E 36-INCH DIAMETER	FOOT	60		60						
87900200	DRILL EXISTING HANDHOLE	EACH	1		1						
88030020	SIGNAL HEAD, LED, 1-FACE, 3-SECTION, MAST-ARM MOUNTED	EACH	4		4						
88030110	SIGNAL HEAD, LED, 1-FACE, 5-SECTION, MAST-ARM MOUNTED	EACH	4		4						
88030240	SIGNAL HEAD, LED, 2-FACE, 1-3 SECTION, 1-5 SECTION, BRACKET MOUNTED	EACH	4		4						

Rev. **Rev. 1-3-13** - - DENOTES SPECIALTY ITEM

I:\Projects\60L79\Drawings\60L79-1111-10000\SHEET 1111-10000.DWG
 PLOT DATE: 10/24/2012
 FILE NAME: 60L79-1111-10000.dwg
 USER: jmg
 DESIGNED: RG
 DRAWN: RG
 CHECKED: MGR
 DATE: MARCH, 2012
 REVISED: [blank]
 REVISED: [blank]
 REVISED: [blank]
 REVISED: [blank]

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

SUMMARY OF QUANTITIES

F.A.U. RTE. 1587	SECTION 3098-R	COUNTY COOK	TOTAL SHEETS 95	SHEET NO. 12
CONTRACT NO. 60L79				ILLINOIS TOLL PROJECT

SCALE: SHEET NO. OF SHEETS STA. TO STA.

CODE NO.	ITEM	UNIT	TOTAL QUANTITY	CONSTRUCTION CODE						
				URBAN	80% FED. 20% STATE	80% FED/ 15% STATE/ 5% LEMONT	80% FED/ 15% STATE/ 5% LEMONT	100% LEMONT	100% LEMONT	100% LEMONT
				ROADWAY	TRAFFIC SIGNALS	TRAFFIC SIGNAL INTERCONNECT	SAFETY	EMERGENCY VEHICLE PREEMPTION (EVP)	LOCAL	
88102717	PEDESTRIAN SIGNAL HEAD, LED, 1-FACE, BRACKET MOUNTED WITH COUNTDOWN TIMER	EACH	6		6					
88102757	PEDESTRIAN SIGNAL HEAD, LED, 3-FACE, BRACKET MOUNTED WITH COUNTDOWN TIMER	EACH	2		2					
88200210	TRAFFIC SIGNAL BACKPLATE, LOUVERED, ALUMINUM	EACH	8		8					
88500100	INDUCTIVE LOOP DETECTOR	EACH	8		8					
88600100	DETECTOR LOOP, TYPE I	FOOT	862		862					
88700200	LIGHT DETECTOR	EACH	2				2			
88700300	LIGHT DETECTOR AMPLIFIER	EACH	2				2			
A2016616	TREE, QUERCUS ELLIPSOIDALIS (HILL'S OAK), 2" CALIPER, BALLED AND BURLAPPED	EACH	4	4						
B2001666	TREE, CRATAEGUS CRUSGALLI INERMIS (THORNLESS COCKSPUR HAWTHORN), 6' HEIGHT, SHRUB FORM, BALLED AND BURLAPPED	EACH	8	8						
K0029634	WEED CONTROL, PRE-EMERGENT GRANULAR HERBICIDE	POUND	1	1						
X0301852	DEWATERING STRUCTURE NO. 1	EACH	2	2						
X0327301	RELOCATE EXISTING MAILBOX	EACH	8	8						
X4021000	TEMPORARY ACCESS (PRIVATE ENTRANCE)	EACH	13	13						
X4022000	TEMPORARY ACCESS (COMMERCIAL ENTRANCE ENTRANCE)	EACH	7	7						
X4023000	TEMPORARY ACCESS (ROAD)	EACH	4	4						
X6030310	FRAMES AND LIDS TO BE ADJUSTED (SPECIAL)	EACH	8	8						

PROJECT: I-55/US-52 INTERCHANGE IMPROVEMENTS PROJECT SHEETS 601-607 (REV. 1-3-13)

Rev. 1-3-13

Rev. * - DENOTES SPECIALTY ITEM

FILE NAME	USER NAME	DESIGNED	RG	REVISED		STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION				SUMMARY OF QUANTITIES				F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.		
		DRAWN	RG	REVISED										1587	3098-R	COOK	95	13		
		CHECKED	MGR	REVISED																
		DATE	MARCH, 2012	REVISED																
												SCALE:	SHEET NO.	OF	SHEETS	STA.	TO	STA.	ILLINOIS FED. AID PROJECT CONTRACT NO. 60L79	

CODE NO.	ITEM	UNIT	TOTAL QUANTITY	CONSTRUCTION CODE						
				80% FED. / 20% STATE	80% FED/ 15% STATE / 5% LEMONT	80% FED/ 15% STATE / 5% LEMONT	100% LEMONT	100% LEMONT	100% LEMONT	
				ROADWAY	TRAFFIC SIGNALS	TRAFFIC SIGNAL INTERCONNECT	SAFETY	EMERGENCY VEHICLE PREEMPTION (EVP)	LOCAL	
X7010216	TRAFFIC CONTROL AND PROTECTION, (SPECIAL)	L SUM	1	1						
X7030030	WET REFLECTIVE TEMPORARY TAPE TYPE III, 4 INCH	FOOT	8496	8496						
X7030055	WET REFLECTIVE TEMPORARY TAPE TYPE III, 24 INCH	FOOT	54	54						
X8710024	FIBER OPTIC CABLE IN CONDUIT, NO. 62.5/125, MM12F SM24F	FOOT	1600		1600					
Z0004530	HOT-MIX ASPHALT DRIVEWAY PAVEMENT, 8"	SQ YD	573	573						
Z0004538	HOT-MIX ASPHALT DRIVEWAY PAVEMENT, 10"	SQ YD	290	290						
Z0013798	CONSTRUCTION LAYOUT	L SUM	1	1						
Z0030850	TEMPORARY INFORMATION SIGNING	SQ FT	191	191						
Z0033028	MAINTENANCE OF LIGHTING SYSTEM	CAL MO	4				4			
Z0056608	STORM SEWER (WATER MAIN REQUIREMENTS) 12 INCH	FOOT	65	65						
Z0056610	STORM SEWER (WATER MAIN REQUIREMENTS) 15 INCH	FOOT	12	12						
Z0056614	STORM SEWER (WATER MAIN REQUIREMENTS) 21 INCH	FOOT	95	95						
Z0056616	STORM SEWER (WATER MAIN REQUIREMENTS) 24 INCH	FOOT	294	294						
Z0076600	FRAINEEES	HOUR								
* 66900200	NON-SPECIAL WASTE DISPOSAL	CU YD	400	400						
* 66900450	SPECIAL WASTE PLANS AND REPORTS	L SUM	1	1						
* 66900530	SOIL DISPOSAL ANALYSIS	EACH	2	2						

⚠

⚠

* 66900200 NON-SPECIAL WASTE DISPOSAL
 * 66900450 SPECIAL WASTE PLANS AND REPORTS
 * 66900530 SOIL DISPOSAL ANALYSIS

⚠

⚠ Rev. 1-3-13

Rev.

- DENOTES SPECIALTY ITEM