

**BEAM 8**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. W. Abut.	714+45.19	13.50	633.17	633.17
⊕ Brg. W. Abut.	714+46.44	13.50	633.17	633.17
A	714+56.44	13.50	633.21	633.29
B	714+66.44	13.50	633.24	633.38
C	714+76.44	13.50	633.25	633.43
D	714+86.44	13.50	633.25	633.45
E	714+96.44	13.50	633.25	633.44
F	715+06.44	13.50	633.23	633.38
G	715+16.44	13.50	633.20	633.29
⊕ Brg. E. Abut.	715+28.44	13.50	633.15	633.15
Bk. E. Abut.	715+29.69	13.50	633.14	633.14

**BEAM 9**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. W. Abut.	714+45.19	20.25	633.03	633.03
⊕ Brg. W. Abut.	714+46.44	20.25	633.03	633.03
A	714+56.44	20.25	633.07	633.15
B	714+66.44	20.25	633.10	633.24
C	714+76.44	20.25	633.11	633.29
D	714+86.44	20.25	633.11	633.31
E	714+96.44	20.25	633.11	633.30
F	715+06.44	20.25	633.09	633.24
G	715+16.44	20.25	633.06	633.15
⊕ Brg. E. Abut.	715+28.44	20.25	633.01	633.01
Bk. E. Abut.	715+29.69	20.25	633.00	633.00

**SOUTH SIDEWALK GUTTER LINE**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. W. Abut.	714+45.19	26.00	632.91	632.91
⊕ Brg. W. Abut.	714+46.44	26.00	632.91	632.91
A	714+56.44	26.00	632.95	633.04
B	714+66.44	26.00	632.98	633.14
C	714+76.44	26.00	632.99	633.20
D	714+86.44	26.00	632.99	633.22
E	714+96.44	26.00	632.99	633.20
F	715+06.44	26.00	632.97	633.14
G	715+16.44	26.00	632.94	633.04
⊕ Brg. E. Abut.	715+28.44	26.00	632.89	632.89
Bk. E. Abut.	715+29.69	26.00	632.88	632.88

**BEAM 10**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. W. Abut.	714+45.19	27.00	632.93	632.93
⊕ Brg. W. Abut.	714+46.44	27.00	632.93	632.93
A	714+56.44	27.00	632.97	633.06
B	714+66.44	27.00	633.00	633.16
C	714+76.44	27.00	633.01	633.22
D	714+86.44	27.00	633.01	633.24
E	714+96.44	27.00	633.01	633.23
F	715+06.44	27.00	632.99	633.16
G	715+16.44	27.00	632.96	633.06
⊕ Brg. E. Abut.	715+28.44	27.00	632.91	632.91
Bk. E. Abut.	715+29.69	27.00	632.90	632.90



**BEAM 11**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. W. Abut.	714+45.19	33.75	633.07	633.07
⊕ Brg. W. Abut.	714+46.44	33.75	633.07	633.07
A	714+56.44	33.75	633.11	633.19
B	714+66.44	33.75	633.14	633.29
C	714+76.44	33.75	633.15	633.35
D	714+86.44	33.75	633.15	633.37
E	714+96.44	33.75	633.15	633.36
F	715+06.44	33.75	633.13	633.30
G	715+16.44	33.75	633.10	633.20
⊕ Brg. E. Abut.	715+28.44	33.75	633.05	633.05
Bk. E. Abut.	715+29.69	33.75	633.04	633.04

**FACE OF SOUTH PARAPET**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. W. Abut.	714+45.19	35.00	633.09	633.09
⊕ Brg. W. Abut.	714+46.44	35.00	633.09	633.09
A	714+56.44	35.00	633.13	633.22
B	714+66.44	35.00	633.16	633.32
C	714+76.44	35.00	633.17	633.38
D	714+86.44	35.00	633.17	633.40
E	714+96.44	35.00	633.17	633.39
F	715+06.44	35.00	633.15	633.32
G	715+16.44	35.00	633.12	633.22
⊕ Brg. E. Abut.	715+28.44	35.00	633.07	633.07
Bk. E. Abut.	715+29.69	35.00	633.06	633.06

12/19/2012 4:27:35 PM - G:\CHN\GIS\Bridges\Idea\CAD\Sheet\0162844-060135-08-SLABE13.dgn

	USER NAME = jreichow	DESIGNED - JRM	REVISED  12/19/2012 JRM	<b>STATE OF ILLINOIS</b> <b>DEPARTMENT OF TRANSPORTATION</b>	<b>TOP OF SLAB ELEVATIONS</b> <b>STRUCTURE NO. 016-2844</b>	F.A.P. R.T.E.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	CHECKED - MDS	REVISIED -	0305			11920.01.1518.2022&1922.4BJR	COOK	919	458	
PLOT SCALE = 16:8.0000 1" = 16'	DRAWN - JRM	REVISIED -		SHEET NO. 8 OF 30 SHEETS		ILLINOIS FED. AID PROJECT				
PLOT DATE = 12/19/2012	CHECKED - MDS	REVISIED -				CONTRACT NO. 60Y35				