



MATERIALS REQUIRED FOR ONE (1)  
TYPE B CATCH BASIN

Bar	Qty.	Size	Shape	Length
h	7	No. 15 (No. 4)	—	1.02 m (3'-5")
h <sub>1</sub>	3	No. 15 (No. 4)	—	1.72 m (5'-9")
u	14	No. 15 (No. 4)	⌋	2.10 m (7'-0")
u <sub>1</sub>	14	No. 15 (No. 4)	⌋	1.35 m (4'-6")
v	16	No. 15 (No. 4)	—	2.02 m (6'-9")
x	3	No. 15 (No. 4)	⌋	0.58 m (1'-11")
Concrete			m <sup>3</sup> (cu. yd.)	1.90 (2.5)
Reinforcement bars			kg (lbs.)	149 (210)

All bars shall be at 300 (12) centers unless otherwise shown. Reinforcement bar clearance shall be 40 (1 1/2).

GENERAL NOTES

See Standard 602701 for details of steps.

All dimensions are in millimeters (inches) unless otherwise shown.

DATE	DESCRIPTION OF THE REVISIONS	BY
09-20-06	REVISED AND REPACKAGED FOR JAN. '07 LETTING	RGH

<p>CATCH BASIN TYPE B</p> <p>STANDARD 602006</p>	IL PROJ. NO.	GRE-3215
	A.L.P. PROJ. NO.	3-17-0049-B4
	FILE NAME	IDOT-602401
	DATE	01-19-2007