

1LR

January 19, 2018 Letting

Notice to Bidders Specifications and Proposal



**Illinois Department
of Transportation**
Springfield, Illinois 62764

**Illinois Department of Natural Resources
Office of Mines and Minerals
Division of Abandoned Mined Lands Reclamation**

Contract No. M1710

Project Name: Lead & Zinc 2017 Mine Group

County: Jo Daviess

Project Number: AML-LdZc-1710



Illinois Department of Natural Resources

One Natural Resources Way Springfield, Illinois 62702-1271
www.dnr.illinois.gov

Bruce Rauner, Governor

Wayne A. Rosenthal, Director

NOTICE TO BIDDERS

1. TIME AND PLACE OF OPENING BIDS. Electronic bids are to be submitted to the electronic bidding system (iCX-Integrated Contractors Exchange). All bids must be submitted to the iCX system prior to 10:00 a.m., Friday, **January 19, 2018**, at which time the bids will be publicly opened from the iCX SecureVault.

2. DESCRIPTION OF WORK. The proposed reclamation work is identified and advertised for bids in the Invitation for Bids as:

1LR
Lead & Zinc 2017 Mine Group Reclamation Project
AML-LdZc-1710
Jo Daviess County

Reclamation of the Lead & Zinc 2017 Mine Group abandoned mine sites by the Department of Natural Resources using federal Abandoned Mined Lands Funds.

3. INSTRUCTIONS TO BIDDERS.

(a) This Notice, the invitation for bids, proposal and letter of award shall, together with all other documents in accordance with Article 101.09 of the Standard Specifications for Road and Bridge Construction, become part of the contract. Bidders are cautioned to read and examine carefully all documents, to make all required inspections, and to inquire or seek explanation of the same prior to submission of a bid.

(b) State law, and, if the work is to be paid wholly or in part with Federal-aid funds, Federal law requires the bidder to make various certifications as a part of the proposal and contract. By execution and submission of the proposal, the bidder makes the certification contained therein. A false or fraudulent certification shall, in addition to all other remedies provided by law, be a breach of contract and may result in termination of the contract.

4. AWARD CRITERIA AND REJECTION OF BIDS.

This contract will be awarded to the lowest responsive and responsible bidder considering conformity with the terms and conditions established by the Illinois Department of Natural Resources, Office of Mines and Minerals, Division of Abandoned Mined Lands Reclamation in the rules, Invitation for Bids and contract documents. The issuance of plans and proposal forms for bidding based upon a prequalification rating shall not be the sole determinant of responsibility. The Department reserves the right to determine responsibility at the time of award, to reject any or all proposals, to readvertise the proposed project, and to waive technicalities.

The award of this contract is also subject to administrative rule 30 CFR 874.16, which states:

To receive AML funds, every successful bidder for an AML contract must be eligible under 773.12, 773.13 and 773.14 of this Chapter at the time of contract award to receive a permit or provisionally issued permit to conduct surface coal mining operations.

If you are the successful low bidder on this project you will be required to complete a form entitled AML CONTRACTOR OWNERSHIP AND CONTROL INFORMATION form. The information from this form will be submitted through the automated Applicant/Violator System to determine if any surface coal mining and reclamation operation owned or controlled by either the contractor or by any person who owns or controls the contractor business is currently in violation of the Act, any Federal rule or regulation promulgated pursuant thereto, a State program, or any Federal or State law, rule, or regulation pertaining to air or water environmental protection.

5. **FEDERAL FUNDING.** Funding of this agreement is contingent upon award and continued availability of federal funding, and State appropriation of such funds.

By Order of the
Illinois Department of Natural Resources
Office of Mines and Minerals
Thomas A. Benner, Director

Illinois Department of Natural Resources
Office of Mines and Minerals
Division of Abandoned Mined Lands Reclamation

Return with Bid
(If Applicable)

This Annual Proposal Bid Bond shall become effective at 12:01 AM (CDST) on _____ and shall be valid until _____ 11:59 PM (CDST).

KNOW ALL MEN BY THESE PRESENTS, That We _____
as PRINCIPAL, and _____

as SURETY, and held jointly, severally and firmly bound unto the STATE OF ILLINOIS in the penal sum of 5 percent of the total bid price, or for the amount specified in the bid proposal under "Proposal Guaranty" in effect on the date of the Invitation for Bids, whichever is the lesser sum, well and truly to be paid unto said STATE OF ILLINOIS, for the payment of which we bind ourselves, our heirs, executors, administrators, successors and assigns.

THE CONDITION OF THE FOREGOING OBLIGATION IS SUCH that whereas, the PRINCIPAL may submit bid proposal(s) to the STATE OF ILLINOIS, acting through the Department of Transportation, for various improvements published in the Transportation Bulletin during the effective term indicated above.

NOW, THEREFORE, if the Department shall accept the bid proposal(s) of the PRINCIPAL; and if the PRINCIPAL shall, within the time and as specified in the bidding and contract documents; and if, after award by the Department, the PRINCIPAL shall enter into a contract in accordance with the terms of the bidding and contract documents including evidence of the required insurance coverages and providing such bond as specified with good and sufficient surety for the faithful performance of such contract and for the prompt payment of labor and material furnished in the prosecution thereof; or if, in the event of the failure of the PRINCIPAL to enter into such contract and to give the specified bond, the PRINCIPAL pays to the Department the difference not to exceed the penalty hereof between the amount specified in the bid proposal and such larger amount for which the Department may contract with another party to perform the work covered by said bid proposal, then this obligation shall be null and void, otherwise, it shall remain in full force and effect.

IN THE EVENT the Department determines the PRINCIPAL has failed to comply with any requirement as set forth in the preceding paragraph, then Surety shall pay the penal sum to the Department within fifteen (15) days of written demand therefor. If Surety does not make full payment within such period of time, the Department may bring an action to collect the amount owed. Surety is liable to the Department for all its expenses, including attorney's fees, incurred in any litigation in which it prevails either in whole or in part.

In TESTIMONY WHEREOF, the said PRINCIPAL has caused this instrument to be signed by its officer
_____ day of _____ A.D., _____

(Company Name)

In TESTIMONY WHEREOF, the said SURETY has caused this instrument to be signed by its officer
_____ day of _____ A.D., _____

(Company Name)

By _____
(Signature and Title)

By _____
(Signature of Attorney-in-Fact)

Notary for PRINCIPAL

STATE OF _____
COUNTY OF _____

Signed and attested before me on _____ (date)
by _____
(Name of Notary Public)

(Seal) _____
(Signature of Notary Public)

(Date Commission Expires)

Notary for SURETY

STATE OF _____
COUNTY OF _____

Signed and attested before me on _____ (date)
by _____
(Name of Notary Public)

(Seal) _____
(Signature of Notary Public)

(Date Commission Expires)

In lieu of completing the above section of the Annual Proposal Bid Bond form, the Principal may file an Electronic Bid Bond. By signing the proposal(s) the Principal is ensuring the identified electronic bid bond has been executed and the Principal and Surety are firmly bound unto the State of Illinois under the conditions of the bid bond as shown above.

Electronic Bid Bond ID # _____ Company/Bidder Name _____ Signature and Title _____

This bond may be terminated, at Surety's request, upon giving not less than thirty (30) days prior written notice of the cancellation/termination of the bond. Said written notice shall be issued to the Illinois Department of Transportation, Chief Contracts Official, 2300 South Dirksen Parkway, Springfield, Illinois, 62764, and shall be served in person, by receipted courier delivery or certified or registered mail, return receipt requested. Said notice period shall commence on the first calendar day following the Department's receipt of written cancellation/termination notice. Surety shall remain firmly bound to all obligations herein for proposals submitted prior to the cancellation/termination. Surety shall be released and discharged from any obligation(s) for proposals submitted for any letting or date after the effective date of cancellation/termination.

Return with Bid

Illinois Department of Natural Resources
Office of Mines and Minerals
Division of Abandoned Mined Lands Reclamation

Proposal Bid Bond

Item No. _____
Letting Date _____
Project Name _____
Project Number _____

KNOW ALL PERSONS BY THESE PRESENTS, That We _____
as PRINCIPAL, and _____

as SURETY, and held jointly, severally and firmly bound unto the STATE OF ILLINOIS in the penal sum of 5 percent of the total bid price, or for the amount specified in the bid proposal under "Proposal Guaranty" in effect on the date of the Invitation for Bids, whichever is the lesser sum, well and truly to be paid unto said STATE OF ILLINOIS, for the payment of which we bind ourselves, our heirs, executors, administrators, successors and assigns.

THE CONDITION OF THE FOREGOING OBLIGATION IS SUCH that whereas, the PRINCIPAL has submitted a bid proposal to the STATE OF ILLINOIS, acting through the Department of Transportation, for the improvement designated by the Transportation Bulletin Item Number and Letting Date indicated above.

NOW, THEREFORE, if the Department shall accept the bid proposal of the PRINCIPAL; and if the PRINCIPAL shall, within the time and as specified in the bidding and contract documents; and if, after award by the Department, the PRINCIPAL shall enter into a contract in accordance with the terms of the bidding and contract documents including evidence of the required insurance coverages and providing such bond as specified with good and sufficient surety for the faithful performance of such contract and for the prompt payment of labor and material furnished in the prosecution thereof; or if, in the event of the failure of the PRINCIPAL to enter into such contract and to give the specified bond, the PRINCIPAL pays to the Department the difference not to exceed the penalty hereof between the amount specified in the bid proposal and such larger amount for which the Department may contract with another party to perform the work covered by said bid proposal, then this obligation shall be null and void, otherwise, it shall remain in full force and effect.

IN THE EVENT the Department determines the PRINCIPAL has failed to comply with any requirement as set forth in the preceding paragraph, then Surety shall pay the penal sum to the Department within fifteen (15) days of written demand therefor. If Surety does not make full payment within such period of time, the Department may bring an action to collect the amount owed. Surety is liable to the Department for all its expenses, including attorney's fees, incurred in any litigation in which it prevails either in whole or in part.

In TESTIMONY WHEREOF, the said PRINCIPAL has caused this instrument to be signed by its officer _____ day of _____ A.D., _____ .

(Company Name)

In TESTIMONY WHEREOF, the said SURETY has caused this instrument to be signed by its officer _____ day of _____ A.D., _____ .

(Company Name)

By _____
(Signature and Title)

By _____
(Signature of Attorney-in-Fact)

Notary for PRINCIPAL

Notary for SURETY

STATE OF _____
COUNTY OF _____

STATE OF _____
COUNTY OF _____

Signed and attested before me on _____ (date)
by _____
(Name of Notary Public)

Signed and attested before me on _____ (date)
by _____
(Name of Notary Public)

(Seal) _____
(Signature of Notary Public)

(Date Commission Expires)

(Seal) _____
(Signature of Notary Public)

(Date Commission Expires)

In lieu of completing the above section of the Proposal Bid Bond form, the Principal may file an Electronic Bid Bond. By signing the proposal the Principal is ensuring the identified electronic bid bond has been executed and the Principal and Surety are firmly bound unto the State of Illinois under the conditions of the bid bond as shown above.

Electronic Bid Bond ID # _____ Company/Bidder Name _____ Signature and Title _____

CONTRACTOR OFFICE COPY OF CONTRACT SPECIFICATIONS

NOTICE

None of the following material needs to be returned with the bid package unless the special provisions require documentation and/or other information to be submitted.



Illinois Department of Transportation

SUBCONTRACTOR DOCUMENTATION

Public Acts 96-0795, 96-0920, and 97-0895 enacted substantial changes to the provisions of the Code (30 ILCS 500). Among the changes are provisions affecting subcontractors. The Contractor awarded this contract will be required as a material condition of the contract to implement and enforce the contract requirements applicable to subcontractors that entered into a contractual agreement with a total value of \$50,000 or more with a person or entity who has a contract subject to the Code and approved in accordance with article 108.01 of the Standard Specifications for Road and Bridge Construction.

If the Contractor seeks approval of subcontractors to perform a portion of the work, and approval is granted by the Department, the Contractor shall provide a copy of the subcontract to the Illinois Department of Transportation's CPO upon request within 15 calendar days after execution of the subcontract.

Financial disclosures required pursuant to Sec. 50-35 of the Code must be submitted for all applicable subcontractors. The subcontract shall contain the certifications required to be made by subcontractors pursuant to Article 50 of the Code. This Notice to Bidders includes a document incorporating all required subcontractor certifications and disclosures for use by the Contractor in compliance with this mandate. The document is entitled State Required Ethical Standards Governing Subcontractors.

RETURN WITH SUBCONTRACT

STATE ETHICAL STANDARDS GOVERNING SUBCONTRACTORS

Article 50 of the Code establishes the duty of all State CPOs, SPOs, and their designees to maximize the value of the expenditure of public moneys in procuring goods, services, and contracts for the State of Illinois and to act in a manner that maintains the integrity and public trust of State government. In discharging this duty, they are charged by law to use all available information, reasonable efforts, and reasonable actions to protect, safeguard, and maintain the procurement process of the State of Illinois.

The certifications hereinafter made by the subcontractor are each a material representation of fact upon which reliance is placed should the Department approve the subcontractor. The CPO may terminate or void the contract approval if it is later determined that the bidder or subcontractor rendered a false or erroneous certification. If a false certification is made by a subcontractor the contractor's submitted bid and the executed contract may not be declared void unless the contractor refuses to terminate the subcontract upon the State's request after a finding that the subcontractor's certification was false.

Section 50-2 of the Code provides that every person that has entered into a multi-year contract and every subcontractor with a multi-year subcontract shall certify, by July 1 of each fiscal year covered by the contract after the initial fiscal year, to the responsible CPO whether it continues to satisfy the requirements of Article 50 pertaining to the eligibility for a contract award. If a contractor or subcontractor is not able to truthfully certify that it continues to meet all requirements, it shall provide with its certification a detailed explanation of the circumstances leading to the change in certification status. A contractor or subcontractor that makes a false statement material to any given certification required under Article 50 is, in addition to any other penalties or consequences prescribed by law, subject to liability under the Whistleblower Reward and Protection Act for submission of a false claim.

A. Bribery

Section 50-5. Bribery.

(a) Prohibition. No person or business shall be awarded a contract or subcontract under this Code who:

(1) has been convicted under the laws of Illinois or any other state of bribery or attempting to bribe an officer or employee of the State of Illinois or any other state in that officer's or employee's official capacity; or

(2) has made an admission of guilt of that conduct that is a matter of record but has not been prosecuted for that conduct.

(b) Businesses. No business shall be barred from contracting with any unit of State or local government, or subcontracting under such a contract, as a result of a conviction under this Section of any employee or agent of the business if the employee or agent is no longer employed by the business and:

(1) the business has been finally adjudicated not guilty; or

(2) the business demonstrates to the governmental entity with which it seeks to contract, or which is signatory to the contract to which the subcontract relates, and that entity finds that the commission of the offense was not authorized, requested, commanded, or performed by a director, officer, or high managerial agent on behalf of the business as provided in paragraph (2) of subsection (a) of Section 5-4 of the Criminal Code of 2012.

(c) Conduct on behalf of business. For purposes of this Section, when an official, agent, or employee of a business committed the bribery or attempted bribery on behalf of the business and in accordance with the direction or authorization of a responsible official of the business, the business shall be chargeable with the conduct.

(d) Certification. Every bid submitted to and contract executed by the State, and every subcontract subject to Section 20-120 of the Code shall contain a certification by the contractor or the subcontractor, respectively, that the contractor or subcontractor is not barred from being awarded a contract or subcontract under this Section and acknowledges that the CPO may declare the related contract void if any certifications required by this Section are false. A contractor who makes a false statement, material to the certification, commits a Class 3 felony.

The contractor or subcontractor certifies that it is not barred from being awarded a contract under Section 50-5.

B. Felons

Section 50-10. Felons.

(a) Unless otherwise provided, no person or business convicted of a felony shall do business with the State of Illinois or any State agency, or enter into a subcontract, from the date of conviction until 5 years after the date of completion of the sentence for that felony, unless no person held responsible by a prosecutorial office for the facts upon which the conviction was based continues to have any involvement with the business.

(b) Certification. Every bid submitted to and contract executed by the State and every subcontract subject to Section 20-120 of the Code shall contain a certification by the bidder or contractor or subcontractor, respectively, that the bidder, contractor, or subcontractor is not barred from being awarded a contract or subcontract under this Section and acknowledges that the CPO may declare the related contract void if any of the certifications required by this Section are false.

RETURN WITH SUBCONTRACT

C. Debt Delinquency

Section 50-11 and 50-12. Debt Delinquency.

The contractor or bidder or subcontractor, respectively, certifies that it, or any affiliate, is not barred from being awarded a contract or subcontract under the Code. Section 50-11 prohibits a person from entering into a contract with a State agency, or entering into a subcontract, if it knows or should know that it, or any affiliate, is delinquent in the payment of any debt to the State as defined by the Debt Collection Board. Section 50-12 prohibits a person from entering into a contract with a State agency, or entering into a subcontract, if it, or any affiliate, has failed to collect and remit Illinois Use Tax on all sales of tangible personal property into the State of Illinois in accordance with the provisions of the Illinois Use Tax Act. The bidder or contractor or subcontractor, respectively, further acknowledges that the CPO may declare the related contract void if this certification is false or if the bidder, contractor, or subcontractor, or any affiliate, is determined to be delinquent in the payment of any debt to the State during the term of the contract.

D. Prohibited Bidders, Contractors and Subcontractors

Section 50-10.5 and 50-60(c). Prohibited bidders, contractors and subcontractors.

The bidder or contractor or subcontractor, respectively, certifies in accordance with 30 ILCS 500/50-10.5 that no officer, director, partner or other managerial agent of the contracting business has been convicted of a felony under the Sarbanes-Oxley Act of 2002 or a Class 3 or Class 2 felony under the Illinois Securities Law of 1953 or if in violation of Subsection (c) for a period of five years from the date of conviction. Every bid submitted to and contract executed by the State and every subcontract subject to Section 20-120 of the Code shall contain a certification by the bidder, contractor, or subcontractor, respectively, that the bidder, contractor, or subcontractor is not barred from being awarded a contract or subcontract under this Section and acknowledges that the CPO shall declare the related contract void if any of the certifications completed pursuant to this Section are false.

E. Section 42 of the Environmental Protection Act

The bidder or contractor or subcontractor, respectively, certifies in accordance with 30 ILCS 500/50-14 that the bidder, contractor, or subcontractor, is not barred from being awarded a contract or entering into a subcontract under this Section which prohibits the bidding on or entering into contracts with the State of Illinois or a State agency, or entering into any subcontract, that is subject to the Code by a person or business found by a court or the Pollution Control Board to have committed a willful or knowing violation of Section 42 of the Environmental Protection Act for a period of five years from the date of the order. The bidder or contractor or subcontractor, respectively, acknowledges that the CPO may declare the contract void if this certification is false.

The undersigned, on behalf of the subcontracting company, has read and understands the above certifications and makes the certifications as required by law.

_____ Name of Subcontracting Company		
_____ Authorized Officer	_____ Date	

RETURN WITH SUBCONTRACT
SUBCONTRACTOR DISCLOSURES

I. DISCLOSURES

- A.** The disclosures hereinafter made by the subcontractor are each a material representation of fact upon which reliance is placed. The subcontractor further certifies that the Department has received the disclosure forms for each subcontract.

The CPO may void the bid, contract, or subcontract, respectively, if it is later determined that the bidder or subcontractor rendered a false or erroneous disclosure. A contractor or subcontractor may be suspended or debarred for violations of the Code. Furthermore, the CPO may void the contract.

B. Financial Interests and Conflicts of Interest

1. Section 50-35 of the Code provides that all subcontracts with a total value of \$50,000 or more, from subcontractors identified in Section 20-120 of the Code, shall be accompanied by disclosure of the financial interests of the subcontractor. This disclosed information for the subcontractor, will be maintained as public information subject to release by request pursuant to the Freedom of Information Act, filed with the Procurement Policy Board, and shall be incorporated as a material term of the Prime Contractor's contract. Furthermore, pursuant to this Section, the Procurement Policy Board may recommend to allow or void a contract or subcontract based on a potential conflict of interest.

The financial interests to be disclosed shall include ownership or distributive income share that is in excess of 5%, or an amount greater than 60% of the annual salary of the Governor, of the subcontracting entity or its parent entity, whichever is less, unless the subcontractor is a publicly traded entity subject to Federal 10K reporting, in which case it may submit its 10K disclosure in place of the prescribed disclosure. If a subcontractor is a privately held entity that is exempt from Federal 10K reporting, but has more than 100 shareholders, it may submit the information that Federal 10K companies are required to report, and list the names of any individual or entity holding any ownership share that is in excess of 5%. The disclosure shall include the names, addresses, and dollar or proportionate share of ownership of each individual making the disclosure, their instrument of ownership or beneficial relationship, and notice of any potential conflict of interest resulting from the current ownership or beneficial interest of each individual making the disclosure having any of the relationships identified in Section 50-35 and on the disclosure form.

The current annual salary of the Governor is \$177,412.00.

In addition, all disclosures shall indicate any other current or pending contracts, subcontracts, proposals, leases, or other ongoing procurement relationships the subcontracting entity has with any other unit of state government and shall clearly identify the unit and the contract, subcontract, proposal, lease, or other relationship.

2. Disclosure Forms. Disclosure Form A is attached for use concerning the individuals meeting the above ownership or distributive share requirements. A separate Disclosure Form A must be submitted with the bid for each individual meeting the above requirements. In addition, a second form (Disclosure Form B) provides for the disclosure of current or pending procurement relationships with other (non-IDOT) state agencies and a total ownership certification. **The forms must be included with each bid.**

C. Disclosure Form Instructions

Form A Instructions for Financial Information & Potential Conflicts of Interest

If the subcontractor is a publicly traded entity subject to Federal 10K reporting, the 10K Report may be submitted to meet the requirements of Form A. If a subcontractor is a privately held entity that is exempt from Federal 10K reporting, but has more than 100 shareholders, it may submit the information that Federal 10K companies are required to report, and list the names of any individual or entity holding any ownership share that is in excess of 5%. If a subcontractor is not subject to Federal 10K reporting, the subcontractor must determine if any individuals are required by law to complete a financial disclosure form. To do this, the subcontractor should answer each of the following questions. A "YES" answer indicates Form A must be completed. If the answer to each of the following questions is "NO", then the **NOT APPLICABLE STATEMENT** on the second page of Form A must be signed and dated by an individual that is authorized to execute contracts for the subcontracting company. Note: These questions are for assistance only and are not required to be completed.

1. Does anyone in your organization have a direct or beneficial ownership share of greater than 5% of the bidding entity or parent entity? YES ___ NO ___
2. Does anyone in your organization have a direct or beneficial ownership share of less than 5%, but which has a value greater than 60% of the annual salary of the Governor? YES ___ NO ___
3. Does anyone in your organization receive more than 60% of the annual salary of the Governor of the subcontracting entity's or parent entity's distributive income? YES ___ NO ___

(Note: Distributive income is, for these purposes, any type of distribution of profits. An annual salary is not distributive income.)

4. Does anyone in your organization receive greater than 5% of the subcontracting entity's or parent entity's total distributive income, but which is less than 60% of the annual salary of the Governor? YES ___ NO ___

(Note: Only one set of forms needs to be completed per individual per subcontract even if a specific individual would require a yes answer to more than one question.)

A "YES" answer to any of these questions requires the completion of Form A. The subcontractor must determine each individual in the subcontracting entity or the subcontracting entity's parent company that would cause the questions to be answered "Yes". Each form must be signed and dated by an individual that is authorized to execute contracts for your organization. The individual signing can be, but does not have to be, the individual for which the form is being completed. The subcontractor is responsible for the accuracy of any information provided.

If the answer to each of the above questions is "NO", then the **NOT APPLICABLE STATEMENT** on page 2 of Form A must be signed and dated by an individual that is authorized to execute contracts for your company.

RETURN WITH SUBCONTRACT

Form B: Instructions for Identifying Other Contracts & Procurement Related Information

Disclosure Form B must be completed for each subcontract submitted by the subcontracting entity. *Note: Checking the NOT APPLICABLE STATEMENT on Form A does not allow the subcontractor to ignore Form B. Form B must be completed, checked, and dated or the subcontract will not be approved.*

The Subcontractor shall identify, by checking Yes or No on Form B, whether it has any pending contracts, subcontracts, leases, bids, proposals, or other ongoing procurement relationship with any other (non-IDOT) State of Illinois agency. If "No" is checked, the subcontractor only needs to complete the check box on the bottom of Form B. If "Yes" is checked, the subcontractor must list all non-IDOT State of Illinois agency pending contracts, subcontracts, leases, bids, proposals, and other ongoing procurement relationships. These items may be listed on Form B or on an attached sheet(s). Contracts with cities, counties, villages, etc. are not considered State of Illinois agency contracts and are not to be included. Contracts or subcontracts with other State of Illinois agencies such as the Department of Natural Resources or the Capital Development Board must be included.

**ILLINOIS DEPARTMENT
OF TRANSPORTATION**

**Form A
Subcontractor: Financial
Information & Potential Conflicts
of Interest Disclosure**

Subcontractor Name		
Legal Address		
City, State, Zip		
Telephone Number	Email Address	Fax Number (if available)

Disclosure of the information contained in this Form is required by Section 50-35 of the Code (30 ILCS 500). Subcontractors desiring to enter into a subcontract of a State of Illinois contract must disclose the financial information and potential conflict of interest information as specified in this Disclosure Form. This information shall become part of the publicly available contract file. This Form A must be completed for subcontracts with a total value of \$50,000 or more, from subcontractors identified in Section 20-120 of the Code, and for all open-ended contracts. **A publicly traded company may submit a 10K disclosure (or equivalent if applicable) in satisfaction of the requirements set forth in Form A. See Disclosure Form Instructions.**

The current annual salary of the Governor is \$177,412.00.

DISCLOSURE OF FINANCIAL INFORMATION

1. Disclosure of Financial Information. The individual named below has an interest in the SUBCONTRACTOR (or its parent) in terms of ownership or distributive income share in excess of 5%, or an interest which has a value of more than 60% of the annual salary of the Governor. **(Make copies of this form as necessary and attach a separate Disclosure Form A for each individual meeting these requirements)**

FOR INDIVIDUAL (type or print information)	
NAME:	_____
ADDRESS	_____
Type of ownership/distributable income share:	
stock _____ sole proprietorship _____ Partnership _____ other: (explain on separate sheet):	
% or \$ value of ownership/distributable income share:	_____

2. Disclosure of Potential Conflicts of Interest. Check "Yes" or "No" to indicate which, if any, of the following potential conflict of interest relationships apply. If the answer to any question is "Yes", please attach additional pages and describe.

(a) State employment, currently or in the previous 3 years, including contractual employment of services.

Yes ___ No ___

If your answer is yes, please answer each of the following questions.

1. Are you currently an officer or employee of either the Capitol Development Board or the Illinois State Toll Highway Authority? Yes ___ No ___

2. Are you currently appointed to or employed by any agency of the State of Illinois? If you are currently appointed to or employed by any agency of the State of Illinois, and your annual salary exceeds 60% of the annual salary of the Governor, provide the name the State agency for which you are employed and your annual salary. _____

RETURN WITH SUBCONTRACT

3. If you are currently appointed to or employed by any agency of the State of Illinois, and your annual salary exceeds 60% of the annual salary of the Governor, are you entitled to receive (i) more than 7 1/2% of the total distributable income of your firm, partnership, association or corporation, or (ii) an amount in excess of 100% of the annual salary of the Governor?
Yes ___ No ___

4. If you are currently appointed to or employed by any agency of the State of Illinois, and your annual salary exceeds 60% of the annual salary of the Governor, are you and your spouse or minor children entitled to receive (i) more than 15 % in the aggregate of the total distributable income of your firm, partnership, association or corporation, or (ii) an amount in excess of two times the salary of the Governor?
Yes ___ No ___

(b) State employment of spouse, father, mother, son, or daughter, including contractual employment services in the previous 2 years.

Yes ___ No ___

If your answer is yes, please answer each of the following questions.

1. Is your spouse or any minor children currently an officer or employee of the Capitol Development Board or the Illinois State Toll Highway Authority?
Yes ___ No ___

2. Is your spouse or any minor children currently appointed to or employed by any agency of the State of Illinois? If your spouse or minor children is/are currently appointed to or employed by any agency of the State of Illinois, and his/her annual salary exceeds 60% of the annual salary of the Governor, provide the name of your spouse and/or minor children, the name of the State agency for which he/she is employed and his/her annual salary. _____

3. If your spouse or any minor children is/are currently appointed to or employed by any agency of the State of Illinois, and his/her annual salary exceeds 60% of the annual salary of the Governor, are you entitled to receive (i) more than 7 1/2% of the total distributable income of your firm, partnership, association or corporation, or (ii) an amount in excess of 100% of the annual salary of the Governor?
Yes ___ No ___

4. If your spouse or any minor children are currently appointed to or employed by any agency of the State of Illinois, and his/her annual salary exceeds 60% of the annual salary of the Governor, are you and your spouse or minor children entitled to receive (i) more than 15 % in the aggregate of the total distributable income of your firm, partnership, association or corporation, or (ii) an amount in excess of two times the salary of the Governor?
Yes ___ No ___

(c) Elective status; the holding of elective office of the State of Illinois, the government of the United States, any unit of local government authorized by the Constitution of the State of Illinois or the statutes of the State of Illinois currently or in the previous 3 years.
Yes ___ No ___

(d) Relationship to anyone holding elective office currently or in the previous 2 years; spouse, father, mother, son, or daughter.
Yes ___ No ___

(e) Appointive office; the holding of any appointive government office of the State of Illinois, the United States of America, or any unit of local government authorized by the Constitution of the State of Illinois or the statutes of the State of Illinois, which office entitles the holder to compensation in excess of the expenses incurred in the discharge of that office currently or in the previous 3 years.
Yes ___ No ___

(f) Relationship to anyone holding appointive office currently or in the previous 2 years; spouse, father, mother, son, or daughter.
Yes ___ No ___

(g) Employment, currently or in the previous 3 years, as or by any registered lobbyist of the State government.
Yes ___ No ___

RETURN WITH SUBCONTRACT

(h) Relationship to anyone who is or was a registered lobbyist in the previous 2 years; spouse, father, mother, son, or daughter. Yes ___ No ___

(i) Compensated employment, currently or in the previous 3 years, by any registered election or reelection committee registered with the Secretary of State or any county clerk of the State of Illinois, or any political action committee registered with either the Secretary of State or the Federal Board of Elections. Yes ___ No ___

(j) Relationship to anyone; spouse, father, mother, son, or daughter; who was a compensated employee in the last 2 years by any registered election or re-election committee registered with the Secretary of State or any county clerk of the State of Illinois, or any political action committee registered with either the Secretary of State or the Federal Board of Elections. Yes ___ No ___

3 Communication Disclosure.

Disclose the name and address of each lobbyist and other agent of the bidder or offeror who is not identified in Section 2 of this form, who is has communicated, is communicating, or may communicate with any State officer or employee concerning the bid or offer. This disclosure is a continuing obligation and must be promptly supplemented for accuracy throughout the process and throughout the term of the contract. If no person is identified, enter "None" on the line below:

Name and address of person(s): _____

RETURN WITH SUBCONTRACT

4. Suspension or Debarment Disclosure. For each of the persons identified under Sections 2 and 3 of this form, disclose whether any of the following has occurred within the previous 10 years: suspension or debarment from contracting with any governmental entity; professional licensure discipline; bankruptcies; adverse civil judgments and administrative findings; and criminal felony convictions. This disclosure is a continuing obligation and must be promptly supplemented for accuracy throughout the procurement process and term of the contract. If no person is identified, enter "None" on the line below:

Name of person(s): _____

Nature of disclosure: _____

APPLICABLE STATEMENT

This Disclosure Form A is submitted on behalf of the INDIVIDUAL named on previous page. Under penalty of perjury, I certify the contents of this disclosure to be true and accurate to the best of my knowledge.

Completed by: _____ Date _____
Signature of Individual or Authorized Representative

NOT APPLICABLE STATEMENT

Under penalty of perjury, I have determined that no individuals associated with this organization meet the criteria that would require the completion of this Form A.

This Disclosure Form A is submitted on behalf of the CONTRACTOR listed on the previous page.

_____ Date _____
Signature of Authorized Representative

The bidder has a continuing obligation to supplement these disclosures under Sec. 50-35 of the Code.

RETURN WITH SUBCONTRACT

ILLINOIS DEPARTMENT OF TRANSPORTATION

Form B
Subcontractor: Other Contracts & Financial Related Information Disclosure

Form with fields: Subcontractor Name, Legal Address, City, State, Zip, Telephone Number, Email Address, Fax Number (if available)

Disclosure of the information contained in this Form is required by Section 50-35 of the Code (30 ILCS 500). This information shall become part of the publicly available contract file. This Form B must be completed for subcontracts with a total value of \$50,000 or more, from subcontractors identified in Section 20-120 of the Code, and for all open-ended contracts.

DISCLOSURE OF OTHER CONTRACTS, SUBCONTRACTS, AND PROCUREMENT RELATED INFORMATION

1. Identifying Other Contracts & Procurement Related Information. The SUBCONTRACTOR shall identify whether it has any pending contracts, subcontracts, including leases, bids, proposals, or other ongoing procurement relationship with any other State of Illinois agency: Yes ___ No ___
If "No" is checked, the subcontractor only needs to complete the signature box on this page.

2. If "Yes" is checked. Identify each such relationship by showing State of Illinois agency name and other descriptive information such as bid or project number (attach additional pages as necessary). SEE DISCLOSURE FORM INSTRUCTIONS:

THE FOLLOWING STATEMENT MUST BE CHECKED

Signature box with fields: Signature of Authorized Officer, Date

OWNERSHIP CERTIFICATION

Please certify that the following statement is true if the individuals for all submitted Form A disclosures do not total 100% of ownership

Any remaining ownership interest is held by individuals receiving less than \$106,447.20 of the bidding entity's or parent entity's distributive income or holding less than a 5% ownership interest.

Yes No N/A (Form A disclosure(s) established 100% ownership)

SAFETY FACT SHEET

The purpose of this fact sheet is to alert contractors, consulting engineers, landowners and the general public to the safety hazards which abandoned mine sites pose. While not intended to be a comprehensive safety manual, this document will provide some general guidelines for working or living near abandoned mines.

Mine Openings

Open mine shafts or other portals to underground mines are a problem commonly found at abandoned sites. In addition to the obvious hazard that an open, vertical shaft presents, seemingly sound shafts may, in fact, contain unstable fill material or be covered by poorly-constructed, deteriorated caps or seals. Such seals can fail without notice and extreme care should be taken to avoid unnecessary ground disturbance around old shafts.

Horizontal shafts, often called drifts or adits, can provide easy access to underground mines and, because there is no vertical drop, may seem harmless. However, abandoned mines frequently contain heavy concentrations of harmful gases and may be severely deficient in oxygen. They may also contain other physical hazards such as flooded rooms or fractured and falling roofs, and may house a variety of vermin.

Mine Gas

Underground mine atmospheres frequently contain explosive or toxic gases such as methane and hydrogen sulfide. These gases can make their way to the surface either through shafts, fissures, or in the case of a very shallow mine, directly through the ground. A mere 5-15 percent concentration of methane escaping to the surface is highly combustible and explosive under certain conditions. Consequently, smoking or use of any open flame near a mine opening of any type must be avoided. While methane is both flammable and an asphyxiant, hydrogen sulfide is poisonous and quite deadly at significantly lower concentrations. For this reason alone, abandoned underground coal mines should never be entered.

Mine Refuse

"Gob" refers to the coarse refuse, usually deposited in large, steep piles, stemming from the coal sorting process. "Slurry" is defined as the fine, silty refuse which remains after the coal washing process is completed. Both types of refuse have the potential to ignite and burn slowly for long periods of time due to their coal content. While some burning refuse areas are easily identified by smoke, ash or burned coal particles, other areas may be burning below the surface and exhibit no visible signs. As a result, extreme caution should be exercised when walking or driving on or near gob piles or slurry impoundments.

Highwalls

Surface mining for coal often results in a final cut pit with steep, sheer walls surrounding a flooded impoundment. These walls pose a unique hazard because of their vertical height above the water level, and because of their erosive nature resulting from their unstable slopes. Drownings have occurred when individuals slipped into the pits and were unable to climb out. In some areas, final cuts do not fill with water, presenting a hazard due to the vertical drop.

Mine Buildings

Many abandoned mines include old machinery, buildings and equipment referred to collectively as the "tipple area". Abandoned mine structures are frequently quite deteriorated and subject to collapse. Coal hoppers, auger pits and underground steam ducts can also be found at most tipple sites and are sometimes obscured by vegetative growth or rubble accumulation, creating a trap-like situation.

Toxic Substances

Industrial chemicals and other harmful substances occasionally have been found at abandoned mine sites. Coal oil, abandoned transformers containing PCB's and asbestos insulation in tipple buildings are not uncommon. Abandoned mine sites also attract illegal dumping of other substances not related to the mining operation, but equally as dangerous. Workers should consider any unknown substance to be potentially harmful until determined to be otherwise.

Safety Precautions

As with any construction site, standard safety precautions required by the Occupational Safety and Health Administration (OSHA) should be strictly followed when performing reclamation work. These include, but are not limited to, wearing hard hats, safety glasses and steel-toed boots. Be aware of any electrical or other cables on site and always take the necessary water safety precautions when working around water impoundments. Always contact J.U.L.I.E. before excavating.

The reclamation of abandoned mines sometimes involves the use of chemicals such as alkali materials and chemical grouts. Always follow the directions provided in the Manufacturer's Safety Data Sheet when handling these and other materials.

Finally, abandoned mine reclamation generally requires the use of bulldozers, pan scrapers, large backhoes, heavy-duty trucks and other heavy equipment. Individual pieces must meet all OSHA standards and must never be operated in a negligent or reckless manner. Individuals on the construction site, whether on foot or in a road vehicle, should always give the heavy equipment operator the right-of-way since visibility is often quite limited.

SPECIAL PROVISIONS
TABLE OF CONTENTS

	<u>PAGE</u>
DESCRIPTION OF PROJECT	000-2
LOCATION OF PROJECT	000-2
ABILITY OF CONTRACTOR TO COMPLETE WORK	000-2
RESPONSIBILITY OF THE CONTRACTOR	000-2
STARTING DATE OF CONTRACT	000-3
CONTRACT ENDING DATE	000-3
PROGRESS AND LIQUIDATED DAMAGES	000-3
EXISTING PAVEMENTS	000-3
BASE AND TOPPING MATERIALS	000-4
FIELD ENGINEERING	000-4
OWNER OCCUPANCY	000-4
TEMPORARY CONTROLS	000-5
SECTION 101 - Definition of Terms	100-6
SECTION 102 - Advertisement, Bidding, Award, and Contract Execution	100-7
SECTION 107 - Legal Relations and Responsibility to the Public	100-7
SECTION 108 - Prosecution and Progress	100-11
SECTION 109 - Measurement and Payment	100-12
SECTION 201- Clearing, Tree Removal and Protection Care and Repair of Existing Plant Material	200-12
SECTION 202 - Abandoned Mine Site Excavation	200-13
SECTION 215 - Special Excavation	200-17
SECTION 216 - Mine Opening Filling and Sealing	200-18
SECTION 250 - Seeding	200-22
SECTION 280 - Temporary Erosion Control	200-26
SECTION 594 - Polyurethane Foam Closure	500-27
SECTION 596 - Bate Gates	500-31
SECTION 671 - Mobilization	600-33

SPECIAL PROVISIONS FOR THE CONSTRUCTION OF:
Lead & Zinc 2017 Mine Group Reclamation Project
Jo Daviess County, Illinois
AML-LdZc-1710

The "Standard Specifications for Road and Bridge Construction," adopted April 1, 2016 by the Illinois Department of Transportation; as amended and supplemented by the "Supplemental Specifications and Recurring Special Provisions," adopted January 1, 2018 (hereinafter referred to collectively as "Standard Specifications"), are incorporated by reference and made a part of this Contract for the Reclamation of the Lead & Zinc 2017 Mine Group Reclamation Project, Jo Daviess County, AML-LdZc-1710. (The Standard Specifications can be purchased from the Illinois Department of Transportation.)

The following Special Provisions supplement the Standard Specifications, and govern the construction of the Lead & Zinc 2017 Mine Group Reclamation Project. In the event of conflict between the Special Provisions and the Standard Specifications, the Special Provisions shall take precedence and govern.

In the application of the Standard Specifications to this Contract, references to the Department of Transportation shall be interpreted to mean the Department of Natural Resources; Office of Mines and Minerals; Division of Abandoned Mined Lands Reclamation (Department); except that references to the Department of Transportation within Section 102 - Advertisement, Bidding, Award, and Contract Execution - shall continue to mean the Department of Transportation.

The advertising for Bids, Prequalifications of Bidders, Issuance of Proposals, Proposal Guarantee, and Acceptance and Opening of Bids shall be in accordance with the policies and procedures of the Illinois Department of Transportation. Proposals, Schedule of Prices, Signature Sheet and other bidding or contract requirements as utilized by the Department of Natural Resources; Office of Mines and Minerals; Division of Abandoned Mined Lands Reclamation (Department) shall apply to this contract.

DESCRIPTION OF THE PROJECT

This reclamation project provides for the correction of hazardous mine conditions and for the correction of existing mine conditions which adversely affect the surrounding environment. This project consists of work items as described in detail herein, and within the Plans or Plan Documents.

LOCATION OF THE PROJECT

This reclamation project is located at seven sites near Galena, Illinois and one site adjacent to Elizabeth, Illinois.

ABILITY OF CONTRACTOR TO COMPLETE WORK

The Contractor shall be able to provide the necessary equipment and manpower to successfully complete all phases of the contract as described herein.

RESPONSIBILITY OF THE CONTRACTOR

It shall be the responsibility of the Contractor to visit the reclamation site in order to become fully acquainted with all the details pertaining to the project. The Contractor shall be responsible for **obtaining** any and all permits required **by local ordinances, state and/or federal laws, and shall be required to become a party to the Department of Natural Resources; Office of Mines and Minerals;**

Division of Abandoned Mined Lands Reclamation (Department) Storm Water Pollution Prevention Plan, as mandated by the Illinois Environmental Protection Agency General Permit for Storm Water Discharges. Consents for Right of Entry from property owners, ***will be*** obtained by the Department.

Any fees required for the procurement of other permits which may be necessary shall be at the expense of the Contractor, not to be reimbursed by the State, but to be considered incidental to the contract.

During the performance of this construction contract, the Contractor shall not enter into any agreement to provide additional work for or at the direction of the owner(s) of the property where the reclamation shall take place, or with the owner(s) of adjacent or nearby property, without the prior written approval of the Department. The Contractor agrees that any additional work to be performed for such owners, after approval by the Department, will not be permitted to interfere with the scheduled operations or planned reclamation results specified for the reclamation project. The Contractor further agrees to indemnify and hold harmless the Department against any and all claims for personal injury or property damage arising out of or occasioned by the additional work.

STARTING DATE OF CONTRACT

Work on the project shall commence within 15 calendar days of the execution of the contract. The Contractor shall contact the Department within the 15 day period to schedule a preconstruction conference prior to the beginning of actual construction operations.

CONTRACT ENDING DATE

This Contract shall end on or before December 31, 2018 (see also interim progress date below).

PROGRESS AND LIQUIDATED DAMAGES

All work shall proceed in accordance with a Progress Schedule as provided in Article 108.02 of the Standard Specifications.

Establishing vegetation is critical to the success of reclamation projects. Seeding must be performed within specified times for optimum chances of success. Failure to complete all prerequisite earthwork, erosion control, ***permanent*** seeding (or temporary seeding, if approved by the Engineer) ***and mulching*** by ***September 1, 2018*** shall be considered a material breach of the Contract and the Department may assess liquidated damages immediately upon such failure, and until said work is completed, as provided in Article 108.09 of the Standard Specifications.

All remaining work, including final clean-up, removal of equipment, final inspection, any alterations, repair, remedial or holdover work, reseeding, and submission of the final pay request shall be completed prior to the contract ending date.

EXISTING PAVEMENTS

Existing on-site roadways may be used for construction traffic. The Contractor shall provide temporary additional roads needed for required construction access, maintain existing roads throughout construction, and restore to original or better condition at completion of work.

BASE AND TOPPING MATERIALS

For temporary construction which will be removed when no longer needed for construction purposes, and all affected areas restored to original or better condition at the completion of work, the selection of these materials is at the Contractor's option, unless otherwise specified.

FIELD ENGINEERING

Requirements Included:

The Contractor shall provide and pay for all field engineering services required for the project, including:

1. Lay-out and field stake the project's construction limits, unless otherwise specified on the plans, to the satisfaction of the Engineer.
2. Survey work required in execution of the project.
3. Civil, structural or other professional engineering services specified, or required to execute the Contractor's construction methods.

Survey Reference Points:

Existing basic horizontal and vertical control points for the project are identified on the plans and will be identified by the Engineer for the Contractor's use. The Contractor shall locate and protect control points prior to starting site work, and preserve all permanent reference points during construction.

Project Survey Requirement:

The Contractor shall use established bench marks on-site as identified on the plans. The Contractor shall establish construction limits, lines and levels, locate and lay-out by instrumentation and similar appropriate means, all site improvements. From time to time, the Engineer shall verify layouts by same methods.

Initial, periodic and final cross-sectioning of borrow areas for payment will be performed by the Engineer.

Records:

The Contractor shall maintain complete, accurate records, computations and field books of all control and survey work as it progresses. These shall be kept on-site for use of and reference by the Engineer.

Submittal:

The Contractor shall submit name and address of surveyor or engineer to the Project Engineer.

OWNER OCCUPANCY

Owners will occupy premises during entire construction period for conduction of their normal operations. The Contractor shall cooperate with Owners in scheduling operations to minimize conflict and to facilitate Owner's usage.

TEMPORARY CONTROLS

A. Dust and Mud Control:

The Contractor shall provide positive methods and apply dust control materials to minimize raising dust from construction operations, and provide positive means to prevent air-borne dust from dispersing into the atmosphere.

B. Debris Control:

The Contractor shall initiate and maintain a specific program to prevent accumulation of debris at the construction site, storage and parking areas, or along access roads and haul roads.

C. Pollution Control:

The Contractor shall provide methods, means and facilities required to prevent contamination of soil, water or atmosphere by the discharge of noxious substances and sediments from construction operations. **All projects involving the disturbance of 1 or more acres are covered by NPDES General Permit Number ILR100000, issued by the Illinois Environmental Protection Agency (IEPA) for storm water discharges from construction site activities. The Contractor shall be required to comply with the provisions of the General Permit and must become a party to the Department of Natural Resources; Office of Mines and Minerals; Division of Abandoned Mined Lands Reclamation Storm Water Pollution Prevention Plan (See Sample Document following the Special Provisions).**

The Contractor shall prevent harmful substances, such as acid water, from entering public or private waters. **If treatment of acid water** is determined necessary by the Engineer and it is not specified within these special provisions, any water treated will be paid for in accordance with Article 109.04 of the Standard Specifications. The Contractor is liable for restoration of water quality and aquatic life if adversely affected by his/her actions. The Contractor shall maintain all such systems throughout the duration of the project.

The Contractor shall provide systems for control of atmospheric pollutants to prevent toxic concentrations of chemicals; to prevent harmful dispersal of pollutants into the atmosphere; and to comply with all permit requirements that may apply.

The Contractor must notify the Engineer immediately if buried wastes, liquid waste vessels or other potentially harmful materials are encountered. Necessary precautions should be taken to safeguard the area and to protect workers and the public until further directions are provided by the Engineer.

End of SECTION 000

DIVISION 100 - GENERAL REQUIREMENTS AND COVENANTS

SECTION 101: DEFINITION OF TERMS - (revise and add the following articles as indicated)

Whenever in these specifications or in other contract documents the following terms or pronouns in place of them are used, the intent of meaning shall be interpreted as follows:

Article 101.03 Award - (revise as indicated)

The decision of the Department of Natural Resources; Office of Mines and Minerals; Division of Abandoned Mined Lands Reclamation to accept the proposal of the lowest responsible bidder for the work, subject to the execution and approval of a satisfactory contract therefore and bond to secure the performance thereof, and to such other conditions as may be specified or otherwise required by law.

Article 101.14 Department - (revise as indicated)

The Department of Natural Resources of the State of Illinois with its principal offices of business at Springfield.

Article 101.16 Engineer - (revise as indicated)

The Director of the Department of Natural Resources of the State of Illinois; or his authorized representative limited by the particular duties entrusted to him.

Article 101.35 Right of Way - (revise as indicated)

Right of way shall be replaced by construction limits, except when used in conjunction with right of way markers or highways.

Article 101.39 Roadway - (revise as indicated)

Roadway shall be replaced by site.

Article 101.47 Subgrade - (revise as indicated)

The top surface of the mine refuse upon which the cover soil is placed.

Add the following Articles 101.56, 101.57, and 101.58.

Article 101.56 Gob

Coarse textured mine waste material, generally acidic, from a coal cleaning process. This material is composed of rock, shale, pyritic material and varying amounts of coal. The material varies considerably in its moisture content, texture, stable angle of repose and bearing capacity.

Article 101.57 Mine Spoil

A mixture of various soil and rock material as a result of the removal of overburden to expose the coal in surface mining. The material varies considerably in its' moisture content, texture, stable angle of repose and bearing capacity.

Article 101.58 Slurry

A mixture of coal fines and fine coal waste material resulting from a coal cleaning process. This material is composed of water, silts, clays, pyritic material and coal. The material varies considerably in its' moisture content, stable angle of repose, shear strength and bearing capacity.

End of Revisions to SECTION 101: DEFINITION OF TERMS

**SECTION 102: ADVERTISEMENT, BIDDING, AWARD, AND CONTRACT EXECUTION –
(revise the following article as indicated)**

Article 102.01 - (add the following)

When the plans or Special Provisions include information pertaining to subsurface exploration, borings, test pits and other preliminary investigation, such information represents only the best knowledge of the Department of Natural Resources as to the location, character or quantity of the materials encountered and is only included for the convenience of the bidder. The Department of Natural Resources assumes no responsibility whatever in respect to the sufficiency or accuracy of the information, and there is no guaranty, either expressed or implied, that the conditions indicated are representative of those existing throughout the work, or that unanticipated developments may not occur. All soil information upon which the design was prepared is available for examination by all prospective bidders at the Department of Natural Resources's Springfield or Marion office.

The topographical land features of abandoned coal mine sites have typically been altered or impacted by the mining operations. When mine refuse covers those features, it may be difficult or impossible to discover or estimate the full extent of impacts to the ground surface. The depths and composition of mine refuse, as well as corresponding ground surface characteristics as represented in the Plans, are based upon available information and extrapolations from surrounding land features and deductive reasoning as to the probable techniques employed by the mining operation. The Plan lines that indicate existing conditions do not purport to fully represent minor variations in refuse depth or thickness, or small, hidden pockets of mine refuse. Such conditions encountered, shall not constitute a basis for unit price adjustment or extra compensation.

End of Revisions to SECTION 102

**SECTION 107: LEGAL RELATIONS AND RESPONSIBILITY TO THE PUBLIC - (revise and
add the following articles as indicated)**

Article 107.11 Insurance Requirements for Railroad - Highway Crossing - (add the following)

When work is to be performed within the right-of-way of an active railroad, the Contractor shall provide the following insurance requirements.

Article 107.19 Unexpected Regulated Substances - (revise as indicated)

Delete references to the Response Action Contractor Indemnification Act found in Article 107.19, 6th paragraph. Said Act is not applicable to federally funded abandoned mine reclamation projects. All other provisions of Article 107.19 shall remain in full force and effect.

Article 107.20 Protection and Restoration of Property - (add the following)

If any damages are incurred from the Contractor's operations to any properties outside of the construction limits as shown on the plans, the Contractor shall be responsible for all repairs required to restore the damaged areas to their original condition regardless of the property involved. Any deviations from the limits of the construction area or requirements specified herein shall only be done with written approval of the Engineer pursuant to the following:

1. Written request from the Contractor, due to the limitations of the construction area as it affects his efficiency to complete the contract.
2. If the Engineer deems it necessary to deviate from the construction limits, as provided herein, to improve the work ability of the contract.

Article 107.22 Approval of Proposed Borrow Areas, Use Areas, and/or Waste Areas. (delete and replace with the following)

Proposed borrow areas are to be designated by the Contractor to the Engineer and approved prior to their use. A map showing the location and approximate size limits of the borrow area shall be submitted to the Engineer for approval. The Engineer will consult with the Department to determine if potentially significant cultural and /or biological resources may be present at the site. If the Department determines that potentially significant cultural and/or biological resources may be present, the Contractor shall have the option of choosing another site or paying for additional surveys and testing. Results of the additional surveying and testing will determine if the site may be used or if the Contractor must provide another site. The borrow area shall not be disturbed until the Department has given approval.

Article 107.27 Insurance - (delete and replace with the following)

The Contractor shall obtain and thereafter keep in force the following insurance coverage provided by insurance companies acceptable to the Department and authorized to transact business under the laws of the State of Illinois. The insurance companies providing coverage shall be rated in the Best's Key Rating Guide. The Department will accept companies with a rating not lower than B+ provided the financial size category is VII or larger. Companies rated A- or better shall have a financial size category of not less than VI. Coverage limits shall be written at not less than the minimum specified in this Article. Higher minimum limits and additional coverage may be specified by a special provision elsewhere in the contract. Whether stated in this Article or elsewhere, the Department does not warrant the adequacy of the types of insurance coverage or the limits of liability specified.

(a) Workers Compensation and Employers Liability

- (1) Workers compensation shall be provided in accordance with the provisions of the Illinois Worker's Compensation Act, as amended. Notwithstanding the rating and financial size

categories stated in this Article, coverage may be provided by a group self-insurer authorized in Section 4(a) of the Act and approved pursuant to the rules of the Illinois Department of Insurance.

- (2) Employers Liability
 - a. Each Accident \$500,000
 - b. Disease - policy limit \$500,000
 - c. Disease - each employee \$500,000

(b) Commercial General Liability

Required liability insurance coverage shall be written in the occurrence form and shall provide coverage for operations of the Contractor; operations of Sub-Contractor=s (contingent or protective liability); completed operations; broad form property damage and hazards of explosion, collapse and underground; and contractual liability. The general aggregate limit shall be endorsed on a per project basis.

- (1) General Aggregate Limit \$2,000,000
- (2) Products - Completed Operation Aggregate Limit \$2,000,000
- (3) Each Occurrence Limit \$1,000,000

The coverage shall provide by an endorsement in the appropriate manner and form, the Department, to its officers, agents and employees shall be named as additional insureds with respect to the policies and any umbrella excess liability coverage for occurrences arising in whole or in part out of the work and operations performed. The Department may accept a separate owner's protective liability policy in lieu of the Department, it's officers, and employees being insured on the Contractor's policy.

(c) Owners and Contractor’s Protective (OCP) Liability

The Contractor shall provide an OCP policy covering the property owner(s) of the site where the work is to be performed. In the case of multiple owners, all the landowners may be listed as additional insurers on the same policy.

This project will require OCP Policy coverage for ELEVEN property owners.

If the Contractor chooses to put the Department on an OCP (in lieu of placing the Department as an additional insured on the Commercial General Liability - see (b) above), then the Department should be listed as the insured, with all landowners listed as additional insured(s). The amounts of insurance shall be as follows:

<u>BODILY INJURY LIABILITY</u>	<u>PROPERTY DAMAGE LIABILITY</u>	
Each Occurrence \$1,000,000	Each Occurrence \$500,000	Aggregate \$1,000,000
	or	
<u>COMBINED SINGLE LIMIT</u>	\$1,000,000	

The required OCP policy shall contain the following endorsement:

"Each named insured shall be provided full coverage under this policy without regard to the fact that such named insured is not in contractual privity with the Contractor. It is understood that the construction operations are performed for and on behalf of the Department, with the consent of the property owner(s)-insured(s). Coverage under this policy with respect to liability arising out of operations shall not be denied to any named-insured because of his passive relationship to the Contractor".

When any named insured is a corporation, insurance coverage under the OCP policy shall extend to the Corporation, its officers, agents, and employees.

(d) Commercial Automobile Liability

The policy shall cover owned, non-owned and hired vehicles.

Bodily Injury & Property Damage Liability Limit Each Occurrence	\$1,000,000
--	-------------

(e) Umbrella Liability

Any policy shall provide excess limits over and above the other insurance limits stated in this Article. The Contractor may purchase insurance for the full limits required or by a combination of primary policies for lesser limits and remaining limits provided by the umbrella policy.

When work is to be performed within *railroad right-of-ways*, the requirements of Article 107.11 of the Standard Specifications will also apply.

All insurance shall remain in force during the period covering occurrences happening on or after the effective date and remaining in effect during performance of the work and at all times thereafter when the Contractor may be correcting, removing or replacing defective work until notification of the date of final inspection. Termination or refusal to renew shall not be made without 30 days prior written notice to the Department by the insured(s) and the policies shall be endorsed so as to remove any language restricting or limiting liability concerning this obligation.

Certified copies of the original policies or certificate(s) of insurance by the insurer(s) issuing the policies and endorsements setting forth the coverage, limits and endorsements shall be filed with the Department before the Department will execute the contract. A certificate of insurance shall include a statement that, "the coverage and limits conform to the minimums required by Article 107.27 of the Standard Specifications for the Road and Bridge Construction". Any exception or deviation shall be brought to the attention of the Department for a ruling of acceptability. In no event shall any failure of the Department to receive polices or certificates or to demand receipt be construed as a waiver of the Contractor's obligation to obtain and keep in force the required insurance.

All costs for insurance as specified herein will be considered as included in the cost of the contract. The Contractor shall, at its own expense and risk of delay, cease operations if the insurance required is terminated or reduced below the required amounts of coverage.

Coverage in the minimum amounts set forth herein shall not be construed to relieve the Contractor from its obligation to indemnify in excess of the coverage in accordance with the contract.

Article 107.32 Furnishing Right of Way - (change to)

The Department shall secure and provide permission from the property owners for reclamation to be performed.

(Add the following section)

Article 107.42 Limitation on Mechanics Liens

The owners and tenants of private property involved in Abandoned Mined Land (AML) projects are not responsible to the Contractor, nor to any Sub-Contractor, material supplier, operator or laborer for any of the costs or expenses of the reclamation work. AML projects are undertaken pursuant to the Abandoned Mined Lands and Water Reclamation Act for the protection of the public health and safety and/or protection of the environment. Project design, contracting, and payment are the sole responsibility of the Department.

In the event of a contract dispute, the Contractor's remedies shall be limited to those provided in the Contract and to claims or actions to be brought against the Department in the Illinois Court of Claims, pursuant to the Court of Claims Act (Illinois. Rev. Stat 1991, ch. 37, par. 439.1 et. seq.). The Contractor shall not place any mechanics liens against any private property involved in the reclamation project.

Sub-Contractors, material suppliers, operators, and laborers remedies for non-payment include all legal actions against the Contractor, claims and actions brought against the Contractor's surety under the contract performance and payment bond, and claims for "Liens Against Public Funds" as provided in paragraph 23(c) of the Mechanics Lien Act. Sub-Contractors, material suppliers, operators, and laborers shall have no rights in regard to liens against private property.

The Contractor shall cause the terms of this Special Provision to be included in all subcontracts.

End of Revisions to SECTION 107: LEGAL RELATIONS AND RESPONSIBILITY TO THE PUBLIC

SECTION 108: PROSECUTION AND PROGRESS - (revise the following articles as indicated)

Article 108.07 Suspension of Work - (add the following)

The Department hereby makes express provision for any suspensions which may result from disputes with property owners. The Engineer may suspend work for up to ten working days during the contract period without additional compensation to the Contractor, when such suspension is necessary to resolve disputes or problems with property owners. Multiple suspensions, less than ten working days each, shall not exceed ten working days total, without additional compensation.

End of Revisions to SECTION 108: PROSECUTION AND PROGRESS

SECTION 109: MEASUREMENT AND PAYMENT - (revise the following articles as indicated)

Article 109.07 Partial Payments (Add the following after the first paragraph of 109.07(a))

The State will deduct from the amount so determined for the first 50 percent of the completed work a sum of ten percent to be retained until after the completion of the entire work to the satisfaction of the Engineer. After 50 percent or more of the work is completed, the Engineer may, at his/her discretion, certify the remaining partial payments without any further retention, provided that satisfactory progress is being made, and provided that the amount retained is not less than five percent of the total adjusted contract price. When the principal items of the work have been satisfactorily completed, a semi-final estimate may be made with the consent of the surety. Payment to the Contractor under such an estimate shall not exceed 90 percent of the amount retained after making partial payments, but in no event shall the amount retained after making the semi-final payment be less than one percent of the adjusted contract price, nor less than \$500.00.

At the request of the Contractor, with approval of the Department, the retainage of the contract set forth in this Article may be deposited under a trust agreement with an Illinois Financial Institution of the Contractor's choice and subject to the approval of the Department. The Contractor shall receive any interest thereon. Pursuant to application by the Contractor, a trust agreement by an Illinois Financial Institution and the Department shall contain, as a minimum, the amount to be deposited subject to the trust, the terms and conditions of payment in case of default of the Contractor, and the termination of the trust agreement upon completion of the contract.

The Contractor shall be responsible for obtaining the written consent of an Illinois Financial Institution trustee and any costs or service fees shall be borne by the Contractor. The trust agreement may, at the discretion of the Department and upon request of the Contractor, become operative at the time of the first partial payment according to existing statutes and Department procedures.

As soon as possible after final inspection, the Department will submit final quantities to the Contractor, will request material certification information from the Contractor, and will act on any time extension requests. At the end of 21 days from such action, if the Contractor has not agreed to final quantities or liquidated damages, or submitted required documentation, the Department may withdraw retained funds from the financial institution. At the end of three months, the Department may proceed with final payment on the basis of measured quantities.

End of Revisions to SECTION 109: MEASUREMENT AND PAYMENT

End of Revisions to SECTION 100: GENERAL REQUIREMENTS AND COVENANTS

SECTION 200 - EARTHWORK, LANDSCAPING, EROSION CONTROL

DIVISION 200 - EARTHWORK, LANDSCAPING, EROSION CONTROL

SECTION 201: CLEARING, TREE REMOVAL AND PROTECTION CARE AND REPAIR OF EXISTING PLANT MATERIAL - (revise and add the following as indicated)

Article 201.01 Description - (add the following)

- (f) Trash and Debris Removal -- Trash and debris removal shall consist of the removal and disposal of all trash and debris that is within the area to be graded inside the construction limits to an approved landfill off-site.

Article 201.09 Disposal of Materials - (delete and replace with the following)

This work shall be done in accordance with Article 202.03 of these Special Provisions.

Article 201.10 Method of Measurement - (delete paragraphs (b) through (d) and replace with the following)

All Clearing, Tree Removal, Protection of Existing Plant Material, Care of Existing Plant Material and Trash and/or Debris Removal that is necessary to perform the grading work within the construction limits shall be classified as SPECIAL CLEARING and will not be measured for payment. Any of these items associated within the designated areas of Special Excavation shall not be considered here, but shall be covered under Section 215 - Special Excavation.

Any special areas of trees within the construction limits to be preserved will be specified in the plans and shall not be removed unless approved by the Engineer.

All trees outside the construction limits shall not be disturbed.

Article 201.11 Basis of Payment - (delete all and replace with the following)

All Tree Removal, Protection of Existing Plant Material, Care of Existing Plant Material and Trash/Debris Removal within the construction limits shall be paid for at the contract lump sum price for SPECIAL CLEARING. No payment for any of the items associated within the limits of Special Excavation will be made. Payment for those shall be in accordance with Section 215 - SPECIAL EXCAVATION.

End of Revisions to SECTION 201: CLEARING, TREE REMOVAL AND PROTECTION CARE
AND REPAIR OF EXISTING PLANT MATERIAL

SECTION 202: EARTH AND ROCK EXCAVATION (delete entire section and replace with the following)

SECTION 202: ABANDONED MINE SITE EXCAVATION

Article 202.01 Description

Abandoned mine site excavation shall consist of the excavation, removal, placement, and satisfactory disposal of materials taken from within the construction limits for the reshaping and disposal of mine refuse; the covering of mine refuse with soil; the construction of embankments, ditches, waterways, entrances, field roads and incidental work.

CONSTRUCTION REQUIREMENTS

Article 202.02 Clearing, Tree Removal, Hedge Removal

Prior to starting excavation operations in any area, all clearing, tree removal, hedge removal

and trash and debris removal in that area shall be performed according to SECTION 201.

Article 202.03 Removal and Disposal of Surplus, Unstable and Unsuitable Materials and Organic Waste

The Contractor, at his/her own expense, shall dispose of all surplus, unstable and unsuitable materials, including those which result from the work included in SECTIONS 201, 440, and 501 in such a manner that public or private property will not be damaged or endangered.

Whenever possible, stones and boulders naturally occurring within the construction limits shall be placed in fills or embankments in layers and compacted, in accordance with SECTION 205. Broken concrete without protruding metal bars, bricks, rock, stone, or uncontaminated dirt or sand generated from construction or demolition activities may be used in embankment or in fill. These materials shall be placed as approved by the Engineer; shall be compacted to the satisfaction of the Engineer; shall be buried a minimum of 3 ft (900 mm) below finished grade unless specified otherwise in the plans (except when the materials include only uncontaminated dirt and sand); and shall not create an unsightly appearance or detract from the natural topographic features of an area. Broken concrete without protruding metals bars, bricks, rock, or stone may be used as riprap as approved by the Engineer. If the materials are used for fill in locations within the mine site but outside project construction limits the Contractor must specify to the Engineer, in writing, how the landscape restoration of the fill areas will be accomplished. Placement of fill in such areas shall not commence until the Contractor's landscape restoration plan is approved by the Engineer.

Aside from broken concrete without protruding metal bars, bricks, rock, stone, or uncontaminated dirt or sand used in embankment, for fill, or for riprap, as appropriate, all other construction and demolition debris or waste shall either be disposed of in a licensed landfill, or recycled, reused, or otherwise disposed of as allowed by State or Federal solid waste disposal laws and regulations, and solid waste determinations of the Illinois Environmental Protection Agency (IEPA).

A permit shall be obtained from the IEPA and made available to the Engineer prior to open burning of organic waste (i.e. plant refuse resulting from pruning or removal of trees or shrubs) or other construction or demolition debris available to the Engineer. Organic waste originating within the construction limits may be left on-site for use by the landowner, stockpiled for use as wildlife habitat, as determined by the Engineer, in locations designated by the Engineer. When landscape plantings are included in the project, organic waste originating within the construction limits may be chipped or shredded and placed as mulch around landscape planting within the construction limits when approved by the Engineer. Chipped or shredded material to be placed as mulch shall not exceed a depth of 6 in. (150 mm).

When specified, surplus excavated material, including excavated stable and suitable material from special excavation, sewer trenches or other underground construction, shall be used to increase soil cover thickness, construct embankments, flatten slopes, or be disposed of otherwise within the project construction limits as approved by the Engineer. Surplus excavated material shall not be disposed of by the Contractor outside of the construction limits.

All unstable and unsuitable material, including excavated material from special excavation,

sewer trenches, or other underground construction shall be excavated or removed and replaced with material acceptable to the Engineer. Unstable and unsuitable material shall not be used in embankments. If unsuitable material is present at or below the finished grade, it shall be removed and replaced with suitable material, in accordance with Articles 205.04 and 205.05. Unsuitable material shall be placed or disposed of by the Contractor at his/her own expense outside of the construction limits as specified herein.

Article 202.04 Grading the Site

The Contractor shall excavate earth materials to the lines, grade, cross-sections and elevations shown on the plans or designated by the Engineer. Mine refuse shall be graded, hauled to, and/or incorporated into the configuration as shown on the plans. Cover material shall be graded, excavated, hauled, and/or placed to the configuration as shown on the plans. Cover material shall be uniformly spread in layers not to exceed nine inches individually to the total depth specified in the plans. All mine refuse, grading, and/or excavation shall be completed prior to applying cover material.

The mine refuse is to be excavated to the lines, grade, cross-sections and elevations shown on the plans or designated by the Engineer. If mine refuse remains below those lines, grade, cross-sections and elevations and was not specified for soil cover on the plans or by the Engineer, then after receiving written approval of the Engineer the Contractor shall excavate the remaining mine refuse to a depth of 2 ft (600 mm) below the adjacent proposed grade or to soil, whichever occurs first. The area affected by the additional mine refuse excavation shall be backfilled with soil to original plan proposed grade or to the lines, grades, elevations specified by the Engineer. All additional mine refuse excavation and earth excavation necessary due to encountering these conditions will be paid for at the contract unit price for Earth Excavation and Mine Refuse Excavation as described herein.

Article 202.05 Classification

Abandoned mine site excavation shall be classified as earth excavation or mine refuse excavation.

- (a) Earth Excavation - Excavation of any earth materials except mine refuse as defined in Articles 101.56 and 101.58.
- (b) Mine Refuse Excavation - All excavation of mine refuse materials as defined by Articles 101.56 and 101.58.

Article 202.06 Construction of Ditches and Waterways

Ditches and waterways shall be constructed and maintained to the lines, grades and cross-sections shown on the plans. Ditches and waterways so constructed shall be kept free from debris until acceptance. All suitable materials excavated from inlet, outlet and intercepting ditches, and waterways within the construction limits shall be used for cover soil as far as practicable. Roots, stumps and other objectionable material in the slopes or bottoms of ditches shall be removed and the holes backfilled with suitable material.

Article 202.07 Drainage

The site shall be maintained so that it will be well drained at all times. If, during the prosecution of the work, it is necessary to interrupt existing sewer or under drainage, temporary drainage facilities shall be provided until the permanent drainage work has been completed. Such temporary drainage facilities will be paid for in accordance with the provisions of Article 109.04, unless otherwise provided for in the contract.

The Contractor shall be responsible for, and shall take all necessary precautions to preserve and protect all existing tile drains, sewers and other sub-surface drains or parts thereof which may be affected by his operations, and which may be continued in use without change. He shall repair, at his own expense, any and all damage to such drainage facilities resulting from negligence on his part.

Article 202.08 Method of Measurement

(a) Contract Quantities:

When the project is constructed essentially to the lines, grades or dimensions shown on the plans and the Contractor and the Engineer have agreed in writing that the plan quantities are accurate, no further measurement will be required and payment will be made for the quantities shown in the contract for the various items involved except that if errors are discovered after work has been started, appropriate adjustments will be made.

When the plans have been altered or when disagreement exists between the Contractor and the Engineer as to the accuracy of the plan quantities, either party shall, before any work is started which would affect the measurement, have the right to request in writing and thereby cause the quantities involved to be measured as hereinafter specified.

(b) Measured Quantities:

Earth Excavation and Mine Refuse Excavation will be measured in its original position, and the volume in cubic yards computed by the method of average end areas. The volume of any unstable or unsuitable material removed, and the volume of the replacement material, will both be measured for payment in cubic yards.

Excavated material used for purposes other than designated in the Specifications, and material excavated beyond slope lines, will not be measured for payment.

Article 202.09 Basis of Payment

Mine site excavation will be paid for at the contract unit prices per cubic yard for EARTH EXCAVATION and MINE REFUSE EXCAVATION, measured as specified herein, which prices shall include payment for other items incidental to the work included under the general heading of Earthwork for which no payment item is included in the contract.

End of Revisions to SECTION 202.

SECTION 215: SPECIAL EXCAVATION - (add this section)

Article 215.01 Description

Special Excavation shall consist of the removal and disposition of any and all materials encountered within the areas of the mine opening(s), sinkholes, voids, or depressions as specified in the plans. Some of these materials include (but are not limited to): materials listed in Section 201 of the Special Provisions, existing foundation, mine related material such as cribbing, stairs, etc., mine refuse, spoil, and/or earth materials.

Construction Requirements

Article 215.02 Classification

Special excavation shall include all materials encountered within the mine opening(s) as specified in the plans, except water, to be removed prior to filling operations. Excavated material shall be classified by the Engineer prior to handling as:

- (a) Unsuitable material to be removed from the site according to Section 201 of the Special Provisions. The cost of removal and disposal of all unsuitable material off-site shall be considered as incidental to the contract and the cost shall be included in the unit price bid per cubic yard for Special Excavation.
- (b) Suitable fill material is to be used in refilling the special excavation(s) and/or disposed of as specified in the plans.

Article 215.03 Overhaul

No work is classified as overhaul.

Article 215.04 Excavation

- (a) All materials shall be excavated from within the concrete lining (collar) or around the mine opening(s) to a configuration and depth as specified in the plans to attain a stable base. The Engineer will determine the configuration and depth of the Special Excavation to attain a stable base in the field.
- (b) The concrete lining (collar) of shafts shall not be removed until after the special excavation of the shaft is filled. It shall then be removed or covered in-place so that it is at least 900 millimeters (three feet) below proposed grade.
- (c) Any holes, voids, or open shafts created by these operations shall be secured by the Contractor to prevent entry upon completion of a day's work. No openings shall be allowed to remain unsecured overnight, weekends, holidays, or any other time when work is not in progress.
- (d) If subsidence occurs or mine gas is detected, work shall cease immediately and the Engineer

shall be notified.

- (e) Any water encountered shall be treated if necessary to meet IEPA Mine Discharge Standards and pumped from the Special Excavation to assure maximum stability. Any cost for this shall be considered incidental and included in the unit price per cubic meter (cubic yard) for Special Excavation.
- (f) Prior to shaft filling the base shall be compacted as determined by the Engineer to assure a stable base.

Article 215.05 Method of Measurement

- (a) Contract Quantities:

When the project is constructed essentially to the lines, grades or dimensions shown on the plans and the Contractor and the Engineer have agreed in writing that the plan quantities are accurate, no further measurement will be required and payment will be made for the quantities shown in the contract for the various items involved except that if errors are discovered after work has been started, appropriate adjustments will be made.

When the plans have been altered or when disagreement exists between the Contractor and the Engineer as to the accuracy of the plan quantities, either party shall, before any work is started which would affect the measurement, have the right to request in writing and thereby cause the quantities involved to be measured as hereinafter specified.

- (b) Measured Quantities:

Special Excavation will be measured in its original position, and the volume in cubic yards computed by the method of average end areas. The volume of any unstable or unsuitable material removed, and the volume of the replacement material, will both be measured for payment in cubic meters (cubic yards).

Excavated material used for purposes other than designated in the Specifications, and material excavated beyond slope lines, will not be measured for payment.

Article 215.06 Basis of Payment

Special Excavation will be paid for at the contract unit price per cubic meter (cubic yard) for SPECIAL EXCAVATION, measured as specified herein.

End of SECTION 215: SPECIAL EXCAVATION

SECTION 216. MINE OPENING FILLING AND SEALING (add this section)

Article 216.01 Description

This shall include furnishing all labor, materials, equipment, and services to properly fill the mine opening(s), sinkholes, voids, or depressions, as specified in the plans.

Article 216.02 Material

Material for filling and sealing the mine openings shall meet the following material requirements descriptions or Articles in the Standard Specifications:

	<u>Item</u>	<u>Article</u>
(a)	Portland Cement	1001
(b)	Fine Aggregates	1003.01
(c)	Coarse Aggregates	1004.01
(d)	Stone for Rockfill / Rockfill	1005.01
(e)	Class SI Concrete	1020
(f)	Polyvinyl Chloride (PVC) Pipe	1040
(g)	Filter Fabric Material	1080.03
(h)	Cement Grout	

Cement Grout shall be one part cement to three parts sand (no gravel) - 9 Sack Portland Cement mixture.

- (i) Earth

This material shall be soil excavated on-site as specified in the plans and approved by the Engineer. If none is available on-site, the soil material may come from an off-site source and must be approved by the Engineer. This may include material excavated from the shaft that has been approved by the Engineer as suitable fill.

- (j) Rubble

This material shall be defined as structure rubble or stone ranging in size from 24 to 36 in. (600 to 900 mm) in any direction. Structure rubble may consist of broken concrete, brick, or stone as designated in the plans and must be approved by the Engineer.

- (k) Shot Rock

Shot rock shall be stone quarried from undisturbed, consolidated deposits of rock reasonably free of shale and shaly stone. The ledges shall be sufficiently thick to produce the desired dimensions. The stone shall be reasonably free of lamination, seams, cracks and other structural defects or imperfections tending to destroy its resistance to weather. Field stone or boulders will not be accepted.

Gradation: The stone shall have a maximum thickness of 30 in. (750 mm) measured in any direction. Fifty percent of the material shall weigh 60 lb (27.2 kg) or more per piece. Not more than ten percent shall weigh less than 3 lb (1.4 kg) per piece.

(l) Rock Fill, On-Site

The stone for rock fill on-site shall be from the existing mine waste rock pile, surrounding the mine openings or as indicated on the plans, as approved by the Engineer.

Article 216.03 Submittal and Notification

The Contractor shall notify the Engineer at least three days in advance of starting shaft filling operations. The Contractor shall provide the Engineer with all weight tickets, letters of installation of fill material.

Article 216.04 Construction Requirements

- (a) Any water pumped or discharged from within the mine openings shall be tested and treated, if necessary, to meet Illinois Environmental Protection Agency (IEPA) Mine Pollution Discharge Standards. Filling into a flooded shaft shall be permitted provided it does not result in a discharge or release of polluted water.
- (b) Open shafts, holes, or voids shall not remain unprotected overnight, weekends, holidays, or any other time when work is not in progress. It shall be the Contractor's responsibility to properly secure from entry any portion of the work remaining at the end of a work day.
- (c) On shafts with an existing cap to be removed, the Contractor shall notify the Engineer three working days prior to removing the cap so that an inspector can be present to check for methane and to visually inspect the shafts interior.
- (d) On shafts where Special Excavation is required, backfilling or plugging operations shall not commence until the Engineer has inspected the excavated shaft area and approved the satisfactory completion of the Special Excavation.
- (e) On shafts where a concrete plug is specified, the placement of the concrete shall not exceed a maximum free fall of 4 ft (1200 mm). No fill materials may be placed on top of the concrete plug until it has been allowed to cure for a minimum of 48 hours. After the required curing period has elapsed the Contractor shall place the remaining fill materials in accordance with the plans and specifications.
- (f) On shafts designated to be filled with stone and spanned with a concrete cap, the filling operations shall continue as un-interrupted as possible. Once the shaft has been filled to within 2 ft (600 mm) of the proposed grade, the Contractor shall secure the area with temporary fencing for a 30-day period to allow for settlement. If settlement occurs within that time, the Contractor shall backfill the void with additional aggregate fill material prior to the installation of the concrete cap. The concrete cap shall be constructed and installed in accordance with SECTION 425.
- (g) Filling operations shall be a continuous procedure in accordance with the fill type materials as specified in the plans. Earth fill material shall be placed in lifts of 8 to 12 in. (200 to 300 mm), and shall be compacted to the Engineer's satisfaction.

- (h) If cement grout is specified on the plans, it shall be evenly distributed over the fill, after the filling is complete at the location as shown on the plans the cement grout shall be allowed two days to cure before placing the remaining fill materials. During this time the Contractor shall secure the area with temporary fencing and direct all surface drainage away from the opening.
- (i) If no cement grout is specified on the plans, once the shaft has been filled to the proposed grade, the Contractor shall monitor the site for a 30-day settlement period. If settlement occurs within that time the Contractor shall backfill the settled volume with additional fill material.
- (j) If earth fill is specified on the plans, geotechnical filter fabric shall be installed over the coarse aggregate fill when no cement grout is required, in accordance with SECTION 282.
- (k) The Engineer reserves the right to increase or decrease any or all quantities required for this project. If additional materials are needed, they will be paid for at the contract unit prices as specified, which cost shall include transportation and handling.

Article 216.05 Method of Measurement

Stone fill materials will be measured for payment in tons of Fine Aggregate, Coarse Aggregate, Rockfill, or Shot Rock, or as specified herein. Measurement shall be on weight tickets or receipts provided to the Engineer.

Rock Fill, On-Site will be measured for payment in cubic yards. The Rock fill will be measured in their original position by taking cross sections before the work is started and again after it has been completed. The volume, in cubic yards of material moved, will be computed by the method of average end areas. Material excavated in excess of that required for the execution of the contract will not be measured for payment.

Cement grout will be measured for payment in tons of Cement Grout as specified herein. Measurement shall be on weight ticket or receipts provided to the Engineer.

Class SI Concrete plugs will be measured for payment in cubic yards.

Polyvinyl Chloride (PVC) Pipe will be measured for payment in lineal feet.

No measurement will be made for Earth fill or Rubble fill.

Filter Fabric Material will be measured for payment in square yards in accordance with Article 282.08.

No measurement will be made for any treatment and/or discharge of water from mine openings. This shall be considered incidental to filling mine openings but included in the contract unit prices for fill material.

Concrete caps will be measured for payment in cubic yards in accordance with Article 425.11.

Article 216.06 Basis of Payment

No separate payment will be made for any pumping and/or discharge of water from mine openings.

Stone fill materials will be paid for at the contract unit price per ton as specified herein for FA FILL, CA FILL, ROCKFILL, and SHOT ROCK FILL, and of the class (stone quality and gradation) specified.

Rock Fill, On-Site will be paid for at the contract unit price per cubic yard as specified herein for ROCK FILL, ON-SITE.

Portland Cement concrete caps will be paid for at the contract unit price per cubic yard for PORTLAND CEMENT CONCRETE CAP in accordance with Article 425.12.

Filter Fabric Material will be paid for at the contract unit price per square yard for FILTER FABRIC FOR USE WITH FILL in accordance with Article 282.09.

Cement Grout will be paid for at the contract unit price per ton of CEMENT GROUT.

Rubble fill will not be paid for directly, but shall be considered as incidental to SECTION 501, and the cost of this work shall be included in the unit price for that item.

Earth fill will not be paid for directly, but shall be considered as incidental to SECTION 202 and SECTION 215, and the cost of this work shall be included in the unit price for those items.

Class SI Concrete plugs will be paid for at the contract unit price per cubic yard for CLASS SI CONCRETE PLUG.

Polyvinyl Chloride (PVC) Pipe will be paid for at the contract unit price per lineal foot for x" DIAMETER PVC PIPE.

End of SECTION 216.

SECTION 250. SEEDING (revise the following articles as indicated)

Article 250.02 Materials (revise Article 1081.04 as indicated)

- (a) Sampling and Testing. Each lot of seed, or seed mixture, except Prairie Forbs, furnished shall be tested by a State Department of Agriculture (including other states), or by land grant college or university agricultural sections, or by a Registered Seed Technologist. The seed sample shall be sent directly from the dealer to the place of testing. The cost of this testing shall be included in the unit bid price.

All seeds shall comply with the requirements of the U.S. Department of Agriculture Consumer and Marketing Service, Rules and Regulations under the Federal Seed Act of August 9, 1939, issued March 1940, reprinted with amendments April 1968, or any current revisions.

Acceptance of seeds furnished under this Specification will be based on receipt and approval of a certification covering tests from each lot of seed. Certification shall consist of test reports showing the required test results of lots corresponding to the shipment and signed by the responsible personnel of a State seed laboratory or college or university seed testing section or a Registered Seed Technologist. A Registered Seed Technologist shall verify his/her signature with his/her Society of Commercial Technologists' seal.

The sample must be tested within 30 days of scheduled seeding. Test reports shall provide or include the following information at a minimum:

- (1) Name of Seed Dealer
- (2) Kind and Variety of Seed
- (3) Date of Test
- (4) Lab Number
- (5) Weight Examined by Grams
- (6) Lot Number
- (7) Pure Seed Crop by Name
- (8) Purity Percentage Analysis
- (9) Germination Percentage Analysis
- (10) Hard Seed Percentage Analysis
- (11) Other Crop Names and Percentages
- (12) Common Weed Names & Percentages
- (13) Percentage of Total Inert Matter
- (14) Noxious Weeds and Percentages (if any)

A ten-percent tolerance will be allowed for each specified pure live seed species in the total seed mixture. If test results indicate insufficient pure live seed of any species, additional pure live seed of the same species shall be added prior to seeding, to correct deficiencies to within the ten percent tolerance allowable.

If test results indicate the presence of an Illinois noxious weed, or the seed mixture is found unacceptable by reason of any other defect that in the judgment of the Engineer cannot be corrected, the Contractor shall obtain a new supply of the specified seed mixture. Any areas seeded with an unacceptable seed mixture shall be destroyed, by preparing a new seed bed and reseeding. No additional compensation will be allowed for correcting deficiencies to within the allowable tolerance, for obtaining a new seed supply if required, or for reseeding.

Seeds may be sampled at destination on a random basis and tested for comparison with certification and compliance with the Specifications. If deviations are found, the results will be reviewed to determine whether the material is acceptable for use. Major deviations may result in a requirement that each lot of material from the source in question be sampled, tested and approved by the Illinois Department of Agriculture before further use.

Article 250.03 Equipment (revise Article 250.03(e), and add Article 250.03(i) and (j))

- (e) Broadcast Seeders (change to)
- (e) Spinning Disk Seeders. (revise Article 1101.08(e) to the following)

When spinning disk seeders are used, the individual seeds comprising the seeding mixture need not be sown separately. A spike-toothed or tine-toothed harrow, approved by the Engineer, must be either be pulled behind the spinning disk seeder by the same equipment in one operation, or pulled by other equipment over all seeded areas on the same day.

- (i) Harrows - Spike Toothed and Tine Toothed. (add as Article 1101.08(i))

Spike and tine toothed harrows shall be commercially manufactured harrows designed for light tillage necessary to cover grass and legume seed after these seeds have been broadcast with spinning disk seeders, truck mounted air flow fertilizer/seeder spreaders, and aerial seeders.

- (j) No-Till Seeder. (add as Article 1101.08(j))

These seeders shall be commercially manufactured no-till (zero-till) seeders specifically designed for no-till placement of grass and legume seed and shall be approved by the Engineer prior to use.

Article 250.04 Fertilizer and Agricultural Ground Limestone Application (revise to)

- (a) Prior to the application of fertilizer nutrients and agricultural ground limestone on the soil and/or coal refuse, the Contractor shall notify the Engineer so that the Engineer can sample soil and/or coal refuse, retest and, if necessary, revise the rates for fertilizer and limestone specified on the plans to accommodate actual field conditions.
- (b) Immediately prior to seed bed preparation and seeding, fertilizer nutrients and agricultural ground limestone shall be uniformly spread at the specified rates over the areas designated. Specified rates of agricultural ground limestone and fertilizer nutrients are listed on the plans under Summary of Quantities or Schedule of Seeding, Fertilizer Nutrients, Mulch and Mowing. Fertilizer quantities and application rates may be based on two or more applications. Potassium may be required to be applied in split applications.
- (c) When Incorporation - Limestone and Mulch are to be used, as specified in the plans, agricultural ground limestone shall be applied in accordance with SECTION 256. The fertilizer nutrients and seed mixture shall then be uniformly spread at the rates specified over the incorporated areas and tilled into the soil with the seed mixture by use of a spike toothed or tine toothed harrow as directed by the Engineer.
- (d) No-till (zero-till) Seeding. No-Till (zero-till) seeding will not require seed bed preparation. Agricultural ground limestone shall be applied two weeks (14 days) prior to no-till (zero-till) seeding. Fertilizer nutrients shall be applied two weeks (14 days) after no-till (zero-till) seeding according to the Engineer's discretion. The no-till (zero-till) areas may or may not be mowed prior to or after no-till (zero-till) seeding according to the Engineer's discretion. If the Engineer determines mowing is necessary, it will be measured and paid for according to Articles 250.09 and 250.10, respectively. At no time will the seeder be used as a mulch stabilizer in conjunction with seeding or alone.
- (e) Direct Vegetation. If seed bed preparation is required on direct vegetation areas, agricultural ground limestone and fertilizer nutrients shall be applied prior to seeding and according to these specifications. If seed bed preparation is not required or if the Engineer determines it is impractical, the agricultural ground limestone and fertilizer nutrients shall be applied according to the Engineer's discretion.

Article 250.05 Seed Bed Preparation (delete last paragraph and add the following)

Seed bed preparation cannot be performed sooner than 14 days prior to seeding. Seed bed preparation will not be required when no-till seeding or Incorporation - Limestone and Mulch is specified.

Article 250.06 Seeding Methods (delete all but paragraphs 1 and 2 and add the following)

Harrows that meet the requirements of Article 250.03(j) shall be used for light tillage to cover grass and legume seeds, fertilizer and agricultural ground limestone with soil to the satisfaction of the Engineer on the same day the that the seed is sown. A minimum of two passes will be required, one parallel to the

slope and one perpendicular to the slope to assure coverage.

Rolling will not be required.

Article 250.07 Seeding Mixtures (change to)

Article 250.07 Seeding Requirements and Guarantee

(a) Seeding Dates and Seed Mixture for Permanent Seeding.

NORTHERN ILLINOIS (North of U.S. Route 136)

Spring seeding dates shall be March 1 to April 20, and fall seeding dates shall be August 1 to September 1, for the following seed mixes.

Seeding will not be allowed when the wind speed is 10 miles/hour (16 kilometers/hour) or greater. Seed bed preparation may be allowed by the Engineer prior to seeding dates at his/her discretion.

<u>SEED</u>	<u>VARIETIES</u>	<u>PURE LIVE SEED</u>	
		<u>lb./ac.</u>	<u>(kg./ha.)</u>
Switch Grass	-	6	(6.72)
Orchard Grass	-	10	(11.21)
Redtop	-	2	(1.12)
Smooth Brome Grass	-	24	(26.90)
Perennial Rye Grass	-	15	(16.81)
Birdsfoot Trefoil	-	10	(11.21)
Alfalfa	-	10	(11.21)
Winter Wheat	-	<u>40</u>	<u>(44.83)</u>
	TOTAL	117	(130.01)

Average purity and germination percentages (viable seed for legumes) are from 1948, Yearbook of Agricultural, Grass. Any other product from seed tag percentages of germination times purity, and/or viable seed, will cause the Contractor to adjust his/her total pounds/acre (kilograms/hectare) of seed to sow.

(b) Temporary Seeding. This provision is applicable in the event that the Contractor fails to perform permanent seeding within the dates specified. In that event, temporary seeding shall be required to provide a temporary vegetative cover until the next term of permanent seeding dates. Temporary seeding shall be performed by the Contractor at his/her own proper cost and expense, at no additional cost to the Department. Prior to temporary seeding, the Engineer shall submit in writing to the Contractor a proposed temporary seeding mixture, specifying the seed varieties and their respective rates on a pounds/acre (kilograms/hectare) of pure live seed basis. Vegetation resulting from the temporary seeding shall be destroyed as part of the seed bed

preparation for permanent seeding during the next term of permanent seeding dates.

- (c) **Reseeding Guarantee.** The Contractor is required to guarantee the results of the permanent seeding for one year after the date of seeding. The Engineer will periodically inspect all seeded areas during that year to determine whether or not vegetation has been successfully established. Upon the Engineer's determination that vegetation has been successfully established, the Contractor shall be released from all further obligations. If the Engineer determines that vegetation on any area is unacceptable, the Contractor shall be required to reseed that area during the next term of permanent seeding dates, at the Contractor's own proper cost and expense, and at no additional cost to the Department.

Unacceptability will be based on:

1. Seed test failure (Article 250.02).
 2. Using unacceptable equipment in performing seeding.
 3. Failure to perform seeding as specified; i.e., missing areas during seeding, improper seed bed preparation, etc.
 4. Failure to perform mulching as specified; i.e., applying too much or too light application in some areas, using unacceptable mulch, etc.
- (d) **Subsequent Reseeding.** Any area reseeded once by the Contractor will be inspected within six months after reseeding to determine if germination has occurred. If subsequent reseedings are required of the same area(s), through no fault of the Contractor, the Contractor shall be compensated for such subsequent reseeding at unit bid prices, or as otherwise agreed upon by the Contractor and the Engineer.

Article 250.08 Selective Mowing Stakes (delete entire article)

Article 250.09 Method of Measurement (revise as indicated)

Delete all references to mowing, and refer to SECTION 258 if mowing is specified on the plans.

In Article 250.09(b), delete "of the class specified".

Article 250.10 Basis of Payment (revise as indicated)

Substitute SEEDING for the various classes of seeding and interseeding. The cost of seed testing and any temporary seeding or reseeding will not be paid for separately, but shall be considered incidental to the cost of SEEDING.

Delete all references to mowing, and refer to SECTION 258 if mowing is specified on the plans.

End of Revisions to SECTION 250.

SECTION 280: TEMPORARY EROSION AND SEDIMENT CONTROL - (revise the following articles as indicated)

Article 280.03 Construction Requirements - (delete and replace with the following)

Erosion and sediment control measures as indicated in the Storm Water Pollution Prevention

Plan, or as directed by the Engineer shall be installed on the project site prior to beginning any construction activities which will potentially create erodible conditions. Erosion and sediment control devices shall be in place and approved by the Engineer as to proper placement and installation prior to beginning other work. Erosion and sediment control protection for Contractor borrow pits, equipment storage sites, plant sites, haul roads, and other sites shall be installed by the Contractor and approved by the Engineer prior to beginning construction activities at each site.

The Engineer has the authority to limit the surface area of erodible earth material exposed by clearing and grubbing, excavation, borrow and embankment operations, and to direct the Contractor to provide immediate permanent or temporary erosion and sediment control measures upon finding an incidence of non-compliance with the Storm Water Pollution Prevention Plan. The Contractor shall incorporate all permanent erosion and sediment control features into the project at the earliest practicable time to minimize the need for temporary controls.

The Contractor is encouraged to carefully plan his/her operation so that final gradework is performed as close as possible to the seeding dates specified in the contract to minimize the chances of erosion from areas affected by construction.

Areas where construction activities have ceased for more than 14 consecutive days may require site stabilization practices which may include temporary seeding, mulching, or installation of excelsior blanket, straw bales, silt fence, diversion ditches, vegetative buffer strips and/or geotextiles. For purposes of this Section, the end of construction activities on affected land areas is defined as the time when seedbed preparation has been concluded. Site stabilization, if determined necessary by the Engineer, will not be paid for but will be considered incidental to the contract.

In case of repeated failure on the part of the Contractor to take steps prescribed by the Engineer to control erosion and sediment, the Engineer reserves the right to employ outside assistance or to use his/her own forces to provide the necessary corrective measures. Such incurred direct costs plus project engineering costs will be charged to the Contractor and deducted from any compensation due, or which may become due the Contractor under the contract.

Article 280.08 Basis of Payment - (add the following)

Maintenance of temporary erosion and sediment control systems including repair of the various systems, removal of entrapped sediment and cleaning of any silt filter fabric, will be considered incidental to the above pay items for temporary erosion control systems. The sediment shall be removed as directed by the Engineer during the contract period and disposed of on-site as directed by the Engineer.

End of Revisions to SECTION 280: TEMPORARY EROSION CONTROL

SECTION 594: POLYURETHANE FOAM CLOSURE - (add this section)

Article 594.01 Description

The polyurethane foam (PUF) closure consists of installing PUF to specifications.

Article 594.02 Materials and Equipment

A. Polyurethane Foam (PUF).

PUF is required to have a minimum installed density of (1.8 pounds per cubic foot (PCF)).

<u>PUF CHARACTERISTIC</u>	<u>STANDARD</u>	<u>SPECIFIED IN</u>
Density, Nominal	27kg/m ³ (1.8 pcf.)	
Compressive strength, D-1621-59T	193 KPa (28 psi.)	ASTM D-1621
Tensile strength	310 KPa (45 psi.)	
Closed Cells %	92	ASTM D-2856
Volume Change % - 1 Week		
-29°C (-20°F)	1.2	ASTM D-2126
93°C (200°F)	1.7	
70°C (158°F)	2.0	
Water Absorption	1% by Volume	ASTM D-2127
Fire Resistance		ASTM D-1692

B. Proportioning Unit.

The proportioning unit shall be capable of attaining a minimum temperature of 51.7°C (125°F). The proportioning unit shall be a Gusmer 1:1 Fixed Ratio Proportioner, or equivalent.

C. Application Gun.

The gun shall be capable of mixing plural component in the proper ratio at the minimum acceptance output of four pounds per minute. The gun shall be a Gusmer GX-7 mechanically self-cleaning design or equivalent.

Article 594.03 Material Safety, Handling and Transport

Contractor is solely responsible to provide the safe working conditions. Materials shall be stored per the manufacturer's specifications. All safety precautions outlined by the Polyurethane Division of the Society of Plastics Industries, NEPA, OSHA, EPA and the Manufacturer's Material Safety Data Sheets (MSDS) shall be observed. MSDS and Technical Data Sheets shall be on-site and available at all times. MSDS and Technical Data Sheets shall also be delivered to all fire departments in areas that work is being done prior to commencing the project.

There shall be no welding, smoking or open flames within 7.6 meters (25 feet) of PUF application. A minimum 6.8 Kg (15 pound), Class ABC, fire extinguisher must be on-site during foam application.

PUF shall be applied by workers wearing organic respirator masks and safety glasses or goggles. State or federal regulations requiring additional equipment shall supercede these specifications.

The Contractor shall follow all applicable state and local regulations for transport and use of PUF and chemicals required for cleanup. The Contractor shall also obtain any necessary permits for transportation. The Contractor shall be aware of agencies and jurisdictions requiring notification in the event of a component leak or spill. In the event of a leak or spill, the Contractor shall notify the appropriate parties.

Article 594.04 Execution

Polyurethane Foam (PUF)

PUF shall be installed in such a manner that lifts do not cut into pre-existing foam and do not raise the exotherm to unsafe levels. At the discretion of the Engineer, thermocouples may be used to monitor exotherm generation. PUF application shall cease if heating or off-ratio foam is observed. The PUF Contractor shall remedy off-ratio foam and demonstrate proper quality PUF to the project manager before application resumes.

The surface of the void to be filled shall be as free as possible of grease and standing water. PUF shall not be applied to surfaces with running water. Remedial action for such situations shall be specified by the Engineer. Polyurethane foam shall not be applied directly to a debris plug. Shafts 6 meters (twenty feet) or less shall be cleansed of all debris. Those shafts deeper than 6 meters (twenty feet) shall be cleaned of all debris to a minimum depth of 6 meters (twenty feet). PUF shall not be applied during rain unless the foam is protected from interaction with water by a physical barrier.

Foam shall be applied in lifts with a maximum rise of 0.5 meters (1.5 feet). PUF lifts shall pass through the tack free stage before applying the next lift. At no time shall sprayed or poured PUF cut into rising foam. The PUF shall be applied in such a manner that the entire void is filled, and that shallow zones or voids are not created during PUF application.

If off-ratio PUF is observed, the applicator must stop, correct the imbalance and continue application with the proper ratio PUF. Correction and determination of the foam ratio shall be done on a plastic sheet away from the work area. Any lift of off-ratio PUF comprising over two percent (2%) of the intended PUF column heights shall be removed. An amount of off-ratio PUF less than two percent (2%) of the specified volume may remain if allowed to cool, and if the outer perimeter of off-ratio foam is removed. If off-ratio foam should comprise more than ten percent (10%) of the specified PUF volume, five percent (5%) of the price bid for the site will be deducted as a penalty.

The Contractor shall be responsible for any cost or damaged equipment. In addition, damages or claims arising from PUF over spray shall be the responsibility of the Contractor. Under no circumstances shall foreign material be placed in the PUF unless specifically authorized by the Engineer. Non-PUF materials must be non-toxic, non-hazardous and not compromise the strength or water saturation characteristics of the PUF.

Upon reaching the specified grade level for application of PUF the Contractor shall undertake cleanup of PUF operations.

Field Quality Control

Periodic checks of the quality of PUF applied shall be made by the Engineer. The main check on quality will be visual. Acceptable PUF shall be tan-white to buff in color with no vesicles and a smooth to coarse orange peel surface. Any one of the following conditions shall cause PUF application to cease, and efforts to correct the off-ratio condition begin.

<u>Condition</u>	<u>Possible Cause</u>
Dark PUF Color	Excess A Component
Smooth and Glassy	"
Friable or Brittle PUF	"
Improper Density	"
Light in Color to White	Excess B Component
Bad Cell Structure	"
Mottled Appearance	"
Blowholes or Pinholes	"
Slow Rise	Bad Material
Poor Cell Structure	"
Frequent Equipment Clogging	"
Slow Curing	"
Bad Physical Properties	"

At any time during PUF application the Engineer may call for a density test. The applicator shall fill a container provided by the owner for this purpose, and the sample will be tested for density. The density of the sample shall be a minimum of 25.6 Kg/m³ (1.6 pounds per cubic foot). Density tests indicating PUF installed is not within the minimum specified shall cause for corrective action remaining in PUF within the acceptable nominal range, less deviation due to barometric pressure changes from STP (Standard Temperature and Pressure).

Density tests of PUF shall be conducted at no additional cost to the owner. At the discretion of the Engineer, density tests showing PUF in the acceptable range may be taken in the center of the cavity to which PUF is being applied. A sampling box constructed of sheet aluminum and lined with polyethylene may be lowered into the cavity to take a representative sample of PUF just above the level of installed polyurethane.

PUF Quality Tests

At the option of the Engineer, up to three one cubic foot samples of PUF may be taken from the job site for analysis at the owner's expense. PUF shall be provided at no additional cost to the owner.

PUF Tensile Strength Tests

At the option of the Engineer, up to three samples of up to 1,638,706 mm³ (100 cubic inches) in volume may be taken for on-site tensile strength testing. PUF shall be provided at no additional cost to the owner.

Clean Up

The Contractor shall clean the site of all PUF fragments and/or over spray. PUF over spray greater than 3.1 millimeter (1/8 inch) thick on timbers or historic materials shall be scraped or ablated to 3.1 millimeter (1/8 inch) minus to permit ultraviolet degradation of over sprayed polyurethane. Tools and equipment shall be cleaned so as to not injure vegetation or wildlife. Handling of chemicals used in cleanup must comply with all applicable local, state and federal regulations and is the responsibility of the Contractor.

Ruts, damage to vegetation and other surface disturbances shall be regraded and revegetated, if required

by the Engineer.

Article 594.05 Measurement and Payment

The proportioner shall have a direct reading device to monitor output of components, and the PUF applications shall inform the Engineer of the constant to be used to estimate PUF quantities actually installed. Barrels of material may be examined with a dipstick by the Engineer with assistance of the PUF applicators in order to provide a second measure of quantities installed. Quantities installed may differ from estimated quantities due to changed shaft dimensions, displacing PUF or other reasons. However, the Contractor will be paid for the quantity actually installed at the unit price bid per cubic meter (cubic yard) for POLYURETHANE FOAM CLOSURE. If off-ratio PUF comprises more than ten percent (10%) of the specified amount of PUF, five percent (5%) of the price bid will be deducted as a penalty.

The price bid shall include all of the Contractor's cost of whatever nature to provide a complete closure installation in accordance with the plans and specifications including materials, installation of PUF, cleanup and revegetation.

End of SECTION 594: POLYURETHANE FOAM CLOSURE

SECTION 596: BAT GATES - (add this section)

Article 596.01 Description

This specification covers the construction activities, equipment, and accessories necessary to safely and properly close portals with bat gates within the designated project area as per the Plans and Specifications.

Article 596.02 Materials

- (a) Concrete: for sill construction (if required) shall be 2600 psi field mix (minimum requirement).
- (b) Reinforcing Rod: for the sills shall be 3/4" diameter reinforcing steel.
- (c) Sill Plates: shall be 6" x 6" x 3/8" Type A-36 Mild Steel Angle.
- (d) Vertical Columns: shall be constructed of two 4" x 4" x 5/16" Type A-36 Mild Steel Angles welded together to form a square column or one 4" x 4" x 5/16" Type A-36 Mild Steel Tubing. 4" x 4" x 3/8" may be substituted, since it is more common and usually lower priced.
- (e) Horizontal Bars: shall be 4" x 4" x 5/16" Type A-36 Mild Steel Angle, which shall be stiffened with two 1.5" x 1.5" x 1/4" Type A-36 Mild Steel Angles. 4" x 4" x 3/8" may be substituted, since it is more common and usually lower priced.
- (f) Anchor Pins: shall be 1" diameter M1020 hot rolled steel rods, Type A-37 Mild Steel.

Article 596.03 Construction Requirements

- (a) The contractor shall plan and conduct the work in and around portals in a safe manner. Steps shall be taken to provide for the testing of methane, carbon monoxide (black damp) or oxygen.

If a collapsed portal is to be daylighted, particular attention shall be given to the danger of bad air flowing from the mine.

- (b) The portals shall be prepared for closure by cleaning up the site. Soil and rock which has fallen in front of the portal shall be removed. Rock falls and debris within the portal shall only be removed to the extent necessary to install pipes and as required to install the closures. Material which is blocking the flow of water from the mine shall be removed. It is envisioned that this will be accomplished by means of a backhoe reaching into the opening and pulling out the material. Personnel shall not be under the roof of the mine to perform any work. The cleanup shall remove material from rip to rib and as far out in front to install the closure and allow drainage from the mine.
- (c) Bat Gates
- 1) Gates shall be fabricated as shown on the attached Drawings. Welds shall be full tack welds (2" bead, 2" gap, 2" bead). Welds of Type A-36 Mild Steel shall be done with Type E-6013 or E-7018 Electrodes.
 - 2) The Drawing dimensions are based upon conditions which existed at the time of project design. Time, external forces and site preparation activities may affect the actual quantities used. The Contractor shall make necessary adjustments to ensure that a competent gate is constructed which will prevent access by the public.
 - 3) The Contractor shall provide sufficient labor, materials and equipment to fabricate the gates in-place. It is anticipated this work will require portable welding and cutting equipment and a great deal of labor.
 - 4) The portal area shall be cleaned and shaped to facilitate drainage and installation of the bat gate. Soil material removed from the portal area shall be placed in an acceptable bench area, graded as directed by the Inspector and revegetated. Rock material may be buried or placed against the highwall in a convenient location which will not block access roads or drainage.
 - 5) Concrete, if needed for sills, may be poured in a trench dug to the necessary dimensions. Forms will not be required unless called for by unusual floor conditions. If formwork is required, it shall be sufficiently braced to prevent movement or dislocation during or after the pour.
 - 6) The Contractor shall provide necessary bracing and roof support to protect workers from danger of rock falls during the course of the work. All braces and roof supports shall be removed upon completion of the work.
 - 7) Vertical columns and horizontal bars shall be welded to the typical configuration shown on the Drawings. The basic plan is to have the vertical columns spaced at each side of the opening and on 10 feet centers if the opening is large enough. The horizontal bars shall be placed to provide a 5.75" space between bars. Odd pieces shall be cut and fitted to close off irregularities in the roof and sides.

This work shall be measured for payment in units of each for BAT GATES constructed as specified in the Contract plans and specifications

Article 596.05 Basis of Payment

This work will be paid for at the contract unit price per each for BAT GATES.

End of SECTION 596: BAT GATES

SECTION 671. MOBILIZATION (delete entire section and replace with the following)

Article 671.01 Description.

This work shall consist of preparatory work and operations necessary for the movement of personnel, equipment, supplies and incidentals to the project site; for establishment of offices, buildings and other facilities necessary for work on the project; and for all other work or operations which must be performed or costs incurred when beginning work on the project.

The amount which a Contractor will receive payment for, in accordance with the following schedule, will be limited to six percent of the total contract bid.

Article 671.02 Basis of Payment.

Payment of the lump sum amount bid for this item, not exceeding six percent, will be made in entirety in the first partial payment.

Nothing herein shall be construed to limit or preclude partial payments for other items as provided for by the contract.

End of Revisions to SECTION 671.

DISADVANTAGED BUSINESS ENTERPRISE PARTICIPATION (DBE)

Effective: September 1, 2000

Revised: January 1, 2011

FEDERAL OBLIGATION. The Department of Transportation, as a recipient of federal financial assistance, is required to take all necessary and reasonable steps to ensure nondiscrimination in the award and administration of contracts. Consequently, the federal regulatory provisions of 49 CFR part 26 apply to this contract concerning the utilization of disadvantaged business enterprises. For the purposes of this Special Provision, a disadvantaged business enterprise (DBE) means a business certified by the Department in accordance with the requirements of 49 CFR part 26 and listed in the Illinois Unified Certification Program (IL UCP) DBE Directory.

STATE OBLIGATION. This Special Provision will also be used by the Department to satisfy the requirements of the Business Enterprise for Minorities, Females, and Persons with Disabilities Act, 30 ILCS 575. When this Special Provision is used to satisfy state law requirements on 100 percent state-funded contracts, the federal government has no involvement in such contracts (not a federal-aid contract) and no responsibility to oversee the implementation of this Special Provision by the Department on those contracts. DBE participation on 100 percent state-funded contracts will not be credited toward fulfilling the Department's annual overall DBE goal required by the US Department of Transportation to comply with the federal DBE program requirements.

CONTRACTOR ASSURANCE. The Contractor makes the following assurance and agrees to include the assurance in each subcontract that the Contractor signs with a subcontractor:

The Contractor, subrecipient, or subcontractor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this contract. The Contractor shall carry out applicable requirements of 49 CFR part 26 in the award and administration of contracts funded in whole or in part with federal or state funds. Failure by the Contractor to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy as the recipient deems appropriate.

OVERALL GOAL SET FOR THE DEPARTMENT. As a requirement of compliance with 49 CFR part 26, the Department has set an overall goal for DBE participation in its federally assisted contracts. That goal applies to all federal-aid funds the Department will expend in its federally assisted contracts for the subject reporting fiscal year. The Department is required to make a good faith effort to achieve the overall goal. The dollar amount paid to all approved DBE companies performing work called for in this contract is eligible to be credited toward fulfillment of the Department's overall goal.

CONTRACT GOAL TO BE ACHIEVED BY THE CONTRACTOR. This contract includes a specific DBE utilization goal established by the Department. The goal has been included because the Department has determined that the work of this contract has subcontracting opportunities that may be suitable for performance by DBE companies. This determination is based on an assessment of the type of work, the location of the work, and the availability of DBE companies to do a part of the work. The assessment indicates that, in the absence of unlawful discrimination, and in an arena of fair and open competition, DBE companies can be expected to perform 0 % of the work. This percentage is set as the DBE participation goal for this contract. Consequently, in addition to the other award criteria established for this contract, the Department will only award this contract to a bidder who makes a good faith effort to meet this goal of DBE participation in the performance of the work. A bidder makes a good

faith effort for award consideration if either of the following is done in accordance with the procedures set forth in this Special Provision:

- (a) The bidder documents that enough DBE participation has been obtained to meet the goal; or
- (b) The bidder documents that a good faith effort has been made to meet the goal, even though the effort did not succeed in obtaining enough DBE participation to meet the goal.

DBE LOCATOR REFERENCES. Bidders may consult the IL UCP DBE Directory as a reference source for DBE-certified companies. In addition, the Department maintains a letting and item specific DBE locator information system whereby DBE companies can register their interest in providing quotes on particular bid items advertised for letting. Information concerning DBE companies willing to quote work for particular contracts may be obtained by contacting the Department's Bureau of Small Business Enterprises at telephone number (217)785-4611, or by visiting the Department's web site at www.dot.il.gov.

BIDDING PROCEDURES. Compliance with this Special Provision is a material bidding requirement. The failure of the bidder to comply will render the bid not responsive.

- (a) The bidder shall submit a Disadvantaged Business Utilization Plan on Department forms SBE 2025 and 2026 with the bid.
- (b) The Utilization Plan shall indicate that the bidder either has obtained sufficient DBE participation commitments to meet the contract goal or has not obtained enough DBE participation commitments in spite of a good faith effort to meet the goal. The Utilization Plan shall further provide the name, telephone number, and telefax number of a responsible official of the bidder designated for purposes of notification of plan approval or disapproval under the procedures of this Special Provision.
- (c) The Utilization Plan shall include a DBE Participation Commitment Statement, Department form SBE 2025, for each DBE proposed for the performance of work to achieve the contract goal. For bidding purposes, submission of the completed SBE 2025 forms, signed by the DBEs and faxed to the bidder will be acceptable as long as the original is available and provided upon request. All elements of information indicated on the said form shall be provided, including but not limited to the following:
 - (1) The names and addresses of DBE firms that will participate in the contract;
 - (2) A description, including pay item numbers, of the work each DBE will perform;
 - (3) The dollar amount of the participation of each DBE firm participating. The dollar amount of participation for identified work shall specifically state the quantity, unit price, and total subcontract price for the work to be completed by the DBE. If partial pay items are to be performed by the DBE, indicate the portion of each item, a unit price where appropriate and the subcontract price amount;
 - (4) DBE Participation Commitment Statements, form SBE 2025, signed by the bidder and each participating DBE firm documenting the commitment to use the DBE subcontractors whose participation is submitted to meet the contract goal;
 - (5) If the bidder is a joint venture comprised of DBE companies and non-DBE

companies, the plan must also include a clear identification of the portion of the work to be performed by the DBE partner(s); and,

- (6) If the contract goal is not met, evidence of good faith efforts.

GOOD FAITH EFFORT PROCEDURES. The contract will not be awarded until the Utilization Plan submitted by the apparent successful bidder is approved. All information submitted by the bidder must be complete, accurate and adequately document that enough DBE participation has been obtained or document the good faith efforts of the bidder, in the event enough DBE participation has not been obtained, before the Department will commit to the performance of the contract by the bidder. The Utilization Plan will be approved by the Department if the Utilization Plan documents sufficient commercially useful DBE work performance to meet the contract goal or the bidder submits sufficient documentation of a good faith effort to meet the contract goal pursuant to 49 CFR part 26, Appendix A. The Utilization Plan will not be approved by the Department if the Utilization Plan does not document sufficient DBE participation to meet the contract goal unless the apparent successful bidder documented in the Utilization Plan that it made a good faith effort to meet the goal. This means that the bidder must show that all necessary and reasonable steps were taken to achieve the contract goal. Necessary and reasonable steps are those which, by their scope, intensity and appropriateness to the objective, could reasonably be expected to obtain sufficient DBE participation, even if they were not successful. The Department will consider the quality, quantity, and intensity of the kinds of efforts that the bidder has made. Mere *pro forma* efforts, in other words, efforts done as a matter of form, are not good faith efforts; rather, the bidder is expected to have taken genuine efforts that would be reasonably expected of a bidder actively and aggressively trying to obtain DBE participation sufficient to meet the contract goal.

- (a) The following is a list of types of action that the Department will consider as part of the evaluation of the bidder's good faith efforts to obtain participation. These listed factors are not intended to be a mandatory checklist and are not intended to be exhaustive. Other factors or efforts brought to the attention of the Department may be relevant in appropriate cases, and will be considered by the Department.

- (1) Soliciting through all reasonable and available means (e.g. attendance at pre-bid meetings, advertising and/or written notices) the interest of all certified DBE companies that have the capability to perform the work of the contract. The bidder must solicit this interest within sufficient time to allow the DBE companies to respond to the solicitation. The bidder must determine with certainty if the DBE companies are interested by taking appropriate steps to follow up initial solicitations.
- (2) Selecting portions of the work to be performed by DBE companies in order to increase the likelihood that the DBE goals will be achieved. This includes, where appropriate, breaking out contract work items into economically feasible units to facilitate DBE participation, even when the prime Contractor might otherwise prefer to perform these work items with its own forces.
- (3) Providing interested DBE companies with adequate information about the plans, specifications, and requirements of the contract in a timely manner to assist them in responding to a solicitation.
 - a. Negotiating in good faith with interested DBE companies. It is the bidder's responsibility to make a portion of the work available to DBE subcontractors

and suppliers and to select those portions of the work or material needs consistent with the available DBE subcontractors and suppliers, so as to facilitate DBE participation. Evidence of such negotiation includes the names, addresses, and telephone numbers of DBE companies that were considered; a description of the information provided regarding the plans and specifications for the work selected for subcontracting; and evidence as to why additional agreements could not be reached for DBE companies to perform the work.

- b. A bidder using good business judgment would consider a number of factors in negotiating with subcontractors, including DBE subcontractors, and would take a firm's price and capabilities as well as contract goals into consideration. However, the fact that there may be some additional costs involved in finding and using DBE companies is not in itself sufficient reason for a bidder's failure to meet the contract DBE goal, as long as such costs are reasonable. Also, the ability or desire of a bidder to perform the work of a contract with its own organization does not relieve the bidder of the responsibility to make good faith efforts. Bidders are not, however, required to accept higher quotes from DBE companies if the price difference is excessive or unreasonable.
- (4) Not rejecting DBE companies as being unqualified without sound reasons based on a thorough investigation of their capabilities. The bidder's standing within its industry, membership in specific groups, organizations, or associations and political or social affiliations (for example union vs. non-union employee status) are not legitimate causes for the rejection or non-solicitation of bids in the bidder's efforts to meet the project goal.
 - (5) Making efforts to assist interested DBE companies in obtaining bonding, lines of credit, or insurance as required by the recipient or Contractor.
 - (6) Making efforts to assist interested DBE companies in obtaining necessary equipment, supplies, materials, or related assistance or services.
 - (7) Effectively using the services of available minority/women community organizations; minority/women contractors' groups; local, state, and federal minority/women business assistance offices; and other organizations as allowed on a case-by-case basis to provide assistance in the recruitment and placement of DBE companies.
- (b) If the Department determines that the apparent successful bidder has made a good faith effort to secure the work commitment of DBE companies to meet the contract goal, the Department will award the contract provided that it is otherwise eligible for award. If the Department determines that the bidder has failed to meet the requirements of this Special Provision or that a good faith effort has not been made, the Department will notify the responsible company official designated in the Utilization Plan that the bid is not responsive. The notification shall include a statement of reasons for the determination.
 - (c) The bidder may request administrative reconsideration of a determination adverse to the bidder within the five working days after receipt of the notification date of the determination by delivering the request to the Department of Transportation, Bureau of Small Business Enterprises, Contract Compliance Section, 2300 South Dirksen Parkway, Room 319, Springfield, Illinois 62764 (Telefax: (217)785-1524). Deposit of

the request in the United States mail on or before the fifth business day shall not be deemed delivery. The determination shall become final if a request is not made and delivered. A request may provide additional written documentation and/or argument concerning the issues raised in the determination statement of reasons, provided the documentation and arguments address efforts made prior to submitting the bid. The request will be forwarded to the Department's Reconsideration Officer. The Reconsideration Officer will extend an opportunity to the bidder to meet in person in order to consider all issues of documentation and whether the bidder made a good faith effort to meet the goal. After the review by the Reconsideration Officer, the bidder will be sent a written decision within ten working days after receipt of the request for reconsideration, explaining the basis for finding that the bidder did or did not meet the goal or make adequate good faith efforts to do so. A final decision by the Reconsideration Officer that a good faith effort was made shall approve the Utilization Plan submitted by the bidder and shall clear the contract for award. A final decision that a good faith effort was not made shall render the bid not responsive.

CALCULATING DBE PARTICIPATION. The Utilization Plan values represent work anticipated to be performed and paid for upon satisfactory completion. The Department is only able to count toward the achievement of the overall goal and the contract goal the value of payments made for the work actually performed by DBE companies. In addition, a DBE must perform a commercially useful function on the contract to be counted. A commercially useful function is generally performed when the DBE is responsible for the work and is carrying out its responsibilities by actually performing, managing, and supervising the work involved. The Department and Contractor are governed by the provisions of 49 CFR part 26.55(c) on questions of commercially useful functions as it affects the work. Specific counting guidelines are provided in 49 CFR part 26.55, the provisions of which govern over the summary contained herein.

- (a) DBE as the Contractor: 100 percent goal credit for that portion of the work performed by the DBE's own forces, including the cost of materials and supplies. Work that a DBE subcontracts to a non-DBE does not count toward the DBE goals.
- (b) DBE as a joint venture Contractor: 100 percent goal credit for that portion of the total dollar value of the contract equal to the distinct, clearly defined portion of the work performed by the DBE's own forces.
- (c) DBE as a subcontractor: 100 percent goal credit for the work of the subcontract performed by the DBE's own forces, including the cost of materials and supplies, excluding the purchase of materials and supplies or the lease of equipment by the DBE subcontractor from the prime Contractor or its affiliates. Work that a DBE subcontractor in turn subcontracts to a non-DBE does not count toward the DBE goal.
- (d) DBE as a trucker: 100 percent goal credit for trucking participation provided the DBE is responsible for the management and supervision of the entire trucking operation for which it is responsible. At least one truck owned, operated, licensed, and insured by the DBE must be used on the contract. Credit will be given for the following:
 - (1) The DBE may lease trucks from another DBE firm, including an owner-operator who is certified as a DBE. The DBE who leases trucks from another DBE receives credit for the total value of the transportation services the lessee DBE provides on the contract.
 - (2) The DBE may also lease trucks from a non-DBE firm, including from an owner-operator. The DBE who leases trucks from a non-DBE is entitled to credit only for the fee or commission it receives as a result of the lease arrangement.

- (e) DBE as a material supplier:
 - (1) 60 percent goal credit for the cost of the materials or supplies purchased from a DBE regular dealer.
 - (2) 100 percent goal credit for the cost of materials or supplies obtained from a DBE manufacturer.
 - (3) 100 percent credit for the value of reasonable fees and commissions for the procurement of materials and supplies if not a regular dealer or manufacturer.

CONTRACT COMPLIANCE. Compliance with this Special Provision is an essential part of the contract. The Department is prohibited by federal regulations from crediting the participation of a DBE included in the Utilization Plan toward either the contract goal or the Department's overall goal until the amount to be applied toward the goals has been paid to the DBE. The following administrative procedures and remedies govern the compliance by the Contractor with the contractual obligations established by the Utilization Plan. After approval of the Utilization Plan and award of the contract, the Utilization Plan and individual DBE Participation Statements become part of the contract. If the Contractor did not succeed in obtaining enough DBE participation to achieve the advertised contract goal, and the Utilization Plan was approved and contract awarded based upon a determination of good faith, the total dollar value of DBE work calculated in the approved Utilization Plan as a percentage of the awarded contract value shall become the amended contract goal.

- (a) No amendment to the Utilization Plan may be made without prior written approval from the Department's Bureau of Small Business Enterprises. All requests for amendment to the Utilization Plan shall be submitted to the Department of Transportation, Bureau of Small Business Enterprises, Contract Compliance Section, 2300 South Dirksen Parkway, Room 319, Springfield, Illinois 62764. Telephone number (217) 785-4611. Telefax number (217) 785-1524.
- (b) The Contractor must notify and obtain written approval from the Department's Bureau of Small Business Enterprises prior to replacing a DBE or making any change in the participation of a DBE. Approval for replacement will be granted only if it is demonstrated that the DBE is unable or unwilling to perform. The Contractor must make every good faith effort to find another certified DBE subcontractor to substitute for the original DBE. The good faith efforts shall be directed at finding another DBE to perform at least the same amount of work under the contract as the original DBE, to the extent needed to meet the contract goal.
- (c) Any deviation from the DBE condition-of-award or contract specifications must be approved, in writing, by the Department. The Contractor shall notify affected DBEs in writing of any changes in the scope of work which result in a reduction in the dollar amount condition-of-award to the contract.
- (d) In addition to the above requirements for reductions in the condition of award, additional requirements apply to the two cases of Contractor-initiated work substitution proposals. Where the contract allows alternate work methods which serve to delete or create underruns in condition of award DBE work, and the Contractor selects that alternate method or, where the Contractor proposes a substitute work method or material that serves to diminish or delete work committed to a DBE and replace it with other work, then the Contractor must demonstrate one of the following:

- (1) That the replacement work will be performed by the same DBE (as long as the DBE is certified in the respective item of work) in a modification of the condition of award; or
 - (2) That the DBE is aware that its work will be deleted or will experience underruns and has agreed in writing to the change. If this occurs, the Contractor shall substitute other work of equivalent value to a certified DBE or provide documentation of good faith efforts to do so; or
 - (3) That the DBE is not capable of performing the replacement work or has declined to perform the work at a reasonably competitive price. If this occurs, the Contractor shall substitute other work of equivalent value to a certified DBE or provide documentation of good faith efforts to do so.
- (e) Where the revision includes work committed to a new DBE subcontractor, not previously involved in the project, then a Request for Approval of Subcontractor, Department form BC 260A, must be signed and submitted.
- (f) If the commitment of work is in the form of additional tasks assigned to an existing subcontract, then a new Request for Approval of Subcontractor shall not be required. However, the Contractor must document efforts to assure that the existing DBE subcontractor is capable of performing the additional work and has agreed in writing to the change.
- (g) All work indicated for performance by an approved DBE shall be performed, managed, and supervised by the DBE executing the Participation Statement. The Contractor shall not terminate for convenience a DBE listed in the Utilization Plan and then perform the work of the terminated DBE with its own forces, those of an affiliate or those of another subcontractor, whether DBE or not, without first obtaining the written consent of the Bureau of Small Business Enterprises to amend the Utilization Plan. The Contractor shall notify the Bureau of Small Business Enterprises of any termination for reasons other than convenience, and shall obtain approval for inclusion of the substitute DBE in the Utilization Plan. If good faith efforts following a termination of a DBE for cause are not successful, the Contractor shall contact the Bureau of Small Business Enterprises and provide a full accounting of the efforts undertaken to obtain substitute DBE participation. The Bureau of Small Business Enterprises will evaluate the good faith efforts in light of all circumstances surrounding the performance status of the contract, and determine whether the contract goal should be amended.
- (h) The Contractor shall maintain a record of payments for work performed to the DBE participants. The records shall be made available to the Department for inspection upon request. After the performance of the final item of work or delivery of material by a DBE and final payment therefore to the DBE by the Contractor, but not later than thirty calendar days after payment has been made by the Department to the Contractor for such work or material, the Contractor shall submit a DBE Payment Agreement on Department form SBE 2115 to the Regional Engineer. If full and final payment has not been made to the DBE, the DBE Payment Agreement shall indicate whether a disagreement as to the payment required exists between the Contractor and the DBE or if the Contractor believes that the work has not been satisfactorily completed. If the Contractor does not have the full amount of work indicated in the Utilization Plan performed by the DBE companies indicated in the Utilization Plan and after good faith efforts are reviewed, the Department may deduct from contract payments to the Contractor the amount of the goal not achieved as liquidated and

ascertained damages. The Contractor may request an administrative reconsideration of any amount deducted as damages pursuant to subsection (j) of this part.

- (i) The Department reserves the right to withhold payment to the Contractor to enforce the provisions of this Special Provision. Final payment shall not be made on the contract until such time as the Contractor submits sufficient documentation demonstrating achievement of the goal in accordance with this Special Provision or after liquidated damages have been determined and collected.
- (j) Notwithstanding any other provision of the contract, including but not limited to Article 109.09 of the Standard Specifications, the Contractor may request administrative reconsideration of a decision to deduct the amount of the goal not achieved as liquidated damages. A request to reconsider shall be delivered to the Contract Compliance Section and shall be handled and considered in the same manner as set forth in paragraph (c) of "Good Faith Effort Procedures" of this Special Provision, except a final decision that a good faith effort was not made during contract performance to achieve the goal agreed to in the Utilization Plan shall be the final administrative decision of the Department.

“SAMPLE DOCUMENT”

ILLINOIS DEPARTMENT OF NATURAL RESOURCES
OFFICE OF MINES AND MINERALS
DIVISION OF ABANDONED MINED LANDS RECLAMATION (DNR)
STORM WATER POLLUTION PREVENTION PLAN CERTIFICATE

Project Name: _____

Project Number: _____ Construction Acreage: _____

County: _____ Section(s): _____ Twnshp: _____ Range: _____

The plans and specifications have been prepared to comply with the provisions of the NPDES Permit Number ILR100000, issued by the Illinois Environmental Protection Agency (*IEPA*) for storm water discharges from Construction Site Activities. **This General Permit is applicable to all reclamation sites resulting in the disturbance of one or more acres total land area.**

Background

This project is being conducted in order to either restore abandoned lands to productive use, to protect the health, safety and general welfare of the people, to correct and prevent soil erosion, stream pollution, water, air, and land pollution, and/or other injurious effects to persons, property, wildlife and natural resources. It is recognized that the DNR and the IEPA are committed to ensuring that abandoned mine reclamation activities in Illinois are conducted in such manner so as to minimize, to the fullest extent practicable, any further adverse impact to the public's health, safety and/or the environment. It is hereby recognized that this site may exist in a state of non-compliance with or in violation of, the provisions of the Environmental Protection Act and/or the Pollution Control Board's Rules and Regulations. It is further recognized and agreed that the DNR and its Contractor(s) do not assume the responsibilities for the pre-existing pollutional sources. It shall be the objective of all parties that offsite pollution shall be controlled to the maximum extent practicable, throughout the course of this reclamation project.

Controls

The plans and specifications for the above-mentioned project, together with all attachments and documents incorporated therein by reference, comprise the storm water pollution prevention plan as required by the General Permit. The following items highlight the critical components of the storm water pollution prevention plan developed for this construction site and covered by this permit:

- 1) The construction limits, grading plan, erosion and sediment controls and storm water management controls as shown in the Project Plans;
- 2) The prerequisite earthwork, erosion control, seeding and mulching date as specified under PROGRESS AND LIQUIDATED DAMAGES of the Special Provisions;
- 3) Article 108.02 Progress Schedule, of the Special Provisions which requires submittal of the progress schedule by the contractor prior to the preconstruction meeting;
- 4) The Acid Water Treatment and/or Dewatering Impoundments Sections (*when required*) as detailed in the Special Provisions;
- 5) The Seeding, Erosion and Sediment Control, Special Excelsior Blanket and Riprap Sections as detailed in the Special Provisions, including other sections which relate to the establishment of vegetation, erosion control, and storm water pollution prevention;
- 6) The TEMPORARY CONTROLS, described in the Special Provisions, especially paragraph C, Pollution Control,

“SAMPLE DOCUMENT”

which states that the Contractor shall provide methods, means and facilities required to prevent contamination of soil, water or atmosphere by the discharge of noxious substances and sediments from construction operations. This section incorporates the requirements of the General Permit for storm water discharges;

- 7) Controls shall be implemented to ensure that solid waste materials are not carried by storm water into the receiving streams; and
- 8) Site Inspections by the Engineer or Project Manager will be conducted to ensure that the proper storm water pollution controls are in place and operating correctly. The disturbed areas will be inspected for evidence of, or the potential for, pollutants entering the drainage system. Should the inspection reveal inadequate or ineffective measures in preventing storm water pollutants entering the drainage system, the Project Manager will discuss these findings with the Contractor. The Contractor and the Project Manager shall establish the revised or additional control measures determined necessary and appropriate, and the timetable for implementation. The Project Manager shall document on the Inspection Report major observations relating to the implementation of this storm water pollution prevention plan, discussions with the Contractor with regard to this plan and any specific changes to the plan.

If any violation of the provisions of this plan is identified during the conduct of the construction work covered by this plan, the Project Manager or Resident Technician shall complete and file an "Incidence of Non-Compliance" (*ION*) report for the identified violation. The Project Manager or Resident Technician shall use forms provided by the Illinois Environmental Protection Agency and shall include specific information on the cause of non-compliance, actions which were taken to prevent any further causes of non-compliance, and a statement detailing any environmental impact which may have resulted from the non-compliance. All reports of non-compliance shall be signed by the DNR Supervisor of Project Management. The report of non-compliance shall be mailed to the Illinois Environmental Protection Agency within 5 (five) days of the observance of the non-compliance.

NPDES PERMIT No. ILR100000
Storm Water Pollution Prevention Plan
Certifications

Project Name: _____

Project Number: _____

The Storm Water Pollution Prevention Plan was presented and discussed at the Preconstruction Meeting held on

_____. Project Manager: _____

I certify under penalty of law that the plans and specifications and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

“SAMPLE DOCUMENT”

Supervisor of Project Management
Division of Abandoned Mined Lands Reclamation

Date

I certify under penalty of law that I understand the terms and conditions of the general National Pollutant Discharge Elimination System (NPDES) permit (ILR100000) that authorizes the storm water discharges associated with industrial activity from the construction site identified as part of this certification.

Signature (*Contractor or Subcontractor*)

Title

Date

Name of Firm

Street Address

City

State

Zip Code

Telephone Number

REQUIRED FEDERAL AID CONTRACT PROVISIONS

The Illinois Abandoned Mined Lands Reclamation program is federally funded through grants made to the State of Illinois, Abandoned Mined Lands Reclamation, by the U.S. Department of Interior, Office of Surface Mining Reclamation and Enforcement. The following Required Contract Provisions are applicable to the construction contract for this reclamation project.

I. GENERAL

1. These contract provisions shall apply to all work performed on the contract by the contractor's own organization and with the assistance of workers under the contractor's immediate superintendence and to all work performed on the contract by piecework, station work, or by subcontract.
2. Except as otherwise provided for in each section, the contractor shall insert in each subcontract all of the stipulations contained in the Required Contract Provisions, and further require their inclusion in any lower tier subcontract or purchase order that may in turn be made. The Required Contract Provisions shall not be incorporated by reference in any case. The prime contractor shall be responsible for compliance by any subcontractor or lower tier subcontractor with the Required Contract Provisions.
3. A breach of any of the stipulations contained in these Required Contract Provisions shall be sufficient grounds for termination of the contract.

II. NONDISCRIMINATION

(Applicable to Federal-aid construction contracts and related subcontracts and purchase orders exceeding \$10,000.)

1. Selection of Labor: During the performance of this contract, the contractor shall not:
 - a. discriminate against labor from any other State, possession, or territory of the United States, or
 - b. employ convict labor for any purpose within the limits of the project unless it is labor performed by convicts who are on parole, supervised release, or probation.
2. Employment Practices:
 - a. The Equal Employment Opportunity Affirmative Action Notice set forth in 41 CFR 60-4.2 and the Equal Employment Opportunity Construction Contract Specifications set forth in 41 CFR 60-4.3 are incorporated by reference in this contract.
 - b. Regulation 41 CFR 60-4.2 requires goals and timetables for minority and female participation expressed in percentage terms for the contractor's aggregate work force in each trade on all construction work in the covered area. The goals for this contract are stated elsewhere in the bidding documents and in the construction contract.
 - c. Regulation 41 CFR 60-4.3 provides specific affirmative action standards the contractor shall implement to ensure equal employment opportunity in achieving the minority and female participation goals set forth in paragraph 2b of this Section.

3. Equal Opportunity Clause: During the performance of this contract, the contractor agrees as follows:
- a. The contractor will not discriminate against any employee or applicant for employment because of race, color, religion, sex, or national origin. The contractor will take affirmative action to ensure that applicants are employed and that employees are treated during employment without regard to their race, color, religion, sex, or national origin. Such action shall include, but not be limited to, the following: employment, upgrading, demotion or transfer; recruitment or recruitment advertising; layoffs or termination; rates of pay or other forms of compensation; and, selection for training, including apprenticeship. The contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices setting forth the provisions of this nondiscrimination clause.
 - b. The contractor will, in all solicitations or advertisements for employees placed by or on behalf of the contractor, state that all qualified applicants will receive consideration for employment without regard to race, color, religion, sex, or national origin.
 - c. The contractor will send to each labor union or representative of workers with which the contractor has a collective bargaining agreement or other contract or understanding a notice advising the said labor union or workers' representative of the contractor's commitments under this Section II, paragraph 3.
 - d. The contractor will comply with all provisions of Executive Order 11246, Equal Employment Opportunity, dated September 24, 1965, and of the rules, regulations (41 CFR Part 60), and relevant orders of the Secretary of Labor.
 - e. The contractor will furnish all information and reports required by Executive Order 11246 and by rules, regulations, and orders of the Secretary of Labor, pursuant thereto, and will permit access to its books, records, and accounts by the Abandoned Mined Lands Reclamation and the U.S. Secretary of Labor for purposes of investigation to ascertain compliance with such rules, regulations, and orders.
 - f. In the event of the contractor's noncompliance with the nondiscrimination clauses of this Section II, paragraph 3, or with any of the said rules, regulations, or orders, this contract may be canceled, terminated, or suspended in whole or in part. The contractor may be declared ineligible for further Government contracts or federally-assisted construction contracts in accordance with procedures authorized in Executive Order 11246 and such other sanctions as may be imposed and remedies invoked as provided in Executive Order 11246 or by rule, regulations, or order of the Secretary of Labor, or as otherwise provided by law.
 - g. The contractor will include the provisions of this Section II, paragraph 3 in every subcontract or purchase order so that such provisions will be binding upon each subcontractor or vendor, unless exempted by rules, regulations, or orders of the Secretary of Labor issued pursuant to Section 204 of Executive Order 11246. The contractor will take such action with respect to any subcontract or purchase order as the Abandoned Mined Lands Reclamation (AMLRC) and the U.S. Secretary of Labor may direct as a means of enforcing such provisions, including sanctions for noncompliance. In the event a contractor becomes a party to litigation by a subcontractor or vendor as a result of such direction, the contractor may request the AMLRC to enter into such litigation to protect the interest of the State. In addition, the contractor may request the United States to enter into such litigation to protect the interests of the United States.

4. Selection of Subcontractors, Procurement of Materials, and Leasing of Equipment:

- a. The contractor shall not discriminate on the grounds of race, color, sex, or national origin in the selection and retention of subcontractors, including procurement of materials and leases of equipment. In all solicitations made by the contractor each potential subcontractor or supplier shall be notified by the contractor of the contractor's obligations under this contract relative to nondiscrimination on the grounds of race, color, sex, or national origin.
- b. In the event of the contractor's noncompliance with the nondiscrimination provisions of this Section II, paragraph 4, this contract may be subject to sanctions including but not limited to the withholding of payments to the contractor under the contract until the contractor complies and/or cancellation, termination, or suspension of the contract in whole or in part.
- c. The contractor shall include the provisions of this paragraph 4 in every subcontract, including procurement of materials and leases of equipment. The contractor shall take such action with respect to any subcontractor or procurement as the AMLRC or U.S. Secretary of Labor may direct as a means of enforcing such provisions, including sanctions for noncompliance. In the event a contractor becomes involved in, or is threatened with, litigation by a subcontractor or supplier as a result of such direction, the contractor may request the AMLRC to enter into such litigation to protect the interests of the State. In addition, the contractor may request the United States to enter into such litigation to protect the interests of the United States.

III. NONSEGREGATED FACILITIES

(Applicable to Federal-aid construction contracts and related subcontracts exceeding \$10,000.)

1. By submission of this bid, the execution of this contract or subcontract, or the consummation of this material supply agreement or purchase order, as appropriate, the bidder, Federal-aid construction contractor, subcontractor, material supplier, or vendor, as appropriate, certifies that the firm does not maintain or provide for its employees any segregated facilities at any of its establishments, and that the firm does not permit its employees to perform their services at any location, under its control, where segregated facilities are maintained. The firm agrees that a breach of this certification is a violation of the Equal Opportunity Clause in this contract. The firm further certifies that no employee will be denied access to adequate facilities on the basis of sex.
2. As used in this certification, the term "segregated facilities" means any waiting rooms, work areas, restrooms and washrooms, restaurants and other eating areas, timeclocks, locker rooms, and other storage or dressing areas, parking lots, drinking fountains, recreation or entertainment areas, transportation, and housing facilities provided for employees which are segregated by explicit directive, or are, in fact, segregated on the basis of race, color, religion, or national origin, because of habit, local custom, or otherwise.
3. The contractor agrees that it has obtained or will obtain identical certification from proposed subcontractors or material suppliers prior to award of subcontracts or consummation of material supply agreements exceeding \$10,000 and that it will retain such certifications in its files.

IV. IMPLEMENTATION OF CLEAN AIR ACT AND FEDERAL WATER POLLUTION CONTROL ACT

(Applicable to Federal-aid construction contracts and related subcontracts exceeding \$100,000.)

By submission of this bid, or the execution of this contract or subcontract, as appropriate, the bidder, Federal-aid construction contractor, or subcontractor, as appropriate, will be deemed to have stipulated as follows:

1. That any facility that is or will be utilized in the performance of this contract, unless such contract is exempt under the Clean Air Act, as amended (42 U.S.C. 1857 et seq., as amended by Pub. L. 91-604), and under the Federal Water Pollution Control Act, as amended (33 U.S.C. 1251, et seq., as amended by Pub. L. 92-500), Executive Order 11738, and regulations in implementation thereof (40 CFR Part 15) is not listed, on the date of contract award, on the U.S. Environmental Protection Agency (EPA) List of Violating Facilities pursuant to 40 CFR 15.20.
2. That the firm agrees to comply and remain in compliance with all the requirements of Section 114 of the Clean Air Act and Section 308 of the Federal Water Pollution Control Act and all regulations and guidelines listed thereunder.
3. That the firm shall promptly notify the AMLRC of the receipt of any communication from the Director, Office of Federal Activities, EPA, indicating that a facility that is or will be utilized for the contract is under consideration to be listed on the EPA List of Violating Facilities.
4. That the firm agrees to include or cause to be included the requirements of paragraphs 1 through 4 of this Section IV in every nonexempt subcontract, and further agrees to take such action as the government may direct as a means of enforcing such requirements.

V. COMPLIANCE WITH COPELAND "ANTI-KICKBACK" ACT

The contractor and any and all subcontractors shall comply with the Copeland "Anti-Kickback" Act (18 U.S.C. 874) as supplemented in Department of Labor regulations (29 CFR, Part 3), which prohibits contractors or subcontractors from inducing, by any means, any person employed in the construction, completion, or repair of a public work, to give up any part of the compensation to which he or she is entitled.

VI. INTERPRETATION OF FEDERAL AID PROPOSAL NOTICE

The Federal Aid Proposal Notice which is included in the bidding documents further illustrates the required federal-aid contract provisions. Whenever in said Notice the following terms or pronouns in place of them are used, they shall be interpreted as follows:

"U.S. Department of Transportation (DOT)" shall be interpreted to mean U.S. Department of the Interior.

"Federal Highway Administration (FHWA)" shall be interpreted to mean the Office of Surface Mining Reclamation and Enforcement.

"State highway agency (SHA)" shall be interpreted to mean the Abandoned Mined Lands Reclamation .

FEDERAL AID PROPOSAL NOTICE

NOTICE TO PROSPECTIVE FEDERAL-AID CONSTRUCTION CONTRACTORS

I. CERTIFICATION OF NONSEGREGATED FACILITIES

- (a) A Certification of Nonsegregated Facilities, as required by the May 9, 1967, Order of the Secretary of Labor (32 F. R. 7439, May 19, 1967) on Elimination of Segregated Facilities (is included in the proposal and must be submitted prior to the award of a Federal-aid highway construction contract exceeding \$10,000 which is not exempt from the provisions of the Equal Opportunity clause.)
- (b) Bidders are cautioned as follows: By signing this bid, the bidder will be deemed to have signed and agreed to the provisions of the "Certification of Nonsegregated Facilities" in this proposal. This certification provides that the bidder does not maintain or provide for his employees facilities which are segregated on a basis of race, creed, color, or national origin, whether such facilities are segregated by directive or on a de facto basis. The certification also provides that the bidder will not maintain such segregated facilities.
- (c) Bidders receiving Federal-aid highway construction contract awards exceeding \$10,000 which are not exempt from the provisions of the Equal Opportunity clause, will be required to provide for the forwarding of the following notice to prospective subcontractors for construction contracts and material suppliers where the subcontracts or material supply agreements exceed \$10,000 and are not exempt from the provisions of the Equal Opportunity clause.

"NOTICE TO PROSPECTIVE SUBCONTRACTORS AND MATERIAL SUPPLIERS OF REQUIREMENT FOR CERTIFICATION OF NONSEGREGATED FACILITIES"

- (a) A Certification of Nonsegregated Facilities as required by the May 9, 1967, Order of the Secretary of Labor (32 F. R. 7439, May 19, 1967) on Elimination of Segregated Facilities, which is included in the proposal, or attached hereto, must be submitted by each subcontractor and material supplier prior to the award of one subcontract or consummation of a material supply agreement if such subcontract or agreement exceeds \$10,000 and is not exempt from the provisions of the Equal Opportunity clause.
- (b) Subcontractors and material suppliers are cautioned as follows: By signing the subcontract or entering into a material supply agreement, the subcontractor or material supplier will be deemed to have signed and agreed to the provisions of the "Certification of Nonsegregated Facilities" in the subcontract or material supply agreement. This certification provides that the subcontractor or material supplier does not maintain or provide for his employees facilities which are segregated on the basis of race, creed, color, or national origin, whether such facilities are segregated by directive or on a de facto basis. This certification also provides that the subcontractor or material supplier will not maintain such segregated facilities.
- (c) Subcontractors or material suppliers receiving subcontract awards or material supply agreements exceeding \$10,000 which are not exempt from the provisions of the Equal Opportunity clause will be required to provide for the forwarding of this notice to prospective subcontractors for construction contracts and material suppliers where the subcontracts or material supply agreements exceed \$10,000 and are not exempt from the provisions of the Equal Opportunity clause."

II. IMPLEMENTATION OF CLEAN AIR ACT AND FEDERAL WATER POLLUTION CONTROL ACT

- (a) By signing this bid, the bidder will be deemed to have stipulated as follows:
 - (1) That any facility to be utilized in the performance of this contract, unless such contract is exempt under the Clean Air Act, as amended (42 U.S.C. 1857 et seq., as amended by Pub. L. 91-604), and under the Federal Water Pollution Control Act, as amended (33 U.S.C. 1251 et seq., as amended by Pub. L. 92-500), Executive Order 11738, and regulations in implementation thereof (40 C.F.R., Part 15), is not listed on the U.S. Environmental Protection Agency (EPA) List of Violating Facilities pursuant to 40 C.F.R. 15.20.
 - (2) That the State highway department shall be promptly notified prior to contract award of the receipt by the bidder of any communication from the Director, Office of Federal Activities, EPA, indicating that a facility to be utilized for the contract is under consideration to be listed on the EPA List of Violating Facilities.

SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES

FEDERAL-AID CONTRACTS

1. General

- a. Equal Employment Opportunity Requirements not to discriminate and to take affirmative action to assure equal employment opportunity as required by Executive Order 11246 and Executive Order 11375 are set forth in Required Contract Provisions (Form PR-1273 or 1316, as appropriate) and these Special Provisions which are imposed pursuant to Section 140 of Title 23, USC, as established by Section 22 of the Federal-Aid Highway Act of 1968. The requirements set forth in these Special Provisions shall constitute the specific affirmative action requirements for project activities under this contract and supplement the equal employment opportunity requirements set forth in the Required Contract Provisions.
- b. The contractor will work with the State highway departments and the Federal Government in carrying out equal employment opportunity obligations and in their review of his/her activities under the contract.
- c. The contractor, and all his/her subcontractors holding subcontracts (not including material suppliers) of \$10,000 or more, will comply with the following minimum specific requirement activities of equal employment opportunity: (The equal employment opportunity requirements of Executive Order 11246, as set forth in Volume 6, Chapter 4, Section 1, Subsection 1 of the Federal-Aid Highway Program Manual, are applicable to material suppliers as well as contractors and subcontractors.) The contractor will include these requirements in every subcontract of \$10,000 or more with such modification of language as is necessary to make them binding on the subcontractor.

2. Equal Employment Opportunity Policy

The contractor will accept as his operating policy the following statement which is designed to further the provision of equal employment opportunity to all persons without regard to their race, color, religion, sex, or national origin, and to promote the full realization of equal employment opportunity through a positive continuing program:

It is the policy of this Company to assure that applicants are employed, and that employees are treated during employment, without regard to their race, religion, sex, color, or national origin. Such action shall include: employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship, preapprenticeship, and/or on-the-job training.

3. Equal Employment Opportunity Officer

The contractor will designate and make known to the State highway department contracting officers an equal employment opportunity officer (hereinafter referred to as the EEO Officer) who will have the responsibility for and must be capable of effectively administering and promoting an active contractor program of equal employment opportunity and who must be assigned adequate authority and responsibility to do so.

4. Dissemination of Policy

- a. All members of the contractor's staff who are authorized to hire, supervise, promote, and discharge employees, or who recommend such action, or who are substantially involved in such action, will be made fully cognizant of, and will implement, the contractor's equal employment opportunity policy and contractual responsibilities to provide equal employment opportunity in each grade and classification of employment. To ensure that the above agreement will be met, the following actions will be taken as a minimum:
 - (1) Periodic meetings of supervisory and personnel office employees will be conducted before the start of work and then not less often than once every six months, at which time the contractor's equal employment opportunity policy and its implementation will be reviewed and explained. The meetings will be conducted by the EEO Officer or other knowledgeable company official.
 - (2) All new supervisory or personnel office employees will be given a thorough indoctrination by the EEO Officer or other knowledgeable company official covering all major aspects of the contractor's equal employment opportunity obligations within thirty days following their reporting for duty with the contractor.
 - (3) All personnel who are engaged in direct recruitment for the project will be instructed by the EEO Officer or appropriate company official in the contractor's procedures for locating and hiring minority group employees.
- b. In order to make the contractor's equal employment opportunity policy known to all employees, prospective employees and potential sources of employees, i.e., schools, employment agencies, labor unions (where appropriate), college placement officers, etc., the contractor will take the following actions:
 - (1) Notices and posters setting forth the contractor's equal employment opportunity policy will be placed in areas readily accessible to employees, applicants for employment and potential employees.
 - (2) The contractor's equal employment opportunity policy and the procedures to implement such policy will be brought to the attention of employees by means of meetings, employee handbooks, or other appropriate means.

5. Recruitment

- a. When advertising for employees, the contractor will include in all advertisements for employees the notation: "An Equal Opportunity Employer." All such advertisements will be published in newspapers, or other publication, having a large circulation among minority groups in the area from which the project work force would normally be derived.
- b. The contract will, unless precluded by a valid bargaining agreement, conduct systematic and direct recruitment through public and private employee referral sources likely to yield qualified minority group applicants, including, but not limited to, State employment agencies, schools, colleges and minority group organizations. To meet this requirement, the contractor will, through his EEO Officer, identify sources of potential minority group employees, and establish with such identified sources procedures whereby minority group applicants may be referred to the contractor for employment consideration.

In the event the contractor has a valid bargaining agreement providing for exclusive hiring hall referrals, he is expected to observe the provisions of that agreement to the extent that the system permits the contractor's compliance with equal employment opportunity contract provisions. (The U.S. Department of Labor has held that where implementation of such agreements have the effect of discriminating against minorities or women, or obligates the contractor to do the same; such implementation violates Executive Order 11246, as amended.)

- c. The contractor will encourage his present employees to refer minority group applicants for employment by posting appropriate notices or bulletins in areas accessible to all such employees. In addition, information and procedures with regard to referring minority group applicants will be discussed with employees.

6. Personnel Actions

Wages, working conditions, and employee benefits shall be established and administered, and personnel actions of every type, including hiring, upgrading, promotion, transfer, demotion, layoff, and termination, shall be taken without regard to race, color, religion, sex, or national origin. The following procedures shall be followed:

- a. The contractor will conduct periodic inspections of project sites to insure that working conditions and employee facilities do not indicate discriminatory treatment of project site personnel.
- b. The contractor will periodically evaluate the spread of wages paid within each classification to determine any evidence of discriminatory wage practices.
- c. The contractor will periodically review selected personnel actions in depth to determine whether there is evidence of discrimination. Where evidence is found, the contractor will promptly take corrective action. If the review indicates that the discrimination may extend beyond the actions reviewed, such corrective action shall include all affected persons.
- d. The contractor will promptly investigate all complaints of alleged discrimination made to the contractor in connection with his obligations under this contract, will attempt to resolve such complaints, and will take appropriate corrective action within a reasonable time. If the investigation indicates that the discrimination may affect persons other than the complainant, such corrective action shall include such other persons. Upon completion of each investigation,

the contractor will inform every complainant of all of his avenues of appeal.

7. Training and Promotion

- a. The contractor will assist in locating, qualifying and increasing the skills of minority group and women employees, and applicants for employment.
- b. Consistent with the contractor's work force requirements and as permissible under Federal and State regulations, the contractor shall make full use of training programs, i.e., apprenticeship, and on-the-job training programs for the geographical area of contract performance. Where feasible, 25 percent of apprentices or trainees in each occupation shall be in their first year of apprenticeship or training. In the event the Training Special Provision is provided under this contract, this subparagraph will be superseded as indicated in the Training Special Provision.
- c. The contractor will advise employees and applicants for employment of available training programs and entrance requirements for each.
- d. The contractor will periodically review the training and promotion potential of minority group and women employees and will encourage eligible employees to apply for such training and promotion.

8. Unions

If the contractor relies in whole or in part upon unions as a source of employees, the contractor will use his/her best efforts to obtain the cooperation of such unions to increase opportunities for minority groups and women within the unions, and to effect referrals by such unions of minority and female employees. Actions by the contractor, either directly or through a contractor's association acting as agent, will include the procedures set forth below:

- a. The contractor will use his best efforts to develop, in cooperation with the unions, joint training programs aimed toward qualifying more minority group members and women for membership in the unions and increasing the skills of minority group employees and women so that they may qualify for higher paying employment.
- b. The contractor will use his best efforts to incorporate an equal employment opportunity clause into each union agreement to the end that such union will be contractually bound to refer applicants without regard to their race, color, religion, sex, or national origin.
- c. The contractor is to obtain information as to the referral practices and policies of the labor union except that to the extent such information is within the exclusive possession of the labor union and such labor union refuses to furnish such information to the contractor, the contractor shall so certify to the State highway department and shall set forth what efforts have been made to obtain such information.
- d. In the event the union is unable to provide the contractor with a reasonable flow of minority and women referrals within the time limit set forth in the collective bargaining agreement, the contractor will, through independent recruitment efforts, fill the employment vacancies without regard to race, color, religion, sex, or national origin, making full efforts to obtain qualified and/or qualifiable minority group persons and women. (The U.S. Department of Labor has held

that it shall be no excuse that the union with which the contractor has a collective bargaining agreement providing for exclusive referral failed to refer minority employees.) In the event the union referral practice prevents the contractor from meeting the obligations pursuant to Executive Order 11246, as amended, and these special provisions, such contractor shall immediately notify the State highway department.

9. Subcontracting

- a. The contractor will use his best efforts to solicit bids from and to utilize minority group subcontractors or subcontractors with meaningful minority group and female representation among their employees. Contractors shall obtain lists of minority-owned construction firms from State highway department personnel.
- b. The contractor will use his best efforts to ensure subcontractor compliance with their equal employment opportunity obligations.

10. Records and Reports

- a. The contractor will keep such records as are necessary to determine compliance with the contractor's equal employment opportunity obligations. The records kept by the contractor will be designed to indicate:
 - (1) the number of minority and nonminority group members and women employed in each work classification on the project.
 - (2) the progress and efforts being made in cooperation with unions to increase employment opportunities for minorities and women (applicable only to contractors who rely in whole or in part on unions as a source of their work force).
 - (3) the progress and efforts being made in locating, hiring, training, qualifying, and upgrading minority and female employees.
 - (4) the progress and efforts being made in securing the services of minority group subcontractors or subcontractors with meaningful minority and female representation among their employees.
- b. All such records must be retained for a period of three years following completion of the contract work and shall be available at reasonable times and places for inspection by authorized representatives of the State highway department and the Federal Highway Administration.
- c. The contractors will submit to the State highway department a monthly report every month for the duration of the project, indicating the number of minority, women, and non-minority group employees currently engaged in each work classification required by contract work and the number of hours worked. This information is to be reported on Form BC-956. If on-the-job training is being required by "Training Special Provision", the contractor will be required to furnish Form BC-1014 weekly and Form BC-1052 quarterly.

NOTICE: Prevailing Wage Rates

The Illinois Prevailing Wage Act (820 ILCS 130/) requires payment of prevailing wages on State of Illinois public works projects.

As required by this Act, not less than the rates of wages ascertained by the Illinois Department of Labor and as revised during the performance of a Contract shall be paid to all laborers, workers and mechanics performing abandoned mined lands reclamation work work under the Contract.

Post the scale of wages in a prominent and easily accessible place at the site of work. If the Illinois Department of Labor revises the prevailing rates of wages to be paid as listed in the specification of rates, the contractor shall post the revised rates of wages and shall pay not less than the revised rates of wages. Current wage rate information shall be obtained by visiting the Illinois Department of Labor web site at <http://www.state.il.us/agency/idol/> or by calling 312-793-2814. It is the responsibility of the contractor to review the rates applicable to the work of the contract at regular intervals in order to insure the timely payment of current rates. Provision of this information to the contractor by means of the Illinois Department of Labor web site satisfies the notification of revisions by the Department to the contractor pursuant to the Act, and the contractor agrees that no additional notice is required. The contractor shall notify each of its subcontractors of the revised rates of wages.

Abandoned mined lands reclamation projects are federally funded public works projects, therefore they are also subject to the provisions of the federal Davis-Bacon Act including its wage and benefit determinations. Please see the U.S. Department of Labor website at: <http://www.dol.gov/whd/contracts/dbra.htm> for assistance with compliance with this Act.

**Prevailing Wage rates for
JoDaviess County
effective Sept. 1, 2017**

Trade Title	Region	Type	Class	Base Wage	Fore-man Wage	M-F OT	OSA	OSH	H/W	Pension	Vacation	Training
ASBESTOS ABT-GEN	ALL	BLD		40.63	41.63	1.5	1.5	2	8.52	17.92	0.00	0.80
ASBESTOS ABT-MEC	ALL	BLD		23.40	24.40	1.5	1.5	2	6.80	5.50	0.00	0.50
BOILERMAKER	ALL	BLD		39.50	42.50	2	2	2	7.07	12.47	0.00	0.40
BRICK MASON	ALL	BLD		39.42	42.17	1.5	1.5	2	10.10	12.02	0.00	0.89
CARPENTER	ALL	BLD		34.77	38.59	1.5	1.5	2	11.00	16.30	0.00	0.60
CARPENTER	ALL	HWY		40.59	42.34	1.5	1.5	2	11.50	16.30	0.00	0.49
CEMENT MASON	ALL	ALL		35.05	37.80	1.5	1.5	2	9.90	18.21	0.00	0.50
CERAMIC TILE FNSHER	ALL	BLD		33.88	33.88	1.5	1.5	2	9.40	5.86	0.00	0.75
COMMUNICATION TECH	ALL	BLD		39.00	42.90	1.5	1.5	2	12.84	13.67	0.00	0.78
ELECTRIC PWR EQMT OP	ALL	ALL		33.30	0.00	1.5	1.5	1.5	6.17	9.33	0.00	0.33
ELECTRIC PWR EQMT OP	ALL	HWY		41.45	56.38	1.5	1.5	2	5.50	12.87	0.00	0.73
ELECTRIC PWR GRNDMAN	ALL	ALL		27.80	0.00	1.5	1.5	2	6.06	7.78	0.00	0.28
ELECTRIC PWR GRNDMAN	ALL	HWY		32.00	56.38	1.5	1.5	2	5.50	9.92	0.00	0.66
ELECTRIC PWR LINEMAN	ALL	ALL		42.01	46.21	1.5	1.5	2	6.34	11.76	0.00	0.42
ELECTRIC PWR LINEMAN	ALL	HWY		49.67	56.38	1.5	1.5	2	5.50	15.40	0.00	0.88
ELECTRIC PWR TRK DRV	ALL	ALL		28.98	0.00	1.5	1.5	2	6.08	8.12	0.00	0.29
ELECTRIC PWR TRK DRV	ALL	HWY		33.14	56.38	1.5	1.5	2	5.50	10.29	0.00	0.59
ELECTRICIAN	E	BLD		45.50	50.05	1.5	1.5	2	12.84	18.73	0.00	0.91
ELECTRICIAN	W	BLD		30.32	32.44	1.5	1.5	2	9.48	7.91	0.00	0.31
ELEVATOR CONSTRUCTOR	ALL	BLD		46.83	52.68	2	2	2	13.57	14.51	3.77	0.60
GLAZIER	ALL	BLD		29.21	31.25	1.5	1.5	2	6.94	8.92	0.00	0.45
HT/FROST INSULATOR	ALL	BLD		30.41	31.61	1.5	1.5	2	6.35	12.80	0.00	1.00
IRON WORKER	E	ALL		38.33	44.08	2	2	2	12.27	24.57	0.00	0.60
IRON WORKER	W	ALL		30.75	33.21	1.5	1.5	2	9.79	12.94	1.80	0.69
LABORER	ALL	BLD		32.78	33.78	1.5	1.5	2	8.52	17.92	0.00	0.80

LABORER	ALL	HWY		37.88	38.63	1.5	1.5	2	8.52	17.92	0.00	0.80
LABORER, SKILLED	ALL	HWY		40.63	41.38	1.5	1.5	2	8.52	17.92	0.00	0.80
LATHER	ALL	BLD		34.77	38.59	1.5	1.5	2	11.00	16.30	0.00	0.60
MACHINIST	ALL	BLD		45.35	47.85	1.5	1.5	2	7.26	8.95	1.85	0.00
MARBLE FINISHERS	ALL	BLD		33.88		1.5	1.5	2	9.40	5.86	0.00	0.75
MARBLE MASON	ALL	BLD		36.71	36.96	1.5	1.5	2	9.40	8.02	0.00	0.80
MILLWRIGHT	ALL	BLD		38.52	42.37	1.5	1.5	2	9.40	15.00	0.00	0.60
OPERATING ENGINEER	ALL	BLD	1	45.80	49.80	2	2	2	18.80	13.45	2.35	1.30
OPERATING ENGINEER	ALL	BLD	2	45.10	49.80	2	2	2	18.80	13.45	2.35	1.30
OPERATING ENGINEER	ALL	BLD	3	42.65	49.80	2	2	2	18.80	13.45	2.35	1.30
OPERATING ENGINEER	ALL	BLD	4	40.65	49.80	2	2	2	18.80	13.45	2.35	1.30
OPERATING ENGINEER	ALL	BLD	5	49.55	49.80	2	2	2	18.80	13.45	2.35	1.30
OPERATING ENGINEER	ALL	BLD	6	48.80	49.80	2	2	2	18.80	13.45	2.35	1.30
OPERATING ENGINEER	ALL	BLD	7	45.80	49.80	2	2	2	18.80	13.45	2.35	1.30
OPERATING ENGINEER	ALL	HWY	1	45.65	49.65	1.5	1.5	2	18.80	13.45	2.35	1.30
OPERATING ENGINEER	ALL	HWY	2	45.10	49.65	1.5	1.5	2	18.80	13.45	2.35	1.30
OPERATING ENGINEER	ALL	HWY	3	43.80	49.65	1.5	1.5	2	18.80	13.45	2.35	1.30
OPERATING ENGINEER	ALL	HWY	4	42.35	49.65	1.5	1.5	2	18.80	13.45	2.35	1.30
OPERATING ENGINEER	ALL	HWY	5	40.90	49.65	1.5	1.5	2	18.80	13.45	2.35	1.30
OPERATING ENGINEER	ALL	HWY	6	48.65	49.65	1.5	1.5	2	18.80	13.45	2.35	1.30
OPERATING ENGINEER	ALL	HWY	7	46.65	49.65	1.5	1.5	2	18.80	13.45	2.35	1.30
PAINTER	ALL	ALL		38.55	40.55	1.5	1.5	1.5	10.30	8.46	0.00	1.35
PILEDRIIVER	ALL	BLD		35.77	39.70	1.5	1.5	2	11.00	16.30	0.00	0.60
PILEDRIIVER	ALL	HWY		40.59	42.34	1.5	1.5	2	11.50	16.30	0.00	0.49
PIPEFITTER	ALL	BLD		47.30	50.61	1.5	1.5	2	8.79	11.94	0.00	1.45
PLASTERER	ALL	BLD		35.33	38.87	1.5	1.5	2	10.60	15.54	0.00	0.50
PLUMBER	ALL	BLD		47.30	50.61	1.5	1.5	2	8.79	11.94	0.00	1.45
ROOFER	ALL	BLD		42.30	45.30	1.5	1.5	2	9.08	12.14	0.00	0.58
SHEETMETAL WORKER	ALL	BLD		41.24	44.54	1.5	1.5	2	6.90	18.36	0.00	0.39
SPRINKLER FITTER	ALL	BLD		37.12	39.87	1.5	1.5	2	8.42	8.50	0.00	0.35
STONE MASON	ALL	BLD		39.42	42.17	1.5	1.5	2	10.10	12.02	0.00	0.89

TERRAZZO FINISHER	ALL	BLD		33.88		1.5	1.5	2	9.40	5.86	0.00	0.75
TERRAZZO MASON	ALL	BLD		36.71	36.71	1.5	1.5	2	9.40	8.02	0.00	0.80
TILE LAYER	ALL	BLD		34.77	38.59	1.5	1.5	2	11.00	16.30	0.00	0.60
TILE MASON	ALL	BLD		36.71	36.96	1.5	1.5	2	9.40	8.02	0.00	0.80
TRUCK DRIVER	ALL	O&C	1	28.92	32.03	1.5	1.5	2	12.16	5.89	0.00	0.25
TRUCK DRIVER	ALL	O&C	2	29.34	32.03	1.5	1.5	2	12.16	5.89	0.00	0.25
TRUCK DRIVER	ALL	O&C	3	29.53	32.03	1.5	1.5	2	12.16	5.89	0.00	0.25
TRUCK DRIVER	ALL	O&C	4	29.80	32.03	1.5	1.5	2	12.16	5.89	0.00	0.25
TRUCK DRIVER	ALL	O&C	5	30.58	32.03	1.5	1.5	2	12.16	5.89	0.00	0.25
TRUCK DRIVER	E	ALL	1	32.96	33.42	1.5	1.5	2	6.90	8.22	0.00	0.00
TRUCK DRIVER	E	ALL	2	33.11	33.42	1.5	1.5	2	6.90	8.22	0.00	0.00
TRUCK DRIVER	E	ALL	3	33.31	33.42	1.5	1.5	2	6.90	8.22	0.00	0.00
TRUCK DRIVER	E	ALL	4	33.42	33.42	1.5	1.5	2	6.90	8.22	0.00	0.00
TRUCK DRIVER	W	ALL	1	36.15	40.04	1.5	1.5	2	12.16	5.89	0.00	0.25
TRUCK DRIVER	W	ALL	2	36.67	40.04	1.5	1.5	2	12.16	5.89	0.00	0.25
TRUCK DRIVER	W	ALL	3	36.91	40.04	1.5	1.5	2	12.16	5.89	0.00	0.25
TRUCK DRIVER	W	ALL	4	37.25	40.04	1.5	1.5	2	12.16	5.89	0.00	0.25
TRUCK DRIVER	W	ALL	5	38.23	40.04	1.5	1.5	2	12.16	5.89	0.00	0.25
TUCKPOINTER	ALL	BLD		39.42	42.17	1.5	1.5	2	10.10	12.02	0.00	0.89

Legend

M-F OT Unless otherwise noted, OT pay is required for any hour greater than 8 worked each day, Mon through Fri. The number listed is the multiple of the base wage.

OSA Overtime pay required for every hour worked on Saturdays

OSH Overtime pay required for every hour worked on Sundays and Holidays

H/W Health/Welfare benefit

Explanations

JO DAVIESS COUNTY

ELECTRICIANS (EAST) - Townships of Warren, Rush, Nora, Stockton, Wards Grove, Pleasant Valley and Berrenman.

IRONWORKERS (EAST) - That part of the county East of a North-South line from the North county line through Elizabeth, and East of a diagonal line from Elizabeth through Derinda Center to the South county line.

TRUCK DRIVERS (WEST) - That part of the county West of Rt. 78 including Stockton.

The following list is considered as those days for which holiday rates of wages for work performed apply: New Years Day, Memorial Day, Fourth of July, Labor Day, Thanksgiving Day, Christmas Day and Veterans Day in some classifications/counties. Generally, any of these holidays which fall on a Sunday is celebrated on the following Monday. This then makes work performed on that Monday payable at the appropriate overtime rate for holiday pay. Common practice in a given local may alter certain days of celebration. If in doubt, please check with IDOL.

Oil and chip resealing (O&C) means the application of road oils and liquid asphalt to coat an existing road surface, followed by application of aggregate chips or gravel to coated surface, and subsequent rolling of material to seal the surface.

EXPLANATION OF CLASSES

ASBESTOS - GENERAL - removal of asbestos material/mold and hazardous materials from any place in a building, including mechanical systems where those mechanical systems are to be removed. This includes the removal of asbestos materials/mold and hazardous materials from ductwork or pipes in a building when the building is to be demolished at the time or at some close future date. ASBESTOS - MECHANICAL - removal of asbestos material from mechanical systems, such as pipes, ducts, and boilers, where the mechanical systems are to remain.

CERAMIC TILE FINISHER, MARBLE FINISHER, TERRAZZO FINISHER

Assisting, helping or supporting the tile, marble and terrazzo mechanic by performing their historic and traditional work assignments required to complete the proper installation of the work covered by said crafts. The term "Ceramic" is used for naming the classification only and is in no way a limitation of the product handled. Ceramic takes into consideration most hard tiles.

COMMUNICATIONS TECHNICIAN

Installing, manufacturing, assembling and maintaining sound and intercom, protection alarm (security), fire alarm, master antenna television, closed circuit television, low voltage control for computers and/or door monitoring, school communications systems, telephones and servicing of nurse and emergency calls, and the installation and maintenance of transmit and receive antennas, transmitters, receivers, and associated apparatus which operates in conjunction with above systems. All work associated with these system installations will be included EXCEPT the installation of protective metallic conduit in new construction projects (excluding less than ten-foot runs strictly for protection of cable) and 120 volt AC (or higher) power wiring and associated hardware.

LABORER, SKILLED - HIGHWAY

Individuals engaged in the following types of work, irrespective of the site of the work: asbestos abatement worker, handling of any materials with any foreign matter harmful to skin or clothing, track laborer, cement handlers, chloride handlers, the unloading and loading with steel workers and re-bars, concrete workers wet, tunnel helpers in free air, batch dumpers, mason tenders, kettle and tar men, tank cleaners, plastic installers, scaffold workers, motorized buggies or motorized unit used for wet concrete or handling of building materials, laborers with de-watering systems, sewer workers plus depth, rod and chainmen with technical engineers, rod and chainmen with land surveyors, rod and chainmen with surveyors, vibrator operators, cement silica, clay, fly ash, lime and plasters, handlers (bulk or bag), cofferdam workers plus depth, on concrete paving, placing, cutting and tying of reinforcing, deck hand, dredge hand, and shore laborers, bankmen on floating plant, grade checker, power tools, front end man on chip spreaders, cession workers plus depth, gunnite nozzle men, lead man on sewer work, welders, cutters, burners and torchmen, chainsaw operators, jackhammer and drill operators, layout man and/or drainage tile layer, steel form setter - street and highway, air tamping hammermen, signal man on crane, concrete saw operator, screedman on asphalt pavers, laborers tending masons with hot material or where foreign materials are used, mortar mixer operators, multiple concrete duct - leadsman, lumen, asphalt raker, curb asphalt machine operator, ready mix scalemen (permanent, portable or temporary plant), laborers handling masterplate or similar materials, laser beam operator, concrete burning machine operator, coring machine operator, plaster tender, underpinning and shoring of buildings, pump men, manhole and catch basin, dirt and stone tamper, hose men on concrete pumps, hazardous waste worker, lead base paint abatement worker, lining of pipe, refusing machine, assisting on direct boring machine, the work of laying watermain, fire hydrants, all mechanical joints to watermain work, sewer worker, and tapping water service and forced lift station mechanical worker.

OPERATING ENGINEERS - BUILDING

Class 1. Asphalt Plant; Asphalt Spreader; Autograde; Backhoes with Caisson Attachment; Batch Plant; Benoto (requires Two Engineers); Boiler and Throttle Valve; Caisson Rigs; Central Redi-Mix Plant; Combination Back Hoe Front End-loader Machine; Compressor and Throttle Valve; Concrete Breaker (Truck Mounted); Concrete Conveyor; Concrete Paver (over 27E cu. ft.): Concrete Paver (27 cu. ft. and under); Concrete Placer; Concrete Pump (Truck Mounted); Concrete Conveyor (Truck Mounted); Concrete Tower; Cranes, All; GCI and similar types (required two operators only); Cranes, Hammerhead; Creter Crane; Crusher, Stone, etc.; Derricks, All; Derricks, Traveling; Formless Curb and Gutter Machine; Grader, Elevating; Grouting Machines; Highlift Shovels or Front Endloader 2-1/4 yd. and over; Hoists, Elevators, outside type rack and pinion and similar machines; Hoists, one, two and three Drum; Hoists, Two Tugger One Floor; Hydraulic Backhoes; Hydraulic Boom Trucks; Hydro Vac (and similar equipment - excluding hose work and any sewer work); Locomotives, All; Lubrication Technician; Manipulators; Motor Patrol; Pile Drivers and Skid Rig; Post Hole Digger; Pre-Stress Machine; Pump Cretes Dual Ram; Pump Cretes: Squeeze Cretes - Screw Type Pumps, Gypsum Bulker and Pump; Raised and Blind Hole Drill; Rock Drill (self-propelled); Rock Drill - Truck Mounted; Roto Mill Grinder; Scoops - Tractor Drawn; Slipform Paver; Scrapers Prime Movers; Straddle Buggies; Tie Back Machine; Tractor with Boom and Side Boom; Trenching Machines.

Class 2. Bobcat (over 3/4 cu. yd.); Boilers; Brick Forklift; Broom, All Power Propelled; Bulldozers; Concrete Mixer (Two Bag and Over); Conveyor, Portable; Forklift Trucks; Highlift Shovels or Front Endloaders under 2-1/4 yd.; Hoists, Automatic; Hoists, Sewer Dragging Machine; Hoists, Tugger Single Drum; Laser Screed; Rollers, All; Steam Generators; Tractors, All; Tractor Drawn Vibratory Roller; Winch Trucks with "A" Frame.

Class 3. Air Compressor; Asphalt Spreader; Combination - Small Equipment Operator; Generators; Heaters, Mechanical; Hoists, Inside Elevators - (Rheostat Manual Controlled); Hydraulic Power Units (Pile Driving, Extracting, or Drilling - with a seat); Lowboys; Pumps, Over 3" (1 to 3 not to exceed total of 300 ft.); Pumps, Well Points; Welding Machines (2 through 5); Winches, 4 Small Electric Drill Winches; Bobcat (up to and including 3/4 cu. yd.).

Class 4. Elevator push button with automatic doors; Hoists, Inside; Oilers; Brick Forklift.

Class 5. Assistant Craft Foreman

Class 6. Mechanics; Welders.

Class 7. Gradall

OPERATING ENGINEERS - HIGHWAY CONSTRUCTION

Class 1. Asphalt Plant; Asphalt Heater and Planer Combination; Asphalt Heater Scarfire; Asphalt Silo Tender; Asphalt Spreader; Autograder; ABG Paver; Backhoes with Caisson Attachment; Ballast Regulator; Belt Loader; Caisson Rigs; Car Dumper; Central Redi-Mix Plant; Backhoe w/shear attachments; Combination Backhoe Front Endloader Machine, (1 cu. yd. Backhoe Bucket or over or with attachments); Concrete Breaker (Truck Mounted); Concrete Conveyor; Concrete Paver over 27E cu. ft.; Concrete Placer; Concrete Tube Float; Cranes, all attachments; Cranes, Tower of all types; Creter Crane; Crusher, Stone, etc.; Derricks, All; Derrick Boats; Derricks, Traveling; Directional Boring Machine over 12"; Dredges; Formless Curb and Gutter Machine; Grader, Elevating; Grader, Motor Grader, Motor Patrol, Auto Patrol, Form Grader, Pull Grader, Subgrader; Guard Rail Post Driver Mounted; Hoists, One, Two and Three Drum; Hydraulic Backhoes; Hydro Vac, Self Propelled, Truck Mounted (excluding hose work and any sewer work); Lubrication Technician; Manipulators; Pile Drivers and Skid Rig; Pre-Stress Machine; Pump Cretes Dual Ram; Rock Drill - Crawler or Skid Rig; Rock Drill - Truck Mounted; Rock/Track Tamper; Roto Mill Grinder; Slip-Form Paver; Snow Melters; Soil Test Drill Rig (Truck Mounted); Straddle Buggies; GCI Crane; Hydraulic Telescoping Form (Tunnel); Tie Back Machine; Tractor Drawn Belt Loader; Tractor Drawn Belt Loader with attached pusher; Tractor with Boom; Tractaire with Attachments; Traffic Barrier Conveyor Machine; Raised or Blind Hole Drills; Trenching Machine (over 12"); Truck Mounted Concrete Pump with Boom; Truck Mounted Concrete Conveyor; Work Boat (no license required - 90 h.p. or above); Underground Boring and/or Mining Machines; Wheel Excavator; Widener (APSCO).

Class 2. Batch Plant; Bituminous Mixer; Boiler and Throttle Valve; Bulldozers; Car Loader Trailing Conveyors; Combination Backhoe Front Endloader Machine (less than 1 cu. yd. Backhoe Bucket or over or with attachments); Compressor and Throttle Valve; Compressor, Common

Receiver (3); Concrete Breaker or Hydro Hammer; Concrete Grinding Machine; Concrete Mixer or Paver 7S Series to and including 27 cu. ft.; Concrete Spreader; Concrete Curing Machine, Burlap Machine, Belting Machine and Sealing Machine; Concrete Wheel Saw (large self-propelled - excluding walk-behinds and hand-held); Conveyor Muck Cars (Haglund or Similar Type); Drills, all; Finishing Machine - Concrete; Highlift Shovels or Front Endloader; Hoist - Sewer Dragging Machine; Hydraulic Boom Trucks (All Attachments); Hydro Blaster; All Locomotives, Dinky; Off-Road Hauling Units; Non-Self Loading Dump; Ejection Dump; Pump Cretes: Squeeze Cretes - Screw Type Pumps, Gypsum Bulker and Pump; Roller, Asphalt; Rotary Snow Plows; Rototiller, Seaman, etc., self-propelled; Scoops - Tractor Drawn; Self-Propelled Compactor; Spreader - Chip - Stone, etc.; Scraper; Scraper - Prime Mover in Tandem (Regardless of Size); Tank Car Heater; Tractors, Push, Pulling Sheeps Foot, Disc, Compactor, etc.; Tug Boats.

Class 3. Boilers; Brooms, All Power Propelled; Cement Supply Tender; Compressor, Common Receiver (2); Concrete Mixer (Two Bag and Over); Conveyor, Portable; Farm-Type Tractors Used for Mowing, Seeding, etc.; Fireman on Boilers; Forklift Trucks; Grouting Machine; Hoists, Automatic; Hoists, All Elevators; Hoists, Tugger Single Drum; Jeep Diggers; Low Boys; Pipe Jacking Machines; Post-Hole Digger; Power Saw, Concrete Power Driven; Pug Mills; Rollers, other than asphalt; Seed and Straw Blower; Steam Generators; Stump Machine; Winch Trucks with "A" Frame; Work Boats; Tamper - Form - Motor Driven.

Class 4. Air Compressor - Small and Large; Asphalt Spreader, Backend Man; Bobcat (Skid Steer) all; Brick Forklift; Combination - Small Equipment Operator; Directional Boring Machine up to 12"; Generators; Heaters, Mechanical; Hydraulic Power Unit (Pile Driving, Extracting, or Drilling); Hydro-Blaster; Light Plants, All (1 through 5); Pumps, over 3" (1 to 3 not to exceed a total of 300 ft.); Pumps, Well Points; Tractaire; Trencher 12" and under; Welding Machines (2 through 5); Winches, 4 Small Electric Drill Winches.

Class 5. Oilers and Directional Boring Machine Locator.

Class 6. Field Mechanics and Field Welders

Class 7. Gradall and machines of like nature.

TRUCK DRIVER - BUILDING, HEAVY AND HIGHWAY CONSTRUCTION - WEST

Class 1. Drivers on 2 axle trucks hauling less than 9 ton. Air compressor and welding machines and brooms, including those pulled by separate units, truck driver helpers, warehouse employees, mechanic helpers, greasers and tiremen, pickup trucks when hauling materials, tools, or workers to and from and on-the-job site, and fork lifts up to 6,000 lb. capacity.

Class 2. Two or three axle trucks hauling more than 9 ton but hauling less than 16 ton. A-frame winch trucks, hydrolift trucks, vector trucks or similar equipment when used for transportation purposes. Fork lifts over 6,000 lb. capacity, winch trucks, four axle combination units, and ticket writers.

Class 3. Two, three or four axle trucks hauling 16 ton or more. Drivers on water pulls, articulated dump trucks, mechanics and working forepersons, and dispatchers. Five axle or more combination units.

Class 4. Low Boy and Oil Distributors.

Class 5. Drivers who require special protective clothing while employed on hazardous waste work.

TRUCK DRIVER - BUILDING, HEAVY AND HIGHWAY CONSTRUCTION - EAST

Class 1. Two or three Axle Trucks. A-frame Truck when used for transportation purposes; Air Compressors and Welding Machines, including those pulled by cars, pick-up trucks and tractors; Ambulances; Batch Gate Lockers; Batch Hopperman; Car and Truck Washers; Carry-alls; Fork Lifts and Hoisters; Helpers; Mechanics Helpers and Greasers; Oil Distributors 2-man operation; Pavement Breakers; Pole Trailer, up to 40 feet; Power Mower Tractors; Self-propelled Chip Spreader; Skipman; Slurry Trucks, 2-man operation; Slurry Truck Conveyor Operation, 2 or 3 man; Teamsters; Unskilled dumpman; and Truck Drivers hauling warning lights, barricades, and portable toilets on the job site.

Class 2. Four axle trucks; Dump Crets and Adgetors under 7 yards; Dumpsters, Track Trucks, Euclids, Hug Bottom Dump Turnapulls or Turnatrailers when pulling other than self-loading equipment or similar equipment under 16 cubic yards; Mixer Trucks under 7 yards; Ready-mix Plant Hopper Operator, and Winch Trucks, 2 Axles.

Class 3. Five axle trucks; Dump Crets and Adgetors 7 yards and over; Dumpsters, Track Trucks, Euclids, Hug Bottom Dump Turnatrailers or turnapulls when pulling other than self-loading equipment or similar equipment over 16 cubic yards; Explosives and/or Fission Material Trucks; Mixer Trucks 7 yards or over; Mobile Cranes while in transit; Oil Distributors, 1-man operation; Pole Trailer, over 40 feet; Pole and Expandable Trailers hauling material over 50 feet long; Slurry trucks, 1-man operation; Winch trucks, 3 axles or more; Mechanic--Truck Welder and Truck Painter.

Class 4. Six axle trucks; Dual-purpose vehicles, such as mounted crane trucks with hoist and accessories; Foreman; Master Mechanic; Self-loading equipment like P.B. and trucks with scoops on the front.

TRUCK DRIVER - OIL AND CHIP RESEALING ONLY.

This shall encompass laborers, workers and mechanics who drive contractor or subcontractor owned, leased, or hired pickup, dump, service, or oil distributor trucks. The work includes transporting materials and equipment (including but not limited to, oils, aggregate supplies, parts, machinery and tools) to or from the job site; distributing oil or liquid asphalt and aggregate; stock piling material when in connection with the actual oil and chip contract. The Truck Driver (Oil & Chip Resealing) wage classification does not include supplier delivered materials.

Other Classifications of Work:

For definitions of classifications not otherwise set out, the Department generally has on file such definitions which are available. If a task to be performed is not subject to one of the classifications of pay set out, the Department will upon being contacted state which neighboring county has such a classification and provide such rate, such rate being deemed to exist by reference in this document. If no neighboring county rate applies to the task, the Department shall undertake a special determination, such special determination being then deemed to have existed under this determination. If a project requires these, or any classification not listed, please contact IDOL at 217-782-1710 for wage rates or clarifications.

LANDSCAPING

Landscaping work falls under the existing classifications for laborer, operating engineer and truck driver. The work performed by landscape plantsman and landscape laborer is covered by the existing classification of laborer. The work performed by landscape operators (regardless of equipment used or its size) is covered by the classifications of operating engineer. The work performed by landscape truck drivers (regardless of size of truck driven) is covered by the classifications of truck driver.

MATERIAL TESTER & MATERIAL TESTER/INSPECTOR I AND II

Notwithstanding the difference in the classification title, the classification entitled "Material Tester I" involves the same job duties as the classification entitled "Material Tester/Inspector I". Likewise, the classification entitled "Material Tester II" involves the same job duties as the classification entitled "Material Tester/Inspector II".