

STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
307	130 R-2	DUPAGE, KANE	647	454
STA. 3356+37.74		TO STA. 3359+24.72		
FED. ROAD DIST. NO.		ILLINOIS	FED. AID PROJECT	

62410

BEAM 5					BEAM 6					STAGE CONSTRUCTION LINE (WB)					BEAM 7				
Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted for Dead Load Deflection	Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted for Dead Load Deflection	Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted for Dead Load Deflection	Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted for Dead Load Deflection
Bk of W Abut	3356+05.81	-42.08	789.75	789.75	Bk of W Abut	3356+08.85	-37.08	789.88	789.88	Bk of W Abut	3356+11.14	-33.33	789.96	789.96	Bk of W Abut	3356+11.90	-32.08	789.99	789.99
C L Brg W. Abut	3356+09.37	-42.08	789.80	789.80	C L Brg W. Abut	3356+12.41	-37.08	789.92	789.92	C L Brg W. Abut	3356+14.70	-33.33	790.00	790.00	C L Brg W. Abut	3356+15.46	-32.08	790.03	790.03
A	3356+19.37	-42.08	789.91	789.93	A	3356+22.41	-37.08	790.03	790.05	A	3356+24.70	-33.33	790.11	790.13	A	3356+25.46	-32.08	790.14	790.16
B	3356+29.37	-42.08	790.02	790.04	B	3356+32.41	-37.08	790.14	790.16	B	3356+34.70	-33.33	790.22	790.24	B	3356+35.46	-32.08	790.24	790.27
C	3356+39.37	-42.08	790.12	790.14	C	3356+42.41	-37.08	790.24	790.26	C	3356+44.70	-33.33	790.31	790.33	C	3356+45.46	-32.08	790.34	790.36
D	3356+49.37	-42.08	790.21	790.22	D	3356+52.41	-37.08	790.33	790.34	D	3356+54.70	-33.33	790.40	790.41	D	3356+55.46	-32.08	790.43	790.44
E	3356+59.37	-42.08	790.29	790.29	E	3356+62.41	-37.08	790.41	790.41	E	3356+64.70	-33.33	790.48	790.48	E	3356+65.46	-32.08	790.51	790.51
C L Brg Pier 1	3356+68.27	-42.08	790.36	790.36	C L Brg Pier 1	3356+71.31	-37.08	790.48	790.48	C L Brg Pier 1	3356+73.60	-33.33	790.55	790.55	C L Brg Pier 1	3356+74.36	-32.08	790.57	790.57
F	3356+78.27	-42.08	790.43	790.45	F	3356+81.31	-37.08	790.55	790.56	F	3356+83.60	-33.33	790.62	790.64	F	3356+84.36	-32.08	790.64	790.66
G	3356+88.27	-42.08	790.50	790.54	G	3356+91.31	-37.08	790.61	790.65	G	3356+93.60	-33.33	790.68	790.72	G	3356+94.36	-32.08	790.70	790.75
H	3356+98.27	-42.08	790.56	790.62	H	3357+01.31	-37.08	790.66	790.73	H	3357+03.60	-33.33	790.73	790.80	H	3357+04.36	-32.08	790.75	790.82
I	3357+08.27	-42.08	790.61	790.69	I	3357+11.31	-37.08	790.71	790.79	I	3357+13.60	-33.33	790.78	790.86	I	3357+14.36	-32.08	790.80	790.88
J	3357+18.27	-42.08	790.65	790.72	J	3357+21.31	-37.08	790.75	790.83	J	3357+23.60	-33.33	790.82	790.89	J	3357+24.36	-32.08	790.84	790.91
K	3357+28.27	-42.08	790.69	790.74	K	3357+31.31	-37.08	790.79	790.84	K	3357+33.60	-33.33	790.85	790.90	K	3357+34.36	-32.08	790.87	790.93
L	3357+38.27	-42.08	790.72	790.74	L	3357+41.31	-37.08	790.81	790.84	L	3357+43.60	-33.33	790.87	790.90	L	3357+44.36	-32.08	790.90	790.92
M	3357+48.27	-42.08	790.74	790.75	M	3357+51.31	-37.08	790.83	790.84	M	3357+53.60	-33.33	790.89	790.90	M	3357+54.36	-32.08	790.91	790.92
C L Brg Pier 2	3357+55.59	-42.08	790.75	790.75	C L Brg Pier 2	3357+58.63	-37.08	790.84	790.84	C L Brg Pier 2	3357+60.92	-33.33	790.90	790.90	C L Brg Pier 2	3357+61.68	-32.08	790.92	790.92
N	3357+65.59	-42.08	790.76	790.77	N	3357+68.63	-37.08	790.85	790.86	N	3357+70.92	-33.33	790.91	790.92	N	3357+71.68	-32.08	790.93	790.94
O	3357+75.59	-42.08	790.76	790.80	O	3357+78.63	-37.08	790.85	790.89	O	3357+80.92	-33.33	790.91	790.94	O	3357+81.68	-32.08	790.92	790.96
P	3357+85.59	-42.08	790.76	790.82	P	3357+88.63	-37.08	790.84	790.91	P	3357+90.92	-33.33	790.90	790.96	P	3357+91.68	-32.08	790.92	790.98
Q	3357+95.59	-42.08	790.75	790.82	Q	3357+98.63	-37.08	790.83	790.91	Q	3358+00.92	-33.33	790.88	790.96	Q	3358+01.68	-32.08	790.90	790.98
R	3358+05.59	-42.08	790.73	790.80	R	3358+08.63	-37.08	790.81	790.89	R	3358+10.92	-33.33	790.86	790.94	R	3358+11.68	-32.08	790.88	790.95
S	3358+15.59	-42.08	790.70	790.76	S	3358+18.63	-37.08	790.78	790.85	S	3358+20.92	-33.33	790.83	790.89	S	3358+21.68	-32.08	790.85	790.91
T	3358+25.59	-42.08	790.67	790.71	T	3358+28.63	-37.08	790.75	790.79	T	3358+30.92	-33.33	790.79	790.83	T	3358+31.68	-32.08	790.81	790.85
U	3358+35.59	-42.08	790.63	790.64	U	3358+38.63	-37.08	790.70	790.72	U	3358+40.92	-33.33	790.75	790.78	U	3358+41.68	-32.08	790.77	790.78
C L Brg Pier 3	3358+42.90	-42.08	790.59	790.59	C L Brg Pier 3	3358+45.94	-37.08	790.67	790.67	C L Brg Pier 3	3358+48.23	-33.33	790.71	790.71	C L Brg Pier 3	3358+48.99	-32.08	790.73	790.73
V	3358+52.90	-42.08	790.54	790.54	V	3358+55.94	-37.08	790.61	790.62	V	3358+58.23	-33.33	790.66	790.66	V	3358+58.99	-32.08	790.67	790.67
W	3358+62.90	-42.08	790.48	790.49	W	3358+65.94	-37.08	790.55	790.57	W	3358+68.23	-33.33	790.59	790.61	W	3358+68.99	-32.08	790.61	790.62
X	3358+72.90	-42.08	790.42	790.44	X	3358+75.94	-37.08	790.48	790.51	X	3358+78.23	-33.33	790.52	790.55	X	3358+78.99	-32.08	790.54	790.56
Y	3358+82.90	-42.08	790.34	790.37	Y	3358+85.94	-37.08	790.41	790.43	Y	3358+88.23	-33.33	790.45	790.47	Y	3358+88.99	-32.08	790.46	790.48
Z	3358+92.90	-42.08	790.26	790.28	Z	3358+95.94	-37.08	790.33	790.34	Z	3358+98.23	-33.33	790.36	790.38	Z	3358+98.99	-32.08	790.37	790.39
C L Brg E Abut	3359+01.80	-42.08	790.18	790.18	C L Brg E Abut	3359+04.84	-37.08	790.25	790.25	C L Brg E Abut	3359+07.13	-33.33	790.28	790.28	C L Brg E Abut	3359+07.89	-32.08	790.29	790.29
Bk of E Abut	3359+05.36	-42.08	790.15	790.15	Bk of E Abut	3359+08.40	-37.08	790.21	790.21	Bk of E Abut	3359+10.69	-33.33	790.25	790.25	Bk of E Abut	3359+11.45	-32.08	790.26	790.26

Sheet B11 of 56

REVISIONS		F.A.P. ROUTE 307 ILLINOIS ROUTE 64 (NORTH AVENUE) OVER E.J.&E. AND U.P. R.R. TOP OF SLAB ELEVATION TABLES - II
NAME	DATE	
		STRUCTURE NUMBER 022-0190 FAP 307 SECTION 130 R-2 DUPAGE COUNTY STA. 3357+81.21
SCALE: None		DRAWN BY:
DATE: MAY 13, 2011		CHECKED BY: RDP

