



# Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

January 10, 2012

SUBJECT: FAP 350 (US 41)  
Project M-8003(373)  
Section 00-00243-00-CH (Skokie)  
Cook County  
Contract No. 63566  
Item 161  
January 20, 2012 Letting  
Addendum (A)

## NOTICE TO PROSPECTIVE BIDDERS:

Due to clarify information necessary to revise the following:

1. **Page 11 of the Schedule of Prices.**
2. **Page 170 and 171 of the Special Provisions.**
3. **Sheet 7 of the Plans.**

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal.

Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Very truly yours,

Scott Stitt, P.E.  
Acting Engineer of Design and Environment

A handwritten signature in cursive script, reading "Ted B. Walschleger, P.E.", with the initials "P.E." written in a smaller font to the right of the signature.

By: Ted B. Walschleger, P.E.  
Engineer of Project Management

FAP 350  
 00-00243-00-CH (SKOKIE)  
 COOK

ILLINOIS DEPARTMENT OF TRANSPORTATION  
 SCHEDULE OF PRICES  
 CONTRACT NUMBER - 63566

ECMS002 DTGECM03 ECMR003 PAGE 11  
 RUN DATE - 01/09/12  
 RUN TIME - 190058

ITEM NUMBER	PAY ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY	UNIT PRICE		TOTAL PRICE	
				DOLLARS	CENTS	DOLLARS	CTS
60500040	REMOV MANHOLES	EACH	1.000 X	=		=	
60500050	REMOV CATCH BAS	EACH	14.000 X	=		=	
60500060	REMOV INLETS	EACH	12.000 X	=		=	
60500405	FILL VALVE VLTS	EACH	10.000 X	=		=	
60600605	CONC CURB TB	FOOT	317.000 X	=		=	
60603800	COMB CC&G TB6.12	FOOT	4,772.000 X	=		=	
60604400	COMB CC&G TB6.18	FOOT	296.000 X	=		=	
60605000	COMB CC&G TB6.24	FOOT	553.000 X	=		=	
60618300	CONC MEDIAN SURF 4	SQ FT	2,566.000 X	=		=	
60619600	CONC MED TSB6.12	SQ FT	8,042.000 X	=		=	
60624600	CORRUGATED MED	SQ FT	2,727.000 X	=		=	
66700305	PERM SURV MKRS T2	EACH	1.000 X	=		=	
66900200	NON SPL WASTE DISPOSL *	CU YD	1,137.000 X	=		=	
66900450	SPL WASTE PLNS/REPORT	L SUM	1.000 X	=		=	
66900530	SOIL DISPOSAL ANALY *	EACH	5.000 X	=		=	

\* Revised 1-10-12

## REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES

This work shall be according to Article 669 of the Standard Specifications and the following:

Qualifications. The term environmental firm shall mean an environmental firm with at least five (5) documented leaking underground storage tank (LUST) cleanups or that is pre-qualified in hazardous waste by the Department. Documentation includes but not limited to verifying remediation and special waste operations for sites contaminated with gasoline, diesel, or waste oil in accordance with all Federal, State, or local regulatory requirements and shall be provided to the Engineer for approval. The environmental firm selected shall not be a former or current consultant or have any ties with any of the properties contained within and/or adjacent to this construction project.

General. This Special Provision will likely require the Contractor to subcontract for the execution of certain activities.

All contaminated materials shall be managed as non-special waste. This work shall include monitoring and potential sampling, analytical testing, and management of a material contaminated by regulated substances.

A) The Environmental Firm shall continuously monitor for worker protection and the Contractor shall manage and dispose of all soils excavated within the following areas as classified below. The lateral distance is measured from centerline and the farthest distance is the offset distance or construction limit whichever is less. Soil samples or analysis without the approval of the Engineer will be at no additional cost to the Department. Phase I Preliminary Engineering information is available through the District's Environmental Studies Unit.

1. Station 138+40 to Station 139+80 0 to 80 feet RT (Memorial Park Cemetery, Site 1846A-10, 9900 Gross Point Road). Possible Contaminants of concern: Lead.
2. Station 142+20 to Station 143+40 0 to 80 feet RT (EJ's Place, Site 1846A-5, 10027 Skokie Boulevard). Possible Contaminants of concern: PNAs.
3. Station 144+80 to Station 146+40 0 to 80 feet LT (Office Building, Site 1846A-3, 10024 Skokie Boulevard). Possible Contaminants of concern: PNAs and Lead.

B) The Environmental Firm shall continuously monitor for worker protection and the Contractor shall manage any excavated soils **within the construction limits of this project as fill**. Although the soil concentrations exceed a residential property's Tier 1 soil remediation objective for the ingestion exposure pathway, they can be utilized within the construction limits as fill because the roadway is not considered a residential property. All storm sewer excavated soils can be placed back into the excavated trench as backfill unless trench backfill is specified. If the soils cannot be utilized within the construction limits as fill then they must be managed off-site as a non-special waste. The following areas can be managed within the construction limits as fill.

1. Station 119+20 to Station 121+20 0 to 80 feet LT (Westfield Old Orchard Shopping Center, Site 1846A-9, 4999 Old Orchard Center) – non-special waste. Possible Contaminants of concern: Lead.
2. Station 125+00 to Station 127+00 0 to 80 feet LT (Westfield Old Orchard Shopping Center, Site 1846A-9, 4999 Old Orchard Center) – non-special waste. Possible Contaminants of concern: Lead.

3. Station 128+20 to Station 130+20 0 to 80 feet LT (Westfield Old Orchard Shopping Center, Site 1846A-9, 4999 Old Orchard Center) – non-special waste. Possible Contaminants of concern: Lead.
4. Station 141+75 to Station 143+00 0 to 80 feet LT (Office Building, Site 1846A-3, 10024 Skokie Boulevard). Possible Contaminants of concern: Lead.
5. Station 146+40 to Station 148+20 0 to 80 feet LT (Fannie Mae Candy House, Site 1846A-1, 10066 Skokie Boulevard). Possible Contaminants of concern: Arsenic and Lead.

S:\GEN\WPDOCS\GOBELMAN\Districts\Distr1\PSI\Andrews4\16sp ae3.docx  
rev December 22, 2011

*Revised 1-10-12*