

44200114 PAVEMENT PATCHING, TYPE IV, 9 INCH							
LOCATION	STATION	PIPE ID	LENGTH		WIDTH	SQ YD	
			LT	RT			
US 34							
DRIVEWAY	50' RT	77+86.46	257	34.98	36.00	6.33	50.0
DRIVEWAY	48.8' RT	98+71.01	316	48.75	41.21	5.25	53.0
							TOTAL: 103

44200970 CLASS B PATCHES, TYPE II, 10 INCH					
LOCATION	FROM STATION	OFFSET	TO STATION	OFFSET	SQ YD
US 34 AND ELDAIMAIN ROAD INTERSECTION					
					42.4
					TOTAL: 42

48101500 AGGREGATE SHOULDERS, TYPE B 6"							
LOCATION	FROM STATION	WIDTH	OFFSET	TO STATION	WIDTH	OFFSET	SQ YD
NEEDHAM ROAD							
	4+96.02	5.0	LT	6+30.99	5.0	LT	75
	6+81.24	5.0	LT	9+17.02	5.0	LT	131
	10+65.32	5.0	LT	13+49.24	5.0	LT	158
	13+83.75	5.0	LT	15+27.72	5.0	LT	51
	5+01.40	5.0	RT	8+12.53	5.0	RT	173
	10+82.98	5.0	RT	15+27.72	5.0	RT	221
							TOTAL: 808

48203021 HOT-MIX ASPHALT SHOULDERS, 6"							
LOCATION	FROM STATION	WIDTH	OFFSET	TO STATION	WIDTH	OFFSET	SQ YD
NEEDHAM ROAD							
	4+55.00	3.0	LT	9+18.13	3.0	LT	154
	4+55.00	3.0	RT	7+95.00	3.0	RT	113
	10+65.32	3.0	LT	15+27.72	3.0	LT	154
	10+81.87	3.0	RT	15+27.72	3.0	RT	149
							TOTAL: 570

50901720 BICYCLE RAILING							
LOCATION	FROM STATION	OFFSET	TO STATION	WIDTH	OFFSET	FOOT	
US 34							
	21+73.84	41.1	RT	22+57.00	48.0	RT	83
							TOTAL: 83

60603800 COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.12						
LOCATION	FROM STATION			TO STATION	FOOT	
US 34						
	32+49.42	MEDIAN		36+98.74	MEDIAN	449
	38+40.00	MEDIAN		42+96.19	MEDIAN	456
	60+60.36	MEDIAN		64+45.69	MEDIAN	385
	64+17.18	WAUBONSEE		64+73.54	WAUBONSEE	75
	64+30.29	WAUBONSEE		64+89.37	WAUBONSEE	113
	65+36.69	WAUBONSEE		65+94.16	WAUBONSEE	87
	65+45.82	WAUBONSEE		65+99.28	WAUBONSEE	94
	65+60.38	MEDIAN		69+63.63	MEDIAN	403
	81+50.37	DW RT		81+99.33	DW RT	81
	81+97.70	DW MED		82+36.24	DW MED	106
	82+10.64	DW MED		82+23.30	DW MED	46
	82+35.15	DW RT		82+83.57	DW RT	81
	90+87.37	LAKWOOD DR.		91+37.37	LAKWOOD DR	79
	90+61.37	LAKWOOD DR. MED		91+85.21	LAKWOOD DR MED.	94
	92+09.37	LAKWOOD DR.		92+59.37	LAKWOOD DR	79
	102+48.55	DW RT		102+88.53	DW RT	62
	102+91.45	DW MED		103+10.67	DW MED	52
	102+95.36	DW MED		103+06.76	DW MED	38
	103+34.97	DW RT		103+53.57	DW RT	80
NEEDHAM						
	7+95.00	RT		9+72.40	RT	231
MITCHELL DRIVE						
	27+47.00	LT		29+67.50	LT	249
	27+47.00	RT		29+67.50	RT	249
	27+48.99	MEDIAN		29+47.50	MEDIAN	406
TURNER						
	58+70.00	LT		59+67.50	LT	140
	58+70.00	RT		59+67.50	RT	126
						TOTAL: 4,262

60605000 COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.24						
LOCATION	FROM STATION	OFFSET	TO STATION	OFFSET	FOOT	
US 34 EB						
	7+00.00	RT	12+00.00	RT	500	
	12+00.00	RT	19+46.99	RT	747	
	21+69.03	RT	37+06.73	RT	1,538	
	38+21.16	RT	64+17.18	RT	2,596	
	65+94.16	RT	77+08.45	RT	1,114	
	78+64.46	RT	81+50.37	RT	286	
	82+83.56	RT	97+79.51	RT	1,496	
	99+49.51	RT	102+48.55	RT	299	
	103+53.57	RT	111+25.00	RT	771	
US 34 WB						
	7+00.00	LT	19+28.51	LT	1,229	
	21+50.55	LT	37+60.51	LT	1,610	
	38+25.11	LT	64+30.29	LT	2,605	
	65+99.28	LT	90+87.37	LT	2,488	
	92+59.37	LT	111+25.00	LT	1,866	
MEDIAN						
	25+99.87	RT	32+49.42	RT	650	
	25+99.87	LT	36+98.74	LT	1,099	
	38+40.00	RT	60+60.36	RT	2,220	
	42+96.19	LT	64+45.69	LT	2,150	
	65+78.53	RT	71+52.05	RT	574	
	69+63.63	LT	71+52.05	LT	188	
						TOTAL: 26,025

60618300 CONCRETE MEDIAN SURFACE, 4 INCH						
LOCATION	FROM STATION	WIDTH	TO STATION	WIDTH	SQ FT	
US 34						
	25+99.87	VAR	36+98.74	VAR	14,521	
	38+40.00	VAR	64+45.69	VAR	56,052	
	65+78.53	VAR	71+43.50	VAR	6,089	
RETAINING WALL						
	13+70.00	3	16+85.00	3	945	
	17+75.00	3	19+57.29	3	547	
						TOTAL: 78,154

60618390 CONCRETE MEDIAN SURFACE, CORRUGATED					
LOCATION	FROM STATION	WIDTH	TO STATION	WIDTH	SQ FT
	11+85.03	12.0	12+85.37	6.0	954
	70+85.83	0.0	72+38.06	13.0	1,530
					TOTAL: 2,484

60619600 CONCRETE MEDIAN, TYPE SB-6.12					
LOCATION	FROM STATION	WIDTH	TO STATION	WIDTH	SQ FT
TURNER AVENUE					
	58+86.33	MEDIAN	59+46.00	MEDIAN	125
					TOTAL: 125

60620000 CONCRETE MEDIAN, TYPE SB-6.24					
LOCATION	FROM STATION	WIDTH	TO STATION	WIDTH	SQ FT
US 34					
	12+85.32	6.0	19+37.75	6.0	3,915
	21+59.79	6.0	25+99.87	6.0	2,640
					TOTAL: 6,555

60625600 ISLAND PAVEMENT (6")							
LOCATION	FROM STATION	OFFSET	LT/RT	TO STATION	OFFSET	LT/RT	SQ YD
US 34							
	81+95.86	35.7	RT	82+38.08	35.7	RT	50
	82+10.23	59.2	RT	82+23.71	59.2	RT	8
	102+89.63	35.7	RT	103+12.48	36.7	RT	4
	102+94.92	44.3	RT	103+07.20	44.3	RT	4
							TOTAL: 66