

| PAVING SCHEDULE |              | LENGTH           | PAVEMENT WIDTH | AREA            | HOT-MIX ASPHALT SURFACE REMOVAL, 1 1/2" | BITUMINOUS MATERIALS (PRIME COAT) | AGGREGATE (PRIME COAT) | POLYMERIZED HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N90 |
|-----------------|--------------|------------------|----------------|-----------------|---|-----------------------------------|------------------------|--|
| STATION TO      | STATION      | FEET             | FEET           | SQ YD           |   | GALLON                            | TON                    | TON  |
| IL 48           |              |                  |                |                 |   |                                   |                        |  |
| 889+21.97       | 895+65.66    | 643.7            | 36.0           | 2,574.8         | 2574.8                                  | 128.7                             | 0.6                    | 216.3  |
| 895+65.66       | TO 899+06.00 | 340.3            | 31.0           | 1,172.3         | 1172.3                                  | 58.6                              | 0.3                    | 98.5   |
| 899+06.00       | TO 907+37.08 | 831.1            | 26.0           | 2,400.9         | 2400.9                                  | 120.0                             | 0.5                    | 201.7  |
| 907+37.08       | = 907+35.70  | STATION EQUATION |                |                 |   |                                   |                        |  |
| 907+35.70       | TO 910+22.58 | 286.9            | 26.0           | 828.8           | 828.8                                   | 41.4                              | 0.1                    | 69.6   |
| 910+22.58       | TO 915+54.42 | 531.8            | Variable       | PAVING OMISSION |   |                                   |                        |  |
| 915+54.42       | TO 919+30.00 | 375.6            | 35.0           | 1,460.6         | 1460.6                                  | 73.0                              | 0.3                    | 122.7  |
| 919+30.00       | TO 923+22.30 | 392.3            | 39.5           | 1,721.8         | 1721.8                                  | 86.1                              | 0.4                    | 144.6  |
| 923+22.30       | TO 927+31.07 | 408.8            | 44.0           | 1,998.4         | 1998.4                                  | 99.9                              | 0.4                    | 167.9  |
| 927+31.07       | = 0+00.00    | STATION EQUATION |                |                 |   |                                   |                        |  |
| 0+00.00         | TO 9+36.50   | 936.5            | 44.0           | 4,578.4         | 4578.4                                  | 228.9                             | 1.0                    | 384.6  |
| 9+36.50         | TO 13+04.12  | 367.6            | 44.0           | 1,797.3         | 1797.3                                  | 89.9                              | 0.4                    | 151.0  |
| 13+04.12        | TO 18+68.83  | 564.7            | 44.0           | 2,760.8         | 2760.8                                  | 138.0                             | 0.6                    | 231.9  |
| 18+68.83        | TO 23+14.00  | 445.2            | 50.5           | 2,497.9         | 2497.9                                  | 124.9                             | 0.6                    | 209.8  |
| 23+14.00        | TO 25+41.54  | 227.5            | Variable       | 1,352.0         | 1352.0                                  | 67.6                              | 0.3                    | 113.6  |
| 25+41.54        | TO 32+84.91  | 743.4            | Variable       | 4,344.6         | 4344.6                                  | 217.2                             | 1.0                    | 364.9  |
| 32+84.91        | TO 39+80.25  | 695.3            | 44.0           | 3,399.4         | 3399.4                                  | 170.0                             | 0.8                    | 285.6  |
| 39+80.25        | TO 41+12.27  | 132.0            | Variable       | 821.3           | 821.3                                   | 41.1                              | 0.2                    | 69.0   |
| 41+12.27        | TO 44+25.00  | 312.7            | 44.0           | 1,528.9         | 1528.9                                  | 76.4                              | 0.3                    | 128.4  |
| 44+25.00        | TO 45+25.00  | 100.0            | 48.0           | 532.7           | 532.7                                   | 26.6                              | 0.1                    | 44.8   |
| 45+25.00        | TO 48+00.00  | 275.0            | 52.0           | 1,588.9         | 1588.9                                  | 79.4                              | 0.4                    | 133.5  |
| 48+00.00        | TO 49+79.12  | 179.1            | 50.5           | 999.4           | 999.4                                   | 50.0                              | 0.2                    | 83.9   |
| 49+79.12        | TO 52+63.02  | 283.9            | 55.1           | 1,715.7         | 1715.7                                  | 85.8                              | 0.4                    | 144.1  |
| 52+63.02        | TO 55+17.32  |                  | Variable       | 2,194.1         | 2194.1                                  | 109.7                             | 0.5                    | 184.3  |
| 55+17.32        | TO 57+07.00  | 189.7            | 60.8           | 1,250.4         | 1250.4                                  | 62.5                              | 0.3                    | 105.0  |
| 57+07.00        | TO 59+63.00  | 256.0            | 49.0           | 1,405.5         | 1405.5                                  | 70.3                              | 0.3                    | 118.1  |
| 59+63.00        | TO 60+95.00  | 132.0            | Variable       | 755.2           | 755.2                                   | 37.8                              | 0.2                    | 63.4   |
| E. SUNSET AVE.  |              |                  |                |                 |   |                                   |                        |  |
| 5+22.00         | TO 5+51.97   | 30.0             | Variable       | 132.9           | 132.9                                   | 6.6                               | 0.0                    | 11.2   |
| (WEST) MAIN ST. |              |                  |                |                 |   |                                   |                        |  |
| 49+10.43        | TO 49+73.42  | 63.0             | Variable       | 531.4           | 531.4                                   | 26.6                              | 0.1                    | 44.6   |
| (EAST) MAIN ST. |              |                  |                |                 |   |                                   |                        |  |
| 50+31.44        | TO 50+56.54  | 25.1             | Variable       | 288.8           | 288.8                                   | 14.4                              | 0.1                    | 24.3   |
| SHEET TOTALS    |              |                  |                |                 |   |                                   |                        |  |
|                 |              | 9,769            |                | 46,633          | 46,633                                  | 2,332                             | 10                     | 3,917  |

CITY  
CITY  
CITY

PAVEMENT MARKING REMOVAL SCHEDULE

| LOCATION   | LENGTH FOOT | DBL 4" YELLOW SQ FOOT | 6" WHITE SQ FOOT | 12" YELLOW SQ FOOT | 24" WHITE SQ FOOT | AREA SQ FT        |
|--|-------------|-----------------------|------------------|--------------------|-------------------|-------------------|
| IL 48  |             |                       |                  |                    |                   |                   |
| 908+09.58 TO 910+22.58                                     | 213.0       | 142.0                 |                  |                    |                   | 142.0             |
| 910+22.58 TO 912+46.00                                     | 223.4       | 149.0                 |                  |                    |                   | 149.0             |
| 912+46.00 TO 915+29.52                                     | 283.5       | 372.2                 |                  | 81.9               |                   | 454.1             |
| 915+29.52 TO 915+34.42                                     | 4.9         |                       |                  |                    | 28.2              | 28.2              |
| 916+50.00 TO 917+39.92                                     | 89.9        | 60.0                  | 45.0             |                    | 46.0              | 150.9             |
| 908+09.58 TO 917+39.93 CENTERLINE, MEDIAN, STOP BARS, ECT. |             |                       |                  |                    |                   | FOR TRAFFIC CNTL  |
|  |             |                       |                  |                    |                   | PROJECT TOTAL 924 |

PRIZMATIC CURB REFLECTORS SCHEDULE

| LOCATION             | LENGTH | QUANTITY (AMBER) | QUANTITY (CRYSTAL) | EACH |
|----------------------|--------|------------------|--------------------|------|
| IL 48                |        |                  |                    |      |
| 30+34.21 TO 30+82.58 | 48.4   | 10               |                    | 10   |
| 40+79.80 TO 44+53.00 | 373.2  |                  |                    |      |
| 44+53.00 TO 48+12.40 | 359.4  |                  |                    |      |
| 48+12.40 TO 53+61.89 | 549.5  | 35               |                    | 35   |
| 53+61.89 TO 54+27.13 | 65.2   |                  |                    |      |
| 54+27.13 TO 55+85.10 | 158.0  | 13               |                    | 13   |
| 55+85.10 TO 59+88.40 | 403.3  | 27               |                    | 27   |
| TOTAL =              |        |                  |                    | 85   |
| AMBER                |        |                  |                    | 85   |
| CRYSTAL              |        |                  |                    | 0    |

RAISED REFLECTIVE PAVEMENT MARKER (BRIDGE) SCHEDULE

| LOCATION               | LENGTH | QUANTITY 2-Way (AMBER) | QUANTITY 1-Way (AMBER) | QUANTITY 1-Way (CRYSTAL) | EACH |
|------------------------|--------|------------------------|------------------------|--------------------------|------|
| IL 48                  |        |                        |                        |                          |      |
| 907+35.70 TO 912+46.00 | 510.3  | 12                     |                        |                          | 12   |
| 912+46.00 TO 915+29.50 | 283.5  | 1                      | 15                     |                          | 16   |
| PROJECT TOTAL =        |        |                        |                        |                          | 28   |