



SOIL BORING LOG

Page 2 of 2

Date 5/18/11

ROUTE FAP 103 DESCRIPTION IL 15 over IL 13 (Freeburg Avenue) and CN-IC RR LOGGED BY KEG
SECTION 27-1-VHB-1 LOCATION Belleville, Illinois
COUNTY St. Clair DRILLING METHOD CME 550 w/HSA HAMMER TYPE Automatic

Table with columns for STRUCT. NO., BORING NO., Station, Offset, Ground Surface Elev., and soil test results (D, B, U, M, T, W, S, Qu, H, W, S, Qu, H, W, S, Qu, H, W, S, Qu). Includes soil descriptions like CLAYEY SILT and CLAYEY SHALE.

The Unconfined Compressive Strength (UCS) Failure Mode is indicated by (B-Bulge, S-Shear, P-Penetrometer)
The SPT (N value) is the sum of the last two blow values in each sampling zone (AASHTO T206)
BBS, form 137 (Rev. 8-99)



SOIL BORING LOG

Page 1 of 3

Date 5/17/11

ROUTE FAP 103 DESCRIPTION IL 15 over IL 13 (Freeburg Avenue) and CN-IC RR LOGGED BY KEG
SECTION 27-1-VHB-1 LOCATION Belleville, Illinois
COUNTY St. Clair DRILLING METHOD CME 550 w/HSA HAMMER TYPE Automatic

Table with columns for STRUCT. NO., BORING NO., Station, Offset, Ground Surface Elev., and soil test results (D, B, U, M, T, W, S, Qu, H, W, S, Qu, H, W, S, Qu, H, W, S, Qu). Includes soil descriptions like FILL: Brown silty clay and CLAY: Gray, trace pebbles.

The Unconfined Compressive Strength (UCS) Failure Mode is indicated by (B-Bulge, S-Shear, P-Penetrometer)
The SPT (N value) is the sum of the last two blow values in each sampling zone (AASHTO T206)
BBS, form 137 (Rev. 8-99)



SOIL BORING LOG

Page 2 of 3

Date 5/17/11

ROUTE FAP 103 DESCRIPTION IL 15 over IL 13 (Freeburg Avenue) and CN-IC RR LOGGED BY KEG
SECTION 27-1-VHB-1 LOCATION Belleville, Illinois
COUNTY St. Clair DRILLING METHOD CME 550 w/HSA HAMMER TYPE Automatic

Table with columns for STRUCT. NO., BORING NO., Station, Offset, Ground Surface Elev., and soil test results (D, B, U, M, T, W, S, Qu, H, W, S, Qu, H, W, S, Qu, H, W, S, Qu). Includes soil descriptions like CLAY: Brown and gray and SILTY CLAY: Brown and gray.

The Unconfined Compressive Strength (UCS) Failure Mode is indicated by (B-Bulge, S-Shear, P-Penetrometer)
The SPT (N value) is the sum of the last two blow values in each sampling zone (AASHTO T206)
BBS, form 137 (Rev. 8-99)

FILE NAME = 0820117-0118-76884-060-Boring_Logs.dgn



Table with columns for USER NAME, DESIGNED, CHECKED, DRAWN, PLOT SCALE, PLOT DATE, REVISED, and REVISIONS.

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

BORING LOGS STRUCTURE NO. 082-0117 (E.B.) & 082-0118 (W.B.)

SHEET NO. S-60 OF S-62 SHEETS

Table with columns for F.A.P. RTE., SECTION, COUNTY, TOTAL SHEETS, SHEET NO., CONTRACT NO., and ILLINOIS FED. AID PROJECT.