



RETAINING WALL SYSTEM

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
742	37R-2	OGLE	389	140
STA.		TO STA.		
FED. ROAD DIST. NO.		ILLINOIS	FED. AID PROJECT	
CONTRACT #64157				



LOCATION	FOUNDATION FACE OFFSET C.L.	ELEV. @ TOP FOUNDATION	FACE OFFSET C.L. @ PR. GROUND LEVEL	PR. GROUND ELEV.	TOP BLOCK FACE OFFSET C.L.	TOP OF BLOCK ELEV.
33+653	LT 8.64	217.618	LT 8.90	218.101	LT 9.045	218.674
33+660	LT 8.64	217.618	LT 8.90	218.101	LT 9.045	218.674
33+670	LT 8.64	217.618	LT 8.90	218.095	LT 9.125	218.849
33+680	LT 8.56	217.443	LT 8.82	218.001	LT 9.195	219.024
33+690	LT 8.60	217.443	LT 8.82	217.908	LT 9.195	218.999
33+700	LT 8.60	217.268	LT 8.84	217.804	LT 9.205	218.849
33+710	LT 10.51	217.093	LT 10.74	217.675	LT 11.115	218.674
LINCOLN						
10+020	LT 8.22	217.091	LT 8.37	217.656	LT 8.595	218.324
10+25.85	LT 8.22	217.268	LT 8.54	217.856	LT 8.595	218.323
10+29.8	LT 8.22	217.268	LT 8.54	217.856	LT 8.595	218.323

NOTE:

DESIGN COMPUTATIONS AND SHOP PLANS MUST BE SUBMITTED AND APPROVED BY THE ENGINEER PRIOR TO CONSTRUCTION.


REINFORCED CONCRETE FOOTING SHALL BE USED FOR THE LEVELING PAD.

DIMENSIONS WILL VARY DEPENDING ON THE TYPE OF CONCRETE BLOCK USED.

CAP BLOCKS ARE REQUIRED ON THE TOP COURSE OF STANDARD BLOCK.

REFER TO SPECIAL REVISION; SEGMENTAL CONCRETE BLOCK WALL, FOR OTHER DETAILS

THIS RETAINING WALL SYSTEM SHALL BE PAID FOR AT THE CONTRACT UNIT PER SQ. METER FOR "SEGMENTAL CONCRETE BLOCK WALL" AS SHOWN HERE AND AS STATED IN THE SPECIAL PROVISIONS.



Mon Aug 30 07:28:36 2004
 c:\projects\2004\85\stair.mxd

RETAINING WALL SYSTEM