



- LEGEND**
- ① PROPOSED PORTLAND CEMENT CONCRETE SHOULDER, 12 1/4" (48300705)
 - ② PROPOSED STABILIZED SUBBASE - HOT-MIX ASPHALT, 4 1/2" (31200502)
 - ③ PROPOSED AGGREGATE SUBGRADE, 12" (20001050)
 - ④ PROPOSED CONCRETE BARRIER, DOUBLE FACE, 42 INCH HEIGHT (63700275)
 - ⑤ PROPOSED CONCRETE BARRIER, VARIABLE CROSS SECTION, 42" HEIGHT (X6370250)
 - ⑥ PROPOSED CONCRETE BARRIER, DOUBLE FACE (SPECIAL) (X0326445)
 - ▨ CLASS A PATCHES, 12 1/4"

NOTES:
SHOULDER CROSS-SLOPES INDICATED AT STATIONS ENDING IN +00 AND +50 THROUGHOUT SHOULDER WARPING AREAS.

TOP OF WALL	888+00	889+00	890+00	891+00	892+00	893+00	894+00	895+00	896+00	897+00	898+00	899+00	900+00	901+00	902+00	903+00												
689.26	689.02	688.84	688.64	688.45	688.38	688.30	688.36	688.41	688.41	688.59	688.76	688.94	689.12	689.29	689.47	689.65	689.83	690.01	690.19	690.37	690.55	690.73	690.91	691.09	691.27			
695																											695	
690																											690	
685																											685	
680																											680	
WB PCL	686.24	685.99	685.76	685.57	685.33	685.14	684.95	684.74	684.56	684.37	684.18	684.00	683.81	683.62	683.43	683.24	683.05	682.86	682.67	682.48	682.29	682.10	681.91	681.72	681.53	681.34	681.15	680.96
EB PCL	686.21	685.94	685.74	685.56	685.37	685.18	684.99	684.80	684.61	684.42	684.23	684.04	683.85	683.66	683.47	683.28	683.09	682.90	682.71	682.52	682.33	682.14	681.95	681.76	681.57	681.38	681.19	681.00
WB CMB BASE	685.76	685.52	685.34	685.14	684.95	684.76	684.56	684.37	684.18	683.99	683.80	683.61	683.42	683.23	683.04	682.85	682.66	682.47	682.28	682.09	681.90	681.71	681.52	681.33	681.14	680.95	680.76	680.57
EB CMB BASE	685.71	685.47	685.30	685.11	684.92	684.73	684.54	684.35	684.16	683.97	683.78	683.59	683.40	683.21	683.02	682.83	682.64	682.45	682.26	682.07	681.88	681.69	681.50	681.31	681.12	680.93	680.74	680.55
WB POL	686.24	685.99	685.76	685.57	685.33	685.14	684.95	684.74	684.56	684.37	684.18	684.00	683.81	683.62	683.43	683.24	683.05	682.86	682.67	682.48	682.29	682.10	681.91	681.72	681.53	681.34	681.15	680.96
EB POL	686.21	685.94	685.74	685.56	685.37	685.18	684.99	684.80	684.61	684.42	684.23	684.04	683.85	683.66	683.47	683.28	683.09	682.90	682.71	682.52	682.33	682.14	681.95	681.76	681.57	681.38	681.19	681.00

<p>Ciorba Group, Inc. CONSULTING ENGINEERS 607 North Commercial Avenue, Suite 402 Chicago, IL 60610 Tel: 773.775.4209 Fax: 773.775.4014 Email: cgroup@ciorba.com</p>	ENGINEERING CONSULTANT	USER NAME = jk.jeliman	DESIGNED - CRC	REVISED -	<p align="center">STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION</p> <p align="center">F.A.I. 80 FROM NS RAILROAD TO US 45 ROADWAY PLAN & PROFILE</p>	F.A.I. RTE. = 80	SECTION = 99(5&5-1) Y-1	COUNTY = WILL	TOTAL SHEETS = 309	SHEET NO. = 36
	<p>PLOT SCALE = 50.0000' / IN.</p> <p>PLDT DATE = 10/28/2010</p>	CHECKED - MRJ	REvised -	<p>SCALE: 1" = 50'</p> <p>SHEET NO. OF SHEETS</p> <p>STA. 888+00 TO STA. 903+00</p>		CONTRACT NO. 60M59		ILLINOIS FED. AID PROJECT		