

TEMPORARY DITCH CHECKS

STATION	OFFSET	ALIGNMENT	LENGTH (FOOT)
11+50.00	LT	Cameron	48
338+00.00	RT	US24	37
338+00.00	LT	US24	37
339+00.00	LT	US24	37
341+50.00	LT	US24	26
342+50.00	LT	US24	31
TOTAL			216

INLET AND PIPE PROTECTION

STATION	OFFSET	ALIGNMENT	EACH
8+53.92	RT	Cameron	1
11+11.01	RT	Cameron	1
340+99.25	LT	US24	1
TOTAL			3

INLET FILTERS

STATION	OFFSET	ALIGNMENT	EACH
338+08.42	RT	US24	1
336+12.93	RT	US24	1
336+32.00	RT	US24	1
336+32.00	LT	US24	1
339+00.13	LT	US24	1
339+04.84	RT	US24	1
339+45.00	RT	US24	1
339+45.00	LT	US24	1
340+80.79	RT	US24	1
341+00.00	RT	US24	1
342+67.11	RT	US24	1
TOTAL			11

END SECTION 18"

STATION	OFFSET	ALIGNMENT	EACH
336+65	RT	US24	1
339+45	RT	US24	1
341+00	RT	US24	1
TOTAL			3

CATCH BASIN, TYPE A, 4'-DIAMETER, TYPE 11 FRAME AND GRATE

STATION	OFFSET	ALIGNMENT	EACH
336+32	RT	US24	1
339+45	RT	US24	1
341+00	RT	US24	1
TOTAL			3

PRECAST REINFORCED CONCRETE FLARED END SECTIONS 24"

STATION	OFFSET	ALIGNMENT	EACH
340+00	LT	US24	1
341+00	LT	US24	1
TOTAL			2

PRECAST REINFORCED CONCRETE FLARED END SECTIONS 30"

STATION	OFFSET	ALIGNMENT	EACH
8+54	RT	Cameron	1
TOTAL			1

PRECAST REINFORCED CONCRETE FLARED END SECTIONS 36"

STATION	OFFSET	ALIGNMENT	EACH
11+11	RT	Cameron	1
TOTAL			1

CAST IN PLACE REINFORCED CONCRETE END SECTIONS 36"

STATION	OFFSET	ALIGNMENT	EACH
11+09	LT	Cameron	1
TOTAL			1

GRATING FOR CONCRETE FLARED END SECTIONS 24"

STATION	OFFSET	ALIGNMENT	EACH
340+00	LT	US24	1
341+00	LT	US24	1
TOTAL			2

GRATING FOR CONCRETE FLARED END SECTIONS 30"

STATION	OFFSET	ALIGNMENT	EACH
8+54	RT	Cameron	1
TOTAL			1

GRATING FOR CONCRETE FLARED END SECTIONS 36"

STATION	OFFSET	ALIGNMENT	EACH
11+11	RT	Cameron	1
TOTAL			1

FRAMES AND LIDS TO BE ADJUSTED

STATION	OFFSET	ALIGNMENT	EACH
333+08	RT	US24	1
342+67	RT	US24	1
TOTAL			2

DELINEATORS

STATION	OFFSET	ALIGNMENT	EACH
9+21.14	LT	Cameron	1
12+25.00	LT	Cameron	1
18+82.85	LT	Wheeler	1
18+82.85	RT	Wheeler	1
341+34.71	LT	US24	1
12+10.25	RT	Cameron	1
8+54	RT	Cameron	1
11+11	RT	Cameron	1
11+09	LT	Cameron	1
336+65	RT	US24	1
339+73	RT	US24	1
341+00	RT	US24	1
19+03	RT	Wheeler	1
19+36	LT	Wheeler	1
TOTAL			14

CHANGEABLE MESSAGE SIGN

JOB SITE	24	CAL MO
----------	----	--------

ENGINEER'S FIELD OFFICE, TYPE A

CONSTRUCTION TIME	12	CAL MO
-------------------	----	--------

MOBILIZATION

JOB SITE	1	LSUM
----------	---	------

TRAFFIC CONTROL AND PROTECTION

JOB SITE	1	LSUM
----------	---	------

INLETS, TYPE A, TYPE 11 FRAME AND GRATE

STATION	OFFSET	ALIGNMENT	EACH
336+32	RT	US24	1
339+45	RT	US24	1
TOTAL			2

TRAFFIC CONTROL SURVEILLANCE

JOB SITE	40	CAL DA
----------	----	--------

WORK ZONE PAVEMENT MARKING REMOVAL

TYPE	AREA FT <sup>2</sup>	
SHORT-TERM PAVEMENT MARKING	10950	
TEMPORARY PAVEMENT MARKING	3229	
PAVEMENT MARKING TAPE, TYPE III	10310	
TOTAL		24489

SIGN PANEL - TYPE 1

S Cameron Ln NW Quad - STOP Sign	2.3	SQ FT
----------------------------------	-----	-------

REMOVING SIGN PANEL ASSEMBLY - TYPE A

S Cameron Ln NW Quad	1	EACH
----------------------	---	------

TELESCOPING STEEL SIGN SUPPORT

S Cameron Ln NW Quad	18	FOOT
----------------------	----	------

BASE FOR TELESCOPING STEEL SIGN SUPPORT

S Cameron Ln NW Quad	1	EACH
----------------------	---	------

GUARDRAIL MARKERS, TYPE A

TYPE A GUARDRAIL	426	FOOT
TYPE D GUARDRAIL	2459	FOOT
SHORT RADIUS GUARDRAIL	444	FOOT
TOTAL GUARDRAIL	3329	FOOT
GUARDRAIL MARKERS	72	EACH

PERMANENT SURVEY MARKERS, TYPE I

PROPOSED BRIDGE	1	EACH
-----------------	---	------

PERMANENT SURVEY MARKERS, TYPE II

JOB SITE	4	EACH
----------	---	------

PLAN  
DATE  
BY  
CHECKED  
DATE  
BY  
REVISIONS

PROFILE  
DATE  
BY  
CHECKED  
DATE  
BY  
REVISIONS