

* THICKNESS SHOWN FOR INFORMATION ONLY.

SCHEDULES OF QUANTITIES

HOT-MIX ASPHALT AND HOT-MIX ASPHALT SURFACE REMOVAL (SHEET 7 OF 8)

EASTBOUND DRIVING SHOULDER

LOCATION	STA.	TO	STA.	LENGTH (FEET)	WIDTH (FEET)	AREA (SQ YD)	* BINDER THICKNESS (IN)	SURFACE THICKNESS (IN)	BIT. MATLS (PRIME COAT) 40600100 (GALLONS)	AGGREGATE (PRIME COAT) 40600300 (TON)	HMA SURFACE REMOVAL, BUTT JOINT 40600982 (SQ YD)	HMA SURFACE REMOVAL, 1 1/2" 44000155 (SQ YD)	HMA SURFACE REMOVAL, 1 3/4" 44000156 (SQ YD)	HOT-MIX ASPHALT SHOULDERS 48203100 (TON)
EBDS	737+00.		737+52.5	52.5	10.0	58.3	0	1.75	5.8	0.12	58.33			5.7
EBDS	737+52.5		778+85.97	4,133.5	10.0	4,592.7	0	1.75	459.3	9.19				450.1
EBDS	778+85.97		779+38.47	52.5	10.0	58.3	0	1.75	5.8	0.12	58.33			5.7
EBDS	779+38.47		781+58.39	219.9										
OMMISION S.N. 057-0120 INLAY	EBDS	781+58.39	1037+74.25	25,615.9	10.0	28,462.1	0	1.5	2,846.2	56.92		28,462.1		2,390.8
OMMISION S.N. 057-0125	EBDS	1037+74.25	1040+25.25	251.0										
	EBDS	1040+25.25	1040+77.75	52.5	10.0	58.3	0	1.75	5.8	0.12	58.33			5.7
	EBDS	1040+77.75	1088+37.5	4,759.8	10.0	5,288.6	0	1.75	528.9	10.58				518.3
TRANS UNDER S.N. 057-0127	EBDS	1088+37.5	1088+90.	52.5	10.0	58.3	0	1.75	5.8	0.12		58.3		5.7
TRANS UNDER S.N. 057-0127	EBDS	1088+90.	1092+05.	315.0	10.0	350.0	0	1.75	35.0	0.70		350.0		34.3
TRANS UNDER S.N. 057-0127	EBDS	1092+05.	1092+57.5	52.5	10.0	58.3	0	1.75	5.8	0.12		58.3		5.7
	EBDS	1092+57.5	1110+47.5	1,790.0	10.0	1,988.9	0	1.75	198.9	3.98				194.9
	EBDS	1110+47.5	1111+00.	52.5	10.0	58.3	0	1.75	5.8	0.12	58.33			5.7
EBDS TOTALS =									4,103.2	82.1	233.3	28,462.1	466.7	3,622.7

EASTBOUND PASSING SHOULDER

LOCATION	STA.	TO	STA.	LENGTH (FEET)	WIDTH (FEET)	AREA (SQ YD)	* BINDER THICKNESS (IN)	SURFACE THICKNESS (IN)	BIT. MATLS (PRIME COAT) 40600100 (GALLONS)	AGGREGATE (PRIME COAT) 40600300 (TON)	POLYMERIZED HMA SURFACE COURSE, MIX "C", N90 40603320 (TON)	HMA SURFACE REMOVAL, BUTT JOINT 40600982 (SQ YD)	HMA SURFACE REMOVAL, 1 1/2" 44000155 (SQ YD)	HMA SURFACE REMOVAL, 1 3/4" 44000156 (SQ YD)	HMA SURFACE REMOVAL, 2 1/4" 44000158 (SQ YD)	HOT-MIX ASPHALT SHOULDERS 48203100 (TON)
EBPS	737+00.		737+52.5	52.5	4.0	23.3	0	1.75	2.3	0.05		23.33				2.3
EBPS	737+52.5		772+00.	3,447.5	4.0	1,532.2	0	1.75	153.2	3.06						150.2
EBPS	772+00.		778+85.97	686.0	6.0	457.3	0	1.75	45.7	0.91						44.8
EBPS	778+85.97		779+38.47	52.5	6.0	35.0	0	1.75	3.5	0.07		35.00				3.4
EBPS	779+38.47		781+58.39	219.9												
OMMISION S.N. 057-0120 INLAY	EBPS	781+58.39	1037+74.25	25,615.9	6.0	17,077.2	0	1.5	1,707.7	34.15		17,077.2				1,434.5
OMMISION S.N. 057-0125	EBPS	1037+74.25	1040+25.25	251.0												
	EBPS	1040+25.25	1040+77.75	52.5	6.0	35.0	0	1.75	3.5	0.07		35.00				3.4
	EBPS	1040+77.75	1088+37.5	4,759.8	6.0	3,173.2	0	1.75	317.3	6.35						311.0
TRANS UNDER S.N. 057-0127	EBPS	1088+37.5	1088+90.	52.5	6.0	35.0	0	1.75	3.5	0.07			35.0			3.4
TRANS UNDER S.N. 057-0127	EBPS	1088+90.	1092+05.	315.0	6.0	210.0	0	1.75	21.0	0.42			210.0			20.6
TRANS UNDER S.N. 057-0127	EBPS	1092+05.	1092+57.5	52.5	6.0	35.0	0	1.75	3.5	0.07			35.0			3.4
	EBPS	1097+57.5	1110+47.5	1,290.0	6.0	860.0	0	1.75	86.0	1.72						84.3
	EBPS	1110+47.5	1111+00.	52.5	6.0	35.0	0	1.75	3.5	0.07		35.00				3.4
	EBPS 4' INLAY	737+00.	779+38.47	4,238.5	4.0	1,883.8	2.25	0	188.4	3.77	237.35				1,883.8	
	EBPS 4' INLAY	1040+25.25	1116+00.	7,574.8	4.0	3,366.6	2.25	0	336.7	6.73	424.19				3,366.6	
EBPS TOTALS =									2,875.9	57.5	661.5	128.3	17,077.2	280.0	5,250.3	2,064.7