

MEDIAN REMOVAL				
LOCATION				AREA (SQ FT)
BL-55				
STA 301+97.89	TO	STA 302+07.17	NOSE	45.4
STA 303+03.23	TO	STA 303+05.73	NOSE	8.0
RAMP A				
STA 32+08		ISLAND	NOSE	12.8
STA 32+52		ISLAND	NOSE	9.6
STA 32+68		ISLAND	PAVT	77.8
RAMP C				
STA 19+97		ISLAND	NOSE	30.3
STA 20+13		ISLAND	NOSE	27.2
TOTAL				211

COMBINATION CURB & GUTTER REMOVAL				
LOCATION				LENGTH (FOOT)
BL-55				
STA 300+00.33	TO	STA 301+97.89	MEDIAN	197.6
RAMP A				
STA 31+28.45	TO	STA 32+42.37	RADIUS	153.0
STA 32+09.18	TO	STA 32+65.63	ISLAND	103.0
STA 32+10.01	TO	STA 32+50.18	ISLAND	42.3
STA 32+53.40	TO	STA 32+65.63	ISLAND	107.7
RAMP C				
STA 19+38.72	TO	STA 20+31.62	RADIUS	123.4
STA 19+99.23	TO	STA 20+10.01	ISLAND	13.3
STA 20+00.38	TO	STA 20+09.72	ISLAND	9.5
STA 20+09.72	TO	STA 20+12.31	ISLAND	8.8
TOTAL				759

GUARDRAIL REMOVAL				
LOCATION				LENGTH (FOOT)
NORTH BOUND				
STA 303+25	TO	STA 307+00	RT	374.6
STA 349+25	TO	STA 350+65	LT	140.7
STA 349+49	TO	STA 350+65	RT	116.3
STA 351+52	TO	STA 352+80	LT	127.9
STA 351+52	TO	STA 352+80	RT	127.9
SOUTH BOUND				
STA 305+28	TO	STA 309+20	LT	392.3
TOTAL				1,280 *

CONC MEDIAN SURFACE REMOVAL				
LOCATION				AREA (SQ FT)
BL-55				
STA 301+33	TO	STA 301+98	MEDIAN	262.0
STA 303+06	TO	STA 305+50	MEDIAN	1,131.5
RAMP A				
STA 32+44		ISLAND		1,818.7
RAMP C				
STA 20+07		ISLAND		80.8
TOTAL				3,293

CURB REMOVAL				
LOCATION				LENGTH (FOOT)
BL-55				
STA 298+50.00	TO	STA 301+97.89	MEDIAN	347.9
STA 303+05.73	TO	STA 305+50.00	MEDIAN	488.5
TOTAL				836

PAVED SHOULDER REMOVAL					
LOCATION			LEFT SHOULDER WIDTH (FOOT)	RIGHT SHOULDER WIDTH (FOOT)	PAVED SHLDR REM (SQ YD)
BL-55					
NORTH BOUND LANES					
STA 312+28	TO	STA 317+92	6.0		376.0
STA 332+06	TO	STA 336+42	1.0		48.4
STA 331+65	TO	STA 336+90		2.0	116.7
STA 337+55	TO	STA 338+22		2.0	15.0
TOTAL					556

CONCRETE MEDIAN SURFACE, 4"			AREA (SF)	
LOCATION				
BL 55				
MEDIAN				
STA 301+32.53	TO	STA 301+97.89	262.0	
STA 301+97.89	TO	STA 302+07.17	NOSE	45.4
STA 303+25.18	TO	STA 303+31.17	NOSE	24.9
STA 303+31.17	TO	STA 305+50.00		976.8
RAMP A				
STA 32+05.70	TO	STA 32+53.26	1845.4	
RAMP C				
STA 19+94.33	TO	STA 20+12.47	144.5	
TOTAL			3,299	

EARTHWORK SCHEDULE				
LOCATION	EARTH EXCAVATION	EXCAVATION ADJUSTED FOR SHRINKAGE (25%)	EMBANKMENT	EARTHWORK BALANCE
				WASTE (+) OR SHORTAGE (-)
				(-) = FURNISHED EX CU YDS
BL-55 SHOULDER BY OVERPASS				
STA 302+75	TO	STA 305+00	0	504
BL-55 DITCH				
STA 319+25	TO	STA 332+75	900	675
BL-55 TURN LANE				
STA 333+00	TO	STA 336+50	3 *	2
SUDDUTH ROAD				
STA 8+50	TO	STA 10+00	270 *	202
WOLF CREEK				
STA 10+13	TO	STA 10+60	243 *	183
TOTALS			1,415	1,062

CONCRETE CURB, TYPE B				
LOCATION				LENGTH (FOOT)
BL-55				
STA 298+50.00	TO	STA 301+97.97	MEDIAN	348.0
STA 303+31.10	TO	STA 305+50.00	MEDIAN	437.8
TOTAL				786

COMBINATION CONCRETE CURB & GUTTER, M-6.06				
LOCATION				LENGTH (FOOT)
RAMP A				
STA 32+10.08	TO	STA 32+71.32	ISLAND	103.0
STA 32+11.13	TO	STA 32+48.82	ISLAND	42.3
STA 32+53.62	TO	STA 32+71.32	ISLAND	107.7
RAMP C				
STA 19+98.84	TO	STA 20+14.46	ISLAND	18.0
TOTAL				271

COMBINATION CONCRETE CURB & GUTTER, M-6.18				
LOCATION				LENGTH (FOOT)
RAMP C				
STA 20+00.07	TO	STA 20+05.79	ISLAND	5.7
TOTAL				6

COMBINATION CONCRETE CURB & GUTTER, M-6.24				
LOCATION				LENGTH (FOOT)
BL-55				
STA 300+00.33	TO	STA 301+97.75	MEDIAN	197.4
RAMP A				
STA 31+28.45	TO	STA 32+42.37	RADIUS	153.0
RAMP C				
STA 20+12.06	TO	STA 20+14.46	ISLAND	10.1
TOTAL				361

* SAFETY FUNDS