TRAFFIC SIGNAL LEGEND

ITEM	REMOVAL	EXISTING	PROPOSED	ITEM	REMOVAL	EXISTING	PROPOSED	ITEM	REMOVAL	EXISTING	PROPOSED
CONTROLLER CABINET	\bowtie R			EMERGENCY VEHICLE LIGHT DETECTOR	R≪	\ll	•	ELECTRIC CABLE IN CONDUIT, TRACER, NO. 14 1/C, UNLESS NOTED OTHERWISE			
RAILROAD CONTROL CABINET		R R		CONFIRMATION BEACON	R_{o-0}	0—()	•				
COMMUNICATIONS CABINET	C C	ECC	CC	HANDHOLE	R 🖂			COAXIAL CABLE		- 0-	— <u>c</u> —
MASTER CONTROLLER		EMC	MC		R.			VENDOR CABLE FOR CAMERA		—(v)—	
MASTER MASTER CONTROLLER	R	ЕММС	MMC	HEAVY DUTY HANDHOLE	D	H	H				
UNINTERRUPTIBLE POWER SUPPLY	UPS	EUPS	UPS	DOUBLE HANDHOLE	*\D\ R (0)		o o	COPPER INTERCONNECT CABLE, NO. 18 3 PAIR TWISTED, SHIELDED		<u>—</u> 6—	<u>—6</u> —
SERVICE INSTALLATION, (P) POLE OR (G) GROUND MOUNT	-□ ^R	- <u></u> -	- 	JUNCTION BOX GALVANIZED STEEL CONDUIT	<u> </u>		9	FIBER OPTIC CABLE NO. 62.5/125, MM12F		—(12F)—	
TELEPHONE CONNECTION (P) POLE OR (G) GROUND MOUNT	R	P	P	IN TRENCH (T) OR PUSHED (P) TEMPORARY SPAN WIRE, TETHER WIRE,	R		maken robots selam secure sec	FIBER OPTIC CABLE NO. 62.5/125, MM12F SM12F		—24F—	(24F)
STEEL MAST ARM ASSEMBLY AND POLE	R O	0	•	AND CABLE	***************************************			FIBER OPTIC CABLE NO. 62.5/125,		·	
ALUMINUM MAST ARM ASSEMBLY AND POLE	R			COMMON TRENCH			СТ	(NUMBER OF FIBERS & TYPE TO BE		-	
STEEL COMBINATION MAST ARM ASSEMBLY AND POLE WITH LUMINAIRE	^R O-> →	OX	•	COILABLE NONMETALLIC CONDUIT (EMPTY) SYSTEM ITEM		S	CNC S	NOTED ON PLANS) GROUND ROD AT (C) CONTROLLER, (I) MANDING F (P) POST (A) MAST ARM		C _I —∘	^C ıl⊢•
STEEL COMBINATION MAST ARM ASSEMBLY AND POLE WITH PTZ CAMERA	R PTZM	PTZ 1	PTZ	INTERSECTION ITEM		I	IP	(H) HANDHOLE, (P) POST, (M) MAST ARM, OR (S) SERVICE		11	"
SIGNAL POST	R O	0	•	REMOVE ITEM	R			CONTROLLER CABINET AND FOUNDATION TO BE REMOVED	RCF		
TEMPORARY WOOD POLE (CLASS 5 OR	○ R ⊗	8	③	RELOCATE ITEM	RL						
BETTER) 45 FOOT (13.7m) MINIMUM GUY WIRE	× R	>	>	ABANDON ITEM 12" (300mm) TRAFFIC SIGNAL SECTION	А	R	R	STEEL MAST ARM POLE AND FOUNDATION TO BE REMOVED	O RMF		
SIGNAL HEAD	R - >	>	_ -	TE (SSS), MIN THE SECOND SECOND				ALUMINUM MAST ARM POLE AND FOUNDATION TO BE REMOVED	RMF		
SIGNAL HEAD CONSTRUCTION STAGES (NUMBERS INDICATE THE CONSTRUCTION STAGE)	>		2	12" (300mm) RED WITH 8" (200mm) YELLOW AND GREEN TRAFFIC SIGNAL FACE		(R)		STEEL COMBINATION MAST ARM ASSEMBLY AND POLE WITH LUMINAIRE AND	RMF		
SIGNAL HEAD WITH BACKPLATE	R +∆	+□>	+▶			R	R	FOUNDATION TO BE REMOVED	0-¤		
SIGNAL HEAD OPTICALLY PROGRAMMED	R →~''P''	— > <i>ı</i> ıpıı	- - "P"	SIGNAL FACE			Y G	SIGNAL POST AND FOUNDATION	RMF		
FLASHER INSTALLATION (S DENOTES SOLAR POWER)	R O-(>"F"	0-t>"F"	● ● "F"			••	4 Y	TO BE REMOVED INTERSECTION & SAMPLING	Ü	IS	IS
PEDESTRIAN SIGNAL HEAD	R	-				R	R	(SYSTEM) DETECTOR SAMPLING (SYSTEM) DETECTOR		[s]	S
PEDESTRIAN PUSHBUTTON DETECTOR	R (6)	©	©	SIGNAL FACE WITH BACKPLATE. "P" INDICATES PROGRAMMED HEAD		∑	Y G + Y + G	EXISTING INTERSECTION LOOP DETECTOR PROPOSED INTERSECTION AND SAMPLING (SYSTEM) DETE	CTOD	[<u>P</u>]	
ACCESSIBLE PEDESTRIAN PUSHBUTTON DETECTOR	R APS	@APS						EXISTING PREFORMED INTERSECTION LOOP DETECTOR	CTOR	ÎPPÎ	
ILLUMINATED SIGN "NO LEFT TURN"	R	9	•	12" (300mm) PEDESTRIAN SIGNAL HEAD		600	″P″	PROPOSED INTERSECTION AND SAMPLING (SYSTEM) DETERMINED INTERSECTION AND SAMPLING	CTOR		bre
ILLUMINATED SIGN "NO RIGHT TURN"	R	8		WALK/DON'T WALK SYMBOL 12" (300mm) PEDESTRIAN SIGNAL HEAD				(SYSTEM) DETECTOR PREFORMED SAMPLING (SYSTEM) DETECTOR		PIS PS	PIS PS
DETECTOR LOOP, TYPE I				INTERNATIONAL SYMBOL, OUTLINED						<u>+</u>	b
PREFORMED DETECTOR LOOP) P	P	12" (300mm) PEDESTRIAN SIGNAL HEAD INTERNATIONAL SYMBOL, SOLID		(*)	*	RAILROAD SYMBOLS			
MICROWAVE VEHICLE SENSOR	R M)		M	PEDESTRIAN SIGNAL HEAD, INTERNATIONAL SYMBOL, WITH COUNTDOWN TIMER		(C) C (S) D	₽ C ↑ D			EXISTING	PROPOSED
VIDEO DETECTION CAMERA	R (V)	ĺΣþ	\bigcirc	RADIO INTERCONNECT	## *			RAILROAD CONTROL CABINET		₽ ✓₽	R B
VIDEO DETECTION ZONE				RADIO REPEATER	R ERR	ERR	RR	RAILROAD CANTILEVER MAST ARM	Σ	XOX X	Xex
PAN, TILT, ZOOM CAMERA	R Pīzņ	PTZ	PTZ	DENOTES NUMBER OF CONDUCTORS, ELECTRIC		h	-	FLASHING SIGNAL		XOX	X · X
WIRELESS DETECTOR SENSOR	RW	W	W	CABLE NO. 14, UNLESS NOTED OTHERWISE, ALL DETECTOR LOOP CABLE TO BE SHIELDED			(5)	CROSSING GATE		X0 X >	X-X-
WIRELESS ACCESS POINT	R			GROUND CABLE IN CONDUIT NO. 6 SOLID COPPER (GREEN)			(1)	CROSSBUCK		75	
FILE NAME = USER NAME = konthophixayi gi\px_work\PWIDOT\KANTHAPHIXAYBC\d01126 4\traffic_legend_v7.dgn PLOT_SCALE = 20.0000 / II	DF	ESIGNED - DAG/BCK RAWN - BCK HECKED - DAD ATE - 10/28/09	REVISED REVISED REVISED REVISED	STATE DEPARTMENT	OF ILLINOI OF TRANSP		SCALE: NO	DISTRICT 1 STANDARD TRAFFIC SIGNAL DESIGN DETA ONE SHEET NO. 6 OF 6 SHEETS STA. TO STA.		SECTION 542-1-N	COUNTY TOTAL SHI SHEETS N 200K 30 2. CONTRACT NO. 601