



DRAIN FOR AGGREGATE BASE COURSE DETAIL

SHOULDER LOCATIONS WITH DRAINS FOR AGG BASE COURSE




CLASS A PATCHES WITH DRAINS FOR AGG BASE COURSE




NOTES:

The rock outlets shall be constructed using CA7 and will be paid for at the contract unit price per SQ YD for DRAIN FOR AGGREGATE BASE COURSE. The thickness shall be the same as the adjacent sub-base material as noted on the plans and shall include the cost of the filter fabric. The Rock outlets will be measured in SQ YD, the width being 3' by the length shown above. The cost of the CA6 or CA10 under the shoulder shall be included in the contract unit price per SQ YD for SUB-BASE GRANULAR MATERIAL, TYPE A of the thickness specified. The filter fabric to be used shall conform to the filter fabric used for Riprap. The cost of furnishing and installing a delineator at the end of each drain shall be included in the cost for DRAIN FOR AGGREGATE BASE COURSE.



DELINEATOR AND POST ORIENTATION



DELINEATORS SHALL BE INSTALLED ACCORDING TO STANDARD 635001 EXCEPT THAT THE POST SHALL BE ROTATED 180°. THE POST WILL HAVE THE WIDE SIDE FACING TRAFFIC AND THE DELINEATOR ATTACHED AS SHOWN ABOVE.

ALL DIMENSIONS ARE IN MILLIMETERS (INCHES) UNLESS OTHERWISE NOTED.

REVISED - 11-01-07

Rev Sheet 2-16-10

DELINEATOR AND POST ORIENTATION 37.4

REVISED -	REGION 2 / DISTRICT 2 STANDARD				F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
REVISED -					39	(103-1, 103-2)SHLD	LEE	60	54
REVISED -					CONTRACT NO. 64F82				
REVISED -	SCALE: 50.0000' / 1" SHEET NO. OF SHEETS STA. TO STA.				FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT				