



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

February 22, 2021

SUBJECT: FAU 1716 (Acacia Drive)
Section 18-00013-00-FP (Indian Head Park)
Cook County
Contract No. 61G92
Item 072
March 5, 2021 Letting
Addendum (A)

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

- 1. Revised the Schedule of Prices**
- 2. Revised Table of Contents, page ii to the Special Provisions**
- 3. Added page 80A to the Special Provisions**
- 4. Revised sheets 2, 7, 12, 13, 20 – 24, & 33 - 39 of the Plans**
- 5. Added sheet 94A to the Plans**

Prime contractors must utilize the enclosed material when preparing their bid and must include any changes to the Schedule of Prices in their bid.

Very truly yours,

A handwritten signature in black ink, appearing to read 'Jack A. Elston'.

Jack A. Elston, P.E.
Bureau Chief, Design and Environment

DRAINAGE AND INLET PROTECTION UNDER TRAFFIC (D-1)	32
REMOVING DRAINAGE STRUCTURES	33
TEMPORARY INFORMATION SIGNING	33
TRAFFIC CONTROL AND PROTECTION (ARTERIALS)	34
TRAFFIC CONTROL PLAN	35
REMOVE SIGN PANEL	36
REMOVE SIGN PANEL ASSEMBLY	36
RELOCATE SIGN PANEL	36
RELOCATE SIGN PANEL ASSEMBLY	36
SIGN PANEL - TYPE 1 (SPECIAL)	36
REMOVE AND RELOCATE DECORATIVE WOOD SIGN PANEL - TYPE 3	36
RELOCATE EXISTING MAILBOX	37
FRICTION AGGREGATE (D-1)	37
GENERAL ELECTRIC REQUIREMENTS	40
LUMINAIRE SAFETY CABLE ASSEMBLY	54
ELECTRIC UTILITY SERVICE CONNECTION (COMED)	54
UNDERGROUND RACEWAYS	55
UNIT DUCT	56
WIRE AND CABLE	57
ROADWAY LUMINAIRE, LED	58
TEMPORARY LIGHTING SYSTEM	69
MAINTENANCE OF LIGHTING SYSTEMS	73
RECEPTACLE (GFI TYPE) WITH WEATHERPROOF COVER	76
LIGHT FIXTURE ASSEMBLY - TYPE A	77
RECLAIMED ASPHALT PAVEMENT FOR NON-POROUS EMBANKMENT AND BACKFILL	78
HAMBURG WHEEL AND TENSILE STRENGTH RATIO TESTING (D-1)	78
MANHOLES, TYPE A, 6'-DIAMETER, WITH 2 TYPE 1 FRAME, CLOSED LID, RESTRICTOR PLATE	80A
AVAILABLE REPORTS	81
IDOT TRAINING PROGRAM GRADUATE ON-THE-JOB TRAINING	82
SPECIAL PROVISION FOR INSURANCE (LR 107-4)	84
STORM WATER POLLUTION PREVENTION PLAN (BDE 2342)	85
ILLINOIS ENVIRONMENTAL PROTECTION AGENCY NOTICE OF INTENT	96
SOURCE SITE CERTIFICATION BY OWNER OR OPERATOR FOR USE OF UNCONTAMINATED SOIL AS FILL IN A CCDD OR UNCONTAMINATED SOIL FILL OPERATION (LPC-662)	99

MANHOLES, TYPE A, 6'-DIAMETER, WITH 2 TYPE 1 FRAME, CLOSED LID, RESTRICTOR PLATE

Description. This work shall consist of constructing a Type A manhole with two Type 1 frame and closed lids.

Materials. The materials shall be according to Article 602.02 of the Standard Specifications.

General. The work shall be performed according to Section 602 of the Standard Specifications, IDOT Standard Drawing 602406-04; 602701 Manhole Steps, Manhole Type A 6' (1.8 m) Diameter; IDOT District One Detail BD-12, Manhole With Restrictor Plate; the "Manholes, Catch Basins, and Inlets" special provision, and the following:

Information of the restrictor type, inside restrictor diameter, invert of restrictor type, and elevation of top of plate overflow is shown in the IDOT District One Detail.

The restrictor type shall be a vortex flow regulator constructed into the steel restrictor plate. Design upstream head shall be 11-feet with a maximum release rate of 0.54 cfs. The vortex flow regulator shall be HYDROVEX VHV / SVHV, Contech Vortex Valve, Hydro-Brake Optimum vortex flow control, or equal.

Basis of Payment. This work will be paid for at the contract unit price each for MANHOLES, TYPE A, 6'-DIAMETER, TYPE 1 FRAME, CLOSED LID, RESTRICTOR PLATE. The cost shall include all steel angles and plates, galvanizing of the steel, restrictor plates, hardware, manhole, vortex flow regulator, and frames and lids.