# 2LR

# March 5, 2021 Letting

# **Special Provisions**



Illinois Department of Natural Resources
Office of Mines and Minerals
Abandoned Mined Lands Reclamation Division

Contract: M1907

Project Name: Bluebird 5 & 6 / Pitco Mine

County: Saline

Project Number: AML-GSIE-1907

JB Pritzker, Governor

Colleen Callahan, Director

One Natural Resources Way Springfield, Illinois 62702-1271 www.dnr.illinois.gov

# **NOTICE TO BIDDERS**

- 1. TIME AND PLACE OF OPENING BIDS. Electronic bids are to be submitted to the Illinois Department of Transportation (IDOT) electronic bidding system (iCX-Integrated Contractors Exchange). All bids must be submitted to the iCX system prior to 12:00 p.m. (noon), Friday, March 5, 2021, at which time the bids will be publicly opened from the iCX SecureVault.
- **2. DESCRIPTION OF WORK**. The proposed reclamation work is identified and advertised for bids in the Invitation for Bids as:

Item 2LR – Contract M1907 Bluebird 5 & 6 / Pitco Mine Reclamation Project AML-GSIE-1907 Saline County

Reclamation of the Bluebird 5 & 6 / Pitco abandoned mine site by the Department of Natural Resources using Federal Abandoned Mined Lands Funds and state bond forfeiture funds.

#### 3. INSTRUCTIONS TO BIDDERS.

- (a) This Notice, the Invitation for Bids, proposal, and letter of award shall, together with all other documents in accordance with Article 101.09 of the IDOT Standard Specifications for Road and Bridge Construction, become part of the contract. Bidders are cautioned to read and examine carefully all documents, to make all required inspections, and to inquire or seek explanation of the same prior to submission of a bid.
- (b) State law requires the bidder to make various certifications as a part of the proposal and contract. By execution and submission of the proposal, the bidder makes the certification contained therein. A false or fraudulent certification shall, in addition to all other remedies provided by law, be a breach of contract and may result in termination of the contract.
- (c) A copy of the Annual Proposal Bid Bond (or Proposal Bid Bond, if applicable), DBE Utilization Plan, and DBE Participation Statement(s) must be forwarded to the Procurement Manager at the mailing address shown above (Attn: Ashley Stewart) or emailed to <a href="mailto:Ashley.N.Stewart@Illinois.gov">Ashley.N.Stewart@Illinois.gov</a>.

## 4. AWARD CRITERIA AND REJECTION OF BIDS.

This contract will be awarded to the lowest responsive and responsible bidder considering conformity with the terms and conditions established by the Illinois Department of Natural Resources, Office of Mines and Minerals, Abandoned Mined Lands Reclamation Division (Department) in the rules, Invitation for Bids, and contract documents. The issuance of plans and proposal forms for bidding based upon a prequalification rating shall not be the sole determinant of responsibility. The Department reserves the right to determine responsibility at the time of award, to reject any or all proposals, to re-advertise the proposed project, and to waive technicalities.

By Order of Ronnie Huff, Director Office of Mines of Minerals Illinois Department of Natural Resources

# CONTRACTOR OFFICE COPY OF CONTRACT SPECIFICATIONS

# **NOTICE**

None of the following material needs to be returned with the bid package unless the special provisions require documentation and/or other information to be submitted.



# SUBCONTRACTOR DOCUMENTATION

Public Acts 96-0795, 96-0920, and 97-0895 enacted substantial changes to the provisions of the Code (30 ILCS 500). Among the changes are provisions affecting subcontractors. The Contractor awarded this contract will be required as a material condition of the contract to implement and enforce the contract requirements applicable to subcontractors that entered into a contractual agreement with a total value of \$50,000 or more with a person or entity who has a contract subject to the Code and approved in accordance with article 108.01 of the Standard Specifications for Road and Bridge Construction.

If the Contractor seeks approval of subcontractors to perform a portion of the work, and approval is granted by the Department, the Contractor shall provide a copy of the subcontract to the Illinois Department of Transportation's CPO upon request within 15 calendar days after execution of the subcontract.

Financial disclosures required pursuant to Sec. 50-35 of the Code must be submitted for all applicable subcontractors. The subcontract shall contain the certifications required to be made by subcontractors pursuant to Article 50 of the Code. This Notice to Bidders includes a document incorporating all required subcontractor certifications and disclosures for use by the Contractor in compliance with this mandate. The document is entitled <a href="State Required Ethical Standards Governing Subcontractors">State Required Ethical Standards Governing Subcontractors</a>.

# STATE ETHICAL STANDARDS GOVERNING SUBCONTRACTORS

Article 50 of the Code establishes the duty of all State CPOs, SPOs, and their designees to maximize the value of the expenditure of public moneys in procuring goods, services, and contracts for the State of Illinois and to act in a manner that maintains the integrity and public trust of State government. In discharging this duty, they are charged by law to use all available information, reasonable efforts, and reasonable actions to protect, safeguard, and maintain the procurement process of the State of Illinois.

The certifications hereinafter made by the subcontractor are each a material representation of fact upon which reliance is placed should the Department approve the subcontractor. The CPO may terminate or void the contract approval if it is later determined that the bidder or subcontractor rendered a false or erroneous certification. If a false certification is made by a subcontractor the contractor's submitted bid and the executed contract may not be declared void unless the contractor refuses to terminate the subcontract upon the State's request after a finding that the subcontractor's certification was false.

Section 50-2 of the Illinois Procurement Code (Code) provides that every person that has entered into a contract for more than one year in duration for the initial term or for any renewal term shall certify, by January 1 of each fiscal year covered by the contract after the initial fiscal year, to the CPO or, if the procurement is under the authority of a CPO, the applicable procurement officer of any changes that affect its ability to satisfy the requirements of Article 50 pertaining to the eligibility for a contract award. If a contractor or subcontractor continues to meet all requirements of this Article, it shall not be required to submit any certification or if the work under the contract has been substantially completed before contract expiration but the contract has not yet expired. If a contractor or subcontractor is not able to truthfully certify that it continues to meet all requirements, it shall provide with its certification a detailed explanation of the circumstances leading to the change in certification status. A contractor or subcontractor that makes a false statement material to any given certification required under Article 50 of the Code is, in addition to any other penalties or consequences prescribed by law, subject to liability under the Illinois False Claims Act for submission of a false claim.

## A. Bribery

Section 50-5. Bribery.

- (a) Prohibition. No person or business shall be awarded a contract or subcontract under this Code who:
  - (1) has been convicted under the laws of Illinois or any other state of bribery or attempting to bribe an officer or employee of the State of Illinois or any other state in that officer's or employee's official capacity; or
  - (2) has made an admission of guilt of that conduct that is a matter of record but has not been prosecuted for that conduct.
- (b) Businesses. No business shall be barred from contracting with any unit of State or local government, or subcontracting under such a contract, as a result of a conviction under this Section of any employee or agent of the business if the employee or agent is no longer employed by the business and:
  - (1) the business has been finally adjudicated not guilty; or
  - (2) the business demonstrates to the governmental entity with which it seeks to contract, or which is signatory to the contract to which the subcontract relates, and that entity finds that the commission of the offense was not authorized, requested, commanded, or performed by a director, officer, or high managerial agent on behalf of the business as provided in paragraph (2) of subsection (a) of Section 5-4 of the Criminal Code of 2012.
- (c) Conduct on behalf of business. For purposes of this Section, when an official, agent, or employee of a business committed the bribery or attempted bribery on behalf of the business and in accordance with the direction or authorization of a responsible official of the business, the business shall be chargeable with the conduct.
- (d) Certification. Every bid submitted to and contract executed by the State, and every subcontract subject to Section 20-120 of the Code shall contain a certification by the contractor or the subcontractor, respectively, that the contractor or subcontractor is not barred from being awarded a contract or subcontract under this Section and acknowledges that the CPO may declare the related contract void if any certifications required by this Section are false. A contractor who makes a false statement, material to the certification, commits a Class 3 felony.

The contractor or subcontractor certifies that it is not barred from being awarded a contract under Section 50-5.

## B. Felons

Section 50-10. Felons.

- (a) Unless otherwise provided, no person or business convicted of a felony shall do business with the State of Illinois or any State agency, or enter into a subcontract, from the date of conviction until 5 years after the date of completion of the sentence for that felony, unless no person held responsible by a prosecutorial office for the facts upon which the conviction was based continues to have any involvement with the business.
- (b) Certification. Every bid submitted to and contract executed by the State and every subcontract subject to Section 20-120 of the Code shall contain a certification by the bidder or contractor or subcontractor, respectively, that the bidder, contractor, or subcontractor is not barred from being awarded a contract or subcontract under this Section and acknowledges that the CPO may declare the related contract void if any of the certifications required by this Section are false.

## C. Debt Delinquency

Section 50-11 and 50-12. Debt Delinguency.

The contractor or bidder or subcontractor, respectively, certifies that it, or any affiliate, is not barred from being awarded a contract or subcontract under the Code. Section 50-11 prohibits a person from entering into a contract with a State agency, or entering into a subcontract, if it knows or should know that it, or any affiliate, is delinquent in the payment of any debt to the State as defined by the Debt Collection Board. Section 50-12 prohibits a person from entering into a contract with a State agency, or entering into a subcontract, if it, or any affiliate, has failed to collect and remit Illinois Use Tax on all sales of tangible personal property into the State of Illinois in accordance with the provisions of the Illinois Use Tax Act. The bidder or contractor or subcontractor, respectively, further acknowledges that the CPO may declare the related contract void if this certification is false or if the bidder, contractor, or subcontractor, or any affiliate, is determined to be delinquent in the payment of any debt to the State during the term of the contract.

# D. Prohibited Bidders, Contractors and Subcontractors

Section 50-10.5 and 50-60(c). Prohibited bidders, contractors and subcontractors.

The bidder or contractor or subcontractor, respectively, certifies in accordance with 30 ILCS 500/50-10.5 that no officer, director, partner or other managerial agent of the contracting business has been convicted of a felony under the Sarbanes-Oxley Act of 2002 or a Class 3 or Class 2 felony under the Illinois Securities Law of 1953 or if in violation of Subsection (c) for a period of five years from the date of conviction. Every bid submitted to and contract executed by the State and every subcontract subject to Section 20-120 of the Code shall contain a certification by the bidder, contractor, or subcontractor, respectively, that the bidder, contractor, or subcontractor is not barred from being awarded a contract or subcontract under this Section and acknowledges that the CPO shall declare the related contract void if any of the certifications completed pursuant to this Section are false.

#### E. Section 42 of the Environmental Protection Act

The bidder or contractor or subcontractor, respectively, certifies in accordance with 30 ILCS 500/50-14 that the bidder, contractor, or subcontractor, is not barred from being awarded a contract or entering into a subcontract under this Section which prohibits the bidding on or entering into contracts with the State of Illinois or a State agency, or entering into any subcontract, that is subject to the Code by a person or business found by a court or the Pollution Control Board to have committed a willful or knowing violation of Section 42 of the Environmental Protection Act for a period of five years from the date of the order. The bidder or contractor or subcontractor, respectively, acknowledges that the CPO may declare the contract void if this certification is false.

The undersigned, on behalf of the subcontracting company, has read and understands the above certifications and makes the certifications as required by law.

Name of Subcontracting Company	
 Authorized Officer	Date

## SUBCONTRACTOR DISCLOSURES

#### I. DISCLOSURES

A. The disclosures hereinafter made by the subcontractor are each a material representation of fact upon which reliance is placed. The subcontractor further certifies that the Department has received the disclosure forms for each subcontract.

The chief procurement officer may void the bid, contract, or subcontract, respectively, if it is later determined that the bidder or subcontractor rendered a false or erroneous disclosure. A contractor or subcontractor may be suspended or debarred for violations of the Procurement Code. Furthermore, the Chief Procurement Officer may void the contract.

#### B. Financial Interests and Conflicts of Interest

1. Section 50-35 of the Illinois Procurement Code provides that all subcontracts with a total value of \$50,000 or more, from subcontractors identified in Section 20-120 of the Illinois Procurement Code, shall be accompanied by disclosure of the financial interests of the subcontractor. This disclosed information for the subcontractor, will be maintained as public information subject to release by request pursuant to the Freedom of Information Act, filed with the Procurement Policy Board, and shall be incorporated as a material term of the Prime Contractor's contract. Furthermore, pursuant to this Section, the Procurement Policy Board may recommend to allow or void a contract or subcontract based on a potential conflict of interest.

The financial interests to be disclosed shall include ownership or distributive income share that is in excess of 5%, or an amount greater than 60% of the annual salary of the Governor, of the subcontracting entity or its parent entity, whichever is less, unless the subcontractor is a publicly traded entity subject to Federal 10K reporting, in which case it may submit its 10K disclosure in place of the prescribed disclosure. If a subcontractor is a privately held entity that is exempt from Federal 10K reporting, but has more than 400 shareholders, it may submit the information that Federal 10K companies are required to report, and list the names of any person or entity holding any ownership share that is in excess of 5%. The disclosure shall include the names, addresses, and dollar or proportionate share of ownership of each person making the disclosure, their instrument of ownership or beneficial relationship, and notice of any potential conflict of interest resulting from the current ownership or beneficial interest of each person making the disclosure having any of the resultionships identified in Section 50-35 and on the disclosure form.

The current annual salary of the Governor is \$177,412.00.

In addition, all disclosures shall indicate any other current or pending contracts, subcontracts, proposals, leases, or other ongoing procurement relationships the subcontracting entity has with any other unit of state government and shall clearly identify the unit and the contract, subcontract, proposal, lease, or other relationship.

2. <u>Disclosure Forms</u>. Disclosure Form A is attached for use concerning the individuals meeting the above ownership or distributive share requirements. A separate Disclosure Form A must be submitted with the bid for each individual meeting the above requirements. In addition, a second form (Disclosure Form B) provides for the disclosure of current or pending procurement relationships with other (non-IDOT) state agencies and a total ownership certification.

#### C. Disclosure Form Instructions

# Form A Instructions for Financial Information & Potential Conflicts of Interest

If the subcontractor is a publicly traded entity subject to Federal 10K reporting, the 10K Report may be submitted to meet the requirements of Form A. If a subcontractor is a privately held entity that is exempt from Federal 10K reporting, but has more than 400 shareholders, it may submit the information that Federal 10K companies are required to report, and list the names of any person or entity holding any ownership share that is in excess of 5%. If a subcontractor is not subject to Federal 10K reporting, the subcontractor must determine if any individuals are required by law to complete a financial disclosure form. To do this, the subcontractor should answer each of the following questions. A "YES" answer indicates Form A must be completed. If the answer to each of the following questions is "NO", then the NOT APPLICABLE STATEMENT on the second page of Form A must be signed and dated by a person that is authorized to execute contracts for the subcontracting company. Note: These questions are for assistance only and are not required to be completed.

1.	Does anyone in your organization have a direct or beneficial ownership share of greater than 5% of the bidding entity or parent entity? YES NO
2.	Does anyone in your organization have a direct or beneficial ownership share of less than 5%, but which has a value greater than 60% of the annual salary of the Governor? YES NO
3.	Does anyone in your organization receive more than 60% of the annual salary of the Governor of the subcontracting entity's or parent entity's distributive income? YES NO
	(Note: Distributive income is, for these purposes, any type of distribution of profits. An annual salary is not distributive income.)
4.	Does anyone in your organization receive greater than 5% of the subcontracting entity's or parent entity's total distributive income, but which is less than 60% of the annual salary of the Governor? YES NO
	(Note: Only one set of forms needs to be completed <u>per person per subcontract</u> even if a specific individual would require a yes answer to more than one question.)
"	

A "YES" answer to any of these questions requires the completion of Form A. The subcontractor must determine each individual in the subcontracting entity or the subcontracting entity's parent company that would cause the questions to be answered "Yes". Each form must be signed and dated by a person that is authorized to execute contracts for your organization. **Photocopied or stamped signatures are not acceptable**. The person signing can be, but does not have to be, the person for which the form is being completed. The subcontractor is responsible for the accuracy of any information provided.

If the answer to each of the above questions is "NO", then the <u>NOT APPLICABLE STATEMENT</u> on page 2 of Form A must be signed and dated by a person that is authorized to execute contracts for your company.

# Form B: Instructions for Identifying Other Contracts & Procurement Related Information

Disclosure Form B must be completed for each subcontract submitted by the subcontracting entity. Note: Checking the <u>NOT APPLICABLE</u> <u>STATEMENT</u> on Form A <u>does not</u> allow the subcontractor to ignore Form B. Form B must be completed, checked, and dated or the subcontract will not be approved.

The Subcontractor shall identify, by checking Yes or No on Form B, whether it has any pending contracts, subcontracts, leases, bids, proposals, or other ongoing procurement relationship with any other (non-IDOT) State of Illinois agency. If "No" is checked, the subcontractor only needs to complete the check box on the bottom of Form B. If "Yes" is checked, the subcontractor must list all non-IDOT State of Illinois agency pending contracts, subcontracts, leases, bids, proposals, and other ongoing procurement relationships. These items may be listed on Form B or on an attached sheet(s). Contracts with cities, counties, villages, etc. are not considered State of Illinois agency contracts and are not to be included. Contracts or subcontracts with other State of Illinois agencies such as the Department of Natural Resources or the Capital Development Board must be included.

# ILLINOIS DEPARTMENT OF TRANSPORTATION

# Form A Subcontractor: Financial Information & Potential Conflicts of Interest Disclosure

Subcontractor Name		
Legal Address		
City, State, Zip		
Telephone Number	Email Address	Fax Number (if available)

Disclosure of the information contained in this Form is required by the Section 50-35 of the Illinois Procurement Code (30 ILCS 500). Subcontractors desiring to enter into a subcontract of a State of Illinois contract must disclose the financial information and potential conflict of interest information as specified in this Disclosure Form. This information shall become part of the publicly available contract file. This Form A must be completed for subcontracts with a total value of \$50,000 or more, from subcontractors identified in Section 20-120 of the Illinois Procurement Code, and for all open-ended contracts. A publicly traded company may submit a 10K disclosure (or equivalent if applicable) in satisfaction of the requirements set forth in Form A. See Disclosure Form Instructions.

The current annual salary of the Governor is \$177,412.00.

## DISCLOSURE OF FINANCIAL INFORMATION

1. Disclosure of Financial Information. The individual named below has an interest in the SUBCONTRACTOR (or its parent) in terms of ownership or distributive income share in excess of 5%, or an interest which has a value of more than 60% of the annual salary of the Governor. (Make copies of this form as necessary and attach a separate Disclosure Form A for each individual meeting these requirements)

NAME:			
ADDRESS			
	ership/distributable income share	<b>3</b> :	
Type of own	ersnip/distributable income share	•	
Type of own	sole proprietorship	Partnership	other: (explain on separate sheet)

- **2. Disclosure of Potential Conflicts of Interest.** Check "Yes" or "No" to indicate which, if any, of the following potential conflict of interest relationships apply. If the answer to any question is "Yes", please attach additional pages and describe.
- (a) State employment, currently or in the previous 3 years, including contractual employment of services.

  Yes \_\_\_\_No \_\_\_

If your answer is yes, please answer each of the following questions.

- Are you currently an officer or employee of either the Capitol Development Board or the Illinois State
   Toll Highway Authority?
   Yes \_\_\_\_No \_\_\_
- 2. Are you currently appointed to or employed by any agency of the State of Illinois? If you are currently appointed to or employed by any agency of the State of Illinois, and your annual salary exceeds 60% of the annual salary of the Governor, provide the name the State agency for which you are employed and your annual salary.

\_\_\_\_\_

4. If you are currently appointed to or employed by any agency of the State of Illinois, and your ann	
salary exceeds 60% of the annual salary of the Governor, are you and your spouse or minor children entitled to receive (i) more than 15% in the aggregate of the total distributal income of your firm, partnership, association or corporation, or (ii) an amount in excess of two ti the salary of the Governor?  YesNo	ble
(b) State employment of spouse, father, mother, son, or daughter, including contractual employment servi in the previous 2 years.	ces
YesNo If your answer is yes, please answer each of the following questions.	
<ol> <li>Is your spouse or any minor children currently an officer or employee of the Capitol Developmer Board or the Illinois State Toll Highway Authority?</li> </ol> YesNo	nt
2. Is your spouse or any minor children currently appointed to or employed by any agency of the St of Illinois? If your spouse or minor children is/are currently appointed to or employed by agency of the State of Illinois, and his/her annual salary exceeds 60 % of the annual salary of the Governor, provide the name of your spouse and/or minor children, the name of the State agency for which he/she is employed and his/her annual salary.	any
3. If your spouse or any minor children is/are currently appointed to or employed by any agency of State of Illinois, and his/her annual salary exceeds 60% of the annual salary of the Governor, are you entitled to receive (i) more than 7 1/2% of the total distributable income of your firm, partnership, association or corporation, or (ii) an amount in excess of 100% of the annual salary of the Governor? YesNo	the
4. If your spouse or any minor children are currently appointed to or employed by any agency of State of Illinois, and his/her annual salary exceeds 60% of the annual salary of the Governor, are you and your spouse or minor children entitled to receive (i) more than 15% in the aggregate of the total distributable income of your firm, partnership, association or corporation (ii) an amount in excess of two times the annual salary of the Governor? YesNo	
(c) Elective status; the holding of elective office of the State of Illinois, the government of the United States, unit of local government authorized by the Constitution of the State of Illinois or the statutes of the State Illinois currently or in the previous 3 years.  YesNo	
(d) Relationship to anyone holding elective office currently or in the previous 2 years; spouse, father, mother son, or daughter.  YesNo	 ∋r,
(e) Appointive office; the holding of any appointive government office of the State of Illinois, the United State America, or any unit of local government authorized by the Constitution of the State of Illinois or the state of the State of Illinois, which office entitles the holder to compensation in excess of the expenses incurred the discharge of that office currently or in the previous 3 years.  YesNo	tutes
(f) Relationship to anyone holding appointive office currently or in the previous 2 years; spouse, father, mot son, or daughter.  YesNo	her,
(g) Employment, currently or in the previous 3 years, as or by any registered lobbyist of the State government (g) YesNo	ent.

(h)	Relationship to anyone who is or was a registered lobbyist in the previous 2 years; spouse, father, mother, son, or daughter.  YesNo
(i)	Compensated employment, currently or in the previous 3 years, by any registered election or reelection committee registered with the Secretary of State or any county clerk of the State of Illinois, or any political action committee registered with either the Secretary of State or the Federal Board of Elections.  YesNo
(j)	Relationship to anyone; spouse, father, mother, son, or daughter; who was a compensated employee in the last 2 years by any registered election or re-election committee registered with the Secretary of State or any county clerk of the State of Illinois, or any political action committee registered with either the Secretary of State or the Federal Board of Elections.
	Yes No
2.	Communication Disclosure.
Se en su	sclose the name and address of each lobbyist and other agent of the bidder or offeror who is not identified in ction 2 of this form, who is has communicated, is communicating, or may communicate with any State officer or applying the bid or offer. This disclosure is a continuing obligation and must be promptly applemented for accuracy throughout the process and throughout the term of the contract. If no person is entified, enter "None" on the line below:
	Name and address of person(s):

**4. Debarment Disclosure.** For each of the persons identified under Sections 2 and 3 of this form, disclose whether any of the following has occurred within the previous 10 years: debarment from contracting with any governmental entity; professional licensure discipline; bankruptcies; adverse civil judgments and administrative findings; and criminal felony convictions. This disclosure is a continuing obligation and must be promptly

supplemented for accuracy throughout the procurement process and term of the contract. If no person is identified, enter "None" on the line below: Name of person(s): Nature of disclosure: APPLICABLE STATEMENT This Disclosure Form A is submitted on behalf of the INDIVIDUAL named on previous page. Under penalty of perjury, I certify the contents of this disclosure to be true and accurate to the best of my knowledge. Completed by: Signature of Individual or Authorized Officer Date **NOT APPLICABLE STATEMENT** Under penalty of perjury, I have determined that no individuals associated with this organization meet the criteria that would require the completion of this Form A. This Disclosure Form A is submitted on behalf of the SUBCONTRACTOR listed on the previous page. Signature of Authorized Officer Date

# ILLINOIS DEPARTMENT OF TRANSPORTATION

# Form B Subcontractor: Other Contracts & Financial Related Information Disclosure

Subcontractor Name		
Legal Address		
City, State, Zip		
Telephone Number	Email Address	Fax Number (if available)
ILCS 500). This information shall become	part of the publicly available contra 00 or more, from subcontractors	on 50-35 of the Illinois Procurement Act (30 act file. This Form B must be completed for identified in Section 20-120 of the Illinois
DISCLOSURE OF OTHER CONTRA	CTS, SUBCONTRACTS, AND PR	OCUREMENT RELATED INFORMATION
any pending contracts, subcontracts, includ	ing leases, bids, proposals, or othe s No	
2. If "Yes" is checked. Identify each such information such as bid or project number (INSTRUCTIONS:		
THE FOLLO	WING STATEMENT MUST BE CH	IECKED
П		
	Signature of Authorized Officer	Date
	OWNERSHIP CERTIFICATION	
Please certify that the following statement is true if the	individuals for all submitted Form A disclose	ures do not total 100% of ownership
Any remaining ownership interest is held by income or holding less than a 5% ownership	-	0 of the bidding entity's or parent entity's distributive
□ Yes □ No □ N/A (Form A	disclosure(s) established 100% ownership)	

# **Illinois Department of Natural Resources**

Office of Mines and Minerals

# **Annual Proposal Bid Bond**

Abandoned Mined L	ands Reclamation Division			
The Annual Proposal Bio	Bond shall become effective at 12:01	AM and s	shall be valid	11:59 PM (CDST).
KNOW ALL MEN BY TH	ESE PRESENTS,			
as PRINCIPAL,				
or for the amount specifi	intly, severally and firmly bound unto the ed in the bid proposal under "Proposal ly to be paid unto said STATE OF ILL fors and assigns.	l Guaranty" in effect on th	ne date of the Invita	tion for Bids, whichever is the
	F THE FOREGOING OBLIGATION IS ting through the Department of Transpindicated above.			
and as specified in the bin accordance with the te such bond as specified wand material furnished in the specified bond, the Pin the bid proposal and s	if the Department shall accept the bid idding and contract documents; and if, irms of the bidding and contract documents of the bidding and contract documents good and sufficient surety for the factor that the prosecution thereof; or if, in the even accordance of the Department the uch larger amount for which the Department shall be null and void, otherwise.	after award by the Depa ents including evidence of faithful performance of so yent of the failure of the F difference not to exceed tment may contract with a	rtment, the PRINCIF of the required insur- uch contract and for PRINCIPAL to enter I the penalty hereof I another party to perf	PAL shall enter into a contract ance coverages and providing the prompt payment of labor into such contract and to give between the amount specified
paragraph, then Surety s make full payment within	Department determines the PRINCIPA shall pay the penal sum to the Department such period of time, the Department penses, including attorney's fees, incur	nent within fifteen (15) da t may bring an action to	ys of written deman collect the amount	d therefor. If Surety does not owed. Surety is liable to the
In TESTIMONY WHERE caused this instrument to day of	OF, the said PRINCIPAL has be signed by its officer A.D.,	In TESTIMONY WHE instrument to be sign day of	ed by its officer	JRETY has caused this A.D.,
	ompany Name)		(Company Na	mo)
·	ompany Name)	_	(Company Nai	me)
By(S	Signature and Title)	Ву	(Signature of Atto	rnev-in-Fact)
Notary for PRINCIPAL		Notary for SURETY	( 3	, ,
STATE OF		STATE OF		
COUNTY OF		COUNTY OF		
Signed and attested before by	ore me on (date)	Signed and attested by	before me on	(date)
(Name	e of Notary Public)	(Name of Notary Public)		
(Seal)		(Seal)		
	(Signature of Notary Public)		(Signatu	re of Notary Public)
	(Date Commission Expires)	-	(Date Co	ommission Expires)
the proposal(s) the Princ	above section of the Annual Proposal I ipal is ensuring the identified electronic Illinois under the conditions of the bid b	c bid bond has been exec		
Electronic Bid Bond ID #	Company/Bidder Name		Signature	and Title

This bond may be terminated, at Surety's request, upon giving not less than thirty (30) days prior written notice of the cancellation/termination of the bond. Said written notice shall be issued to the Illinois Department of Transportation, Chief Contracts Official, 2300 South Dirksen Parkway, Springfield, Illinois, 62764, and shall be served in person, by receipted courier delivery or certified or registered mail, return receipt requested. Said notice period shall commence on the first calendar day following the Department's receipt of written cancellation/termination notice. Surety shall remain firmly bound to all obligations herein for proposals submitted prior to the cancellation/termination. Surety shall be released and discharged from any obligation(s) for proposals submitted for any letting or date after the effective date of cancellation/termination.

# **Illinois Department of Natural Resources**

Office of Mines and Minerals

Abandoned Mined Lands Reclamation Division

# **Proposal Bid Bond**

Item No.
Letting Date
Project Name

**Project Number** 

2LR – Contract M1907 March 5, 2021

March 5, 2021

Bluebird 5 & 6 / Pitco Mine AML-GSIE-1907

KNOW ALL PERSONS BY THESE PRESENTS,  $\,$ 

as PRINCIPAL,

as SURETY, and held jointly, severally and firmly bound unto the STATE OF ILLINOIS in the penal sum of 5 percent of the total bid price, well and truly to be paid unto said STATE OF ILLINOIS, for the payment of which we bind ourselves, our heirs, executors, administrators, successors, and assigns.

THE CONDITION OF THE FOREGOING OBLIGATION IS SUCH that whereas, the PRINCIPAL has submitted a bid proposal to the STATE OF ILLINOIS, acting through the Department of Transportation, for the improvement designated by the Transportation Bulletin Item Number and Letting Date indicated above.

NOW, THEREFORE, if the Department shall accept the bid proposal of the PRINCIPAL; and if the PRINCIPAL shall, within the time and as specified in the bidding and contract documents; and if, after award by the Department, the PRINCIPAL shall enter into a contract in accordance with the terms of the bidding and contract documents including evidence of the required insurance coverages and providing such bond as specified with good and sufficient surety for the faithful performance of such contract and for the prompt payment of labor and material furnished in the prosecution thereof; or if, in the event of the failure of the PRINCIPAL to enter into such contract and to give the specified bond, the PRINCIPAL pays to the Department the difference not to exceed the penalty hereof between the amount specified in the bid proposal and such larger amount for which the Department may contract with another party to perform the work covered by said bid proposal, then this obligation shall be null and void, otherwise, it shall remain in full force and effect.

IN THE EVENT the Department determines the PRINCIPAL has failed to comply with any requirement as set forth in the preceding paragraph, then Surety shall pay the penal sum to the Department within fifteen (15) days of written demand therefor. If Surety does not make full payment within such period of time, the Department may bring an action to collect the amount owed. Surety is liable to the Department for all its expenses, including attorney's fees, incurred in any litigation in which it prevails either in whole or in part.

In TESTIMONY WHEREOF, the said PRINCIPAL has caused this instrument to be signed by its officer  day of A.D.,		In TESTIMONY WHEREOF, the instrument to be signed by its conditions and the day of	e said SURETY has caused this officer  A.D.,		
(Comp	pany Name)	(Com	npany Name)		
Ву		Ву			
(Sign	nature and Title)	(Signatu	re of Attorney-in-Fact)		
Notary for PRINCIPAL		Notary for SURETY			
STATE OF		STATE OF			
COUNTY OF		COUNTY OF			
Signed and attested before me on (date) by (Name of Notary Public)		Signed and attested before me	on (date)		
		by(Name o	of Notary Public)		
(Seal)		(Seal)			
	(Signature of Notary Public)		(Signature of Notary Public)		
	(Date Commission Expires)		(Date Commission Expires)		
the Principal is ensuring the		een executed and the Principal and	ronic Bid Bond. By signing the proposal I Surety are firmly bound unto the State		
Electronic Bid Bond ID #	Company/Bidder Name	 <del>}</del>	Signature and Title		

# **DISADVANTAGED BUSINESS ENTERPRISE (DBE) PARTICIPATION**

Effective: October 15, 2017

<u>FEDERAL OBLIGATION</u>. The Illinois Department of Natural Resources (Department), as a recipient of federal financial assistance, is required to take all necessary and reasonable steps to ensure nondiscrimination in the award and administration of contracts. For the purposes of this Special Provision, a disadvantaged business enterprise (DBE) means a business listed in the Illinois Unified Certification Program (IL UCP) DBE Directory.

<u>STATE OBLIGATION</u>. This Special Provision will also be used by the Department to satisfy the requirements of the Business Enterprise for Minorities, Females, and Persons with Disabilities Act, 30 ILCS 575.

<u>CONTRACTOR ASSURANCE</u>. The Contractor makes the following assurance and agrees to include the assurance in each subcontract that the Contractor signs with a subcontractor:

The Contractor, subrecipient, or subcontractor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this contract. Failure by the Contractor to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy as the recipient deems appropriate.

CONTRACT GOAL TO BE ACHIEVED BY THE CONTRACTOR. This contract includes a specific DBE utilization goal established by the Department. The goal has been included because the Department has determined that the work of this contract has subcontracting opportunities that may be suitable for performance by DBE companies. This determination is based on an assessment of the type of work, the location of the work, and the availability of DBE companies to do a part of the work. The assessment indicates that, in the absence of unlawful discrimination, and in an arena of fair and open competition, DBE companies can be expected to perform 6% of the work. This percentage is set as the DBE participation goal for this contract. Consequently, in addition to the other award criteria established for this contract, the Department will only award this contract to a bidder who makes a good faith effort to meet this goal of DBE participation in the performance of the work. A bidder makes a good faith effort for award consideration if either of the following is done in accordance with the procedures set forth in this Special Provision:

- (a) The bidder documents that enough DBE participation has been obtained to meet the goal; or
- (b) The bidder documents that a good faith effort has been made to meet the goal, even though the effort did not succeed in obtaining enough DBE participation to meet the goal.

<u>DBE LOCATOR REFERENCES</u>. Bidders shall consult the IL UCP DBE Directory as a reference source for DBE-certified companies. In addition, the Illinois Department of Transportation maintains a letting and item specific DBE locator information system whereby DBE companies can register their interest in providing quotes on particular bid items advertised for letting. Information concerning DBE companies willing to quote work for particular contracts may be obtained by contacting the Illinois Department of Transportation's Bureau of Small Business Enterprises - Office of Business and Workforce Diversity at telephone number (217) 785-4611, or by visiting: <a href="http://idot.illinois.gov/doing-business/certifications/disadvantaged-business-enterprise-certification/il-ucp-directory/index">http://idot.illinois.gov/doing-business/certifications/disadvantaged-business-enterprise-certification/il-ucp-directory/index</a>

<u>BIDDING PROCEDURES</u>. Compliance with this Special Provision is a material bidding requirement and failure of the bidder to comply will render the bid not responsive.

## The bidder shall submit:

- (a) The bidder shall submit a DBE Utilization Plan to the Department on a completed form.
  - In the event the bid is declared not responsive due to a failure to submit a Utilization Plan or failure to comply with the bidding procedures set forth herein, the Department may elect to cause the forfeiture of the penal sum of the bidder's proposal guaranty and may deny authorization to bid the project if re-advertised for bids. The Department reserves the right to invite any other bidder to submit a Utilization Plan at any time for award consideration.
- (b) The Utilization Plan shall indicate that the bidder either has obtained sufficient DBE participation commitments to meet the contract goal or has not obtained enough DBE participation commitments in spite of a good faith effort to meet the goal. The Utilization Plan shall further provide the name, telephone number, and telefax number of a responsible official of the bidder designated for purposes of notification of Utilization Plan approval or disapproval under the procedures of this Special Provision.
- (c) The Utilization Plan shall include a DBE Participation Statement on a completed form, for each DBE proposed for the performance of work to achieve the contract goal. For bidding purposes, submission of the completed forms, signed by the DBEs and scanned or faxed to the bidder will be acceptable as long as the original is available and provided upon request. All elements of information indicated on the said form shall be provided, including but not limited to the following:
  - (1) The names and addresses of DBE firms that will participate in the contract;
  - (2) A description, including pay item numbers, of the work each DBE will perform;
  - (3) The dollar amount of the participation of each DBE firm participating. The dollar amount of participation for identified work shall specifically state the quantity, unit price, and total subcontract price for the work to be completed by the DBE. If partial pay items are to be performed by the DBE, indicate the portion of each item, a unit price where appropriate and the subcontract price amount;
  - (4) DBE Participation Commitment Statements signed by the bidder and each participating DBE firm documenting the commitment to use the DBE subcontractors whose participation is submitted to meet the contract goal;
  - (5) If the bidder is a joint venture comprised of DBE companies and non-DBE companies, the Utilization Plan must also include a clear identification of the portion of the work to be performed by the DBE partner(s); and,
  - (6) If the contract goal is not met, evidence of good faith efforts; the documentation of good faith efforts must include copies of each DBE and non-DBE subcontractor quote submitted to the bidder when a non-DBE subcontractor is selected over a DBE for work on the contract.

GOOD FAITH EFFORT PROCEDURES. The contract will not be awarded until the Utilization Plan submitted by the apparent successful bidder is approved. All information submitted by the bidder must be complete, accurate and adequately document that enough DBE participation has been obtained or document the good faith efforts of the bidder, in the event enough DBE participation has not been

obtained, before the Department will commit to the performance of the contract by the bidder. The Utilization Plan will be approved by the Department if the Utilization Plan documents sufficient commercially useful DBE work performance to meet the contract goal or the bidder submits sufficient documentation of a good faith effort to meet the contract goal. The Department shall follow the guidance on good faith effort provided in 49 CFR part 26, Appendix A. The Utilization Plan will not be approved by the Department if the Utilization Plan does not document sufficient DBE participation to meet the contract goal unless the apparent successful bidder documented in the Utilization Plan that it made a good faith effort to meet the goal. This means that the bidder must show that all necessary and reasonable steps were taken to achieve the contract goal. Necessary and reasonable steps are those which, by their scope, intensity and appropriateness to the objective, could reasonably be expected to obtain sufficient DBE participation, even if they were not successful. The Department will consider the quality, quantity, and intensity of the kinds of efforts that the bidder has made. Mere *pro forma* efforts, in other words, efforts done as a matter of form, are not good faith efforts; rather, the bidder is expected to have taken genuine efforts that would be reasonably expected of a bidder actively and aggressively trying to obtain DBE participation sufficient to meet the contract goal.

- (a) The following is a list of types of action that the Department will consider as part of the evaluation of the bidder's good faith efforts to obtain participation. These listed factors are not intended to be a mandatory checklist and are not intended to be exhaustive. Other factors or efforts brought to the attention of the Department may be relevant in appropriate cases and will be considered by the Department.
  - (1) Soliciting through all reasonable and available means (e.g. attendance at pre-bid meetings, advertising and/or written notices) the interest of all certified DBE companies that have the capability to perform the work of the contract. The bidder must solicit this interest within sufficient time to allow the DBE companies to respond to the solicitation. The bidder must determine with certainty if the DBE companies are interested by taking appropriate steps to follow up initial solicitations.
  - (2) Selecting portions of the work to be performed by DBE companies in order to increase the likelihood that the DBE goals will be achieved. This includes, where appropriate, breaking out contract work items into economically feasible units to facilitate DBE participation, even when the prime Contractor might otherwise prefer to perform these work items with its own forces.
  - (3) Providing interested DBE companies with adequate information about the plans, specifications, and requirements of the contract in a timely manner to assist them in responding to a solicitation.
  - (4) a. Negotiating in good faith with interested DBE companies. It is the bidder's responsibility to make a portion of the work available to DBE subcontractors and suppliers and to select those portions of the work or material needs consistent with the available DBE subcontractors and suppliers, so as to facilitate DBE participation. Evidence of such negotiation includes the names, addresses, and telephone numbers of DBE companies that were considered; a description of the information provided regarding the plans and specifications for the work selected for subcontracting; and evidence as to why additional agreements could not be reached for DBE companies to perform the work.
    - b. A bidder using good business judgment would consider a number of factors in negotiating with subcontractors, including DBE subcontractors, and would take a firm's price and capabilities as well as contract goals into consideration. However, the fact that there may be some additional costs involved in finding and using DBE

companies is not in itself sufficient reason for a bidder's failure to meet the contract DBE goal, as long as such costs are reasonable. Also, the ability or desire of a bidder to perform the work of a contract with its own organization does not relieve the bidder of the responsibility to make good faith efforts. Bidders are not, however, required to accept higher quotes from DBE companies if the price difference is excessive or unreasonable. In accordance with subsection (c)(6) of the above Bidding Procedures, the documentation of good faith efforts must include copies of each DBE and non-DBE subcontractor quote submitted to the bidder when a non-DBE subcontractor was selected over a DBE for work on the contract.

- (5) Not rejecting DBE companies as being unqualified without sound reasons based on a thorough investigation of their capabilities. The bidder's standing within its industry, membership in specific groups, organizations, or associations and political or social affiliations (for example union vs. non-union employee status) are not legitimate causes for the rejection or non-solicitation of bids in the bidder's efforts to meet the project goal.
- (6) Making efforts to assist interested DBE companies in obtaining bonding, lines of credit, or insurance as required by the recipient or Contractor.
- (7) Making efforts to assist interested DBE companies in obtaining necessary equipment, supplies, materials, or related assistance or services.
- (8) Effectively using the services of available minority/women community organizations; minority/women contractors' groups; local, state, and federal minority/women business assistance offices; and other organizations as allowed on a case-by-case basis to provide assistance in the recruitment and placement of DBE companies.
- (b) If the Department determines that the apparent successful bidder has made a good faith effort to secure the work commitment of DBE companies to meet the contract goal, the Department will award the contract provided that it is otherwise eligible for award. If the Department determines that the bidder has failed to meet the requirements of this Special Provision or that a good faith effort has not been made, the Department will notify the responsible company official designated in the Utilization Plan that the bid is not responsive. The notification shall include a statement of reasons for the determination.
- (c) The bidder may request administrative reconsideration of a determination adverse to the bidder within the five working days after receipt of the notification date of the determination by delivering the request to the Director of the Department's Office of Mines and Minerals. Deposit of the request in the United States mail on or before the fifth business day shall not be deemed delivery. The determination shall become final if a request is not made and delivered. A request may provide additional written documentation and/or argument concerning the issues raised in the determination statement of reasons, provided the documentation and arguments address efforts made prior to submitting the bid. After the review by Director, the bidder will be sent a written decision within fifteen working days after receipt of the request for reconsideration, explaining the basis for finding that the bidder did or did not meet the goal or make adequate good faith efforts to do so. A final decision by the Director that a good faith effort was made shall approve the Utilization Plan submitted by the bidder and shall clear the contract for award. A final decision that a good faith effort was not made shall render the bid not responsive.

<u>CALCULATING DBE PARTICIPATION</u>. The Utilization Plan values represent work anticipated to be performed and paid for upon satisfactory completion. The Department is only able to count toward

the achievement of the overall goal and the contract goal the value of payments made for the work actually performed by DBE companies. In addition, a DBE must perform a commercially useful function on the contract to be counted. A commercially useful function is generally performed when the DBE is responsible for the work and is carrying out its responsibilities by actually performing, managing, and supervising the work involved. The Department will follow the specific counting guidelines provided in 49 CFR part 26.55.

- (a) DBE as the Contractor: 100 percent goal credit for that portion of the work performed by the DBE's own forces, including the cost of materials and supplies. Work that a DBE subcontracts to a non-DBE does not count toward the DBE goals.
- (b) DBE as a joint venture Contractor: 100 percent goal credit for that portion of the total dollar value of the contract equal to the distinct, clearly defined portion of the work performed by the DBE's own forces.
- (c) DBE as a subcontractor: 100 percent goal credit for the work of the subcontract performed by the DBE's own forces, including the cost of materials and supplies, excluding the purchase of materials and supplies or the lease of equipment by the DBE subcontractor from the prime Contractor or its affiliates. Work that a DBE subcontractor in turn subcontracts to a non-DBE does not count toward the DBE goal.
- (d) DBE as a trucker: 100 percent goal credit for trucking participation provided the DBE is responsible for the management and supervision of the entire trucking operation for which it is responsible. At least one truck owned, operated, licensed, and insured by the DBE must be used on the contact. Credit will be given for the following:
  - (1) The DBE may lease trucks from another DBE firm, including an owner-operator who is certified as a DBE. The DBE who leases trucks from another DBE receives credit for the total value of the transportation services the lessee DBE provides on the contract.
  - (2) The DBE may also lease trucks from a non-DBE firm, including from an owner-operator. The DBE who leases trucks from a non-DBE is entitled to credit only for the fee or commission it receives as a result of the lease arrangement.
- (e) DBE as a material supplier:
  - (1) 60 percent goal credit for the cost of the materials or supplies purchased from a DBE regular dealer.
  - (2) 100 percent goal credit for the cost of materials or supplies obtained from a DBE manufacturer.
  - (3) 100 percent credit for the value of reasonable fees and commissions for the procurement of materials and supplies if not a regular dealer or manufacturer.

CONTRACT COMPLIANCE. Compliance with this Special Provision is an essential part of the contract. The Department shall not credit the participation of a DBE included in the Utilization Plan toward either the contract goal or the Department's overall goal until the amount to be applied toward the goals has been paid to the DBE. The following administrative procedures and remedies govern the compliance by the Contractor with the contractual obligations established by the Utilization Plan. After approval of the Utilization Plan and award of the contract, the Utilization Plan and individual DBE Participation Statements become part of the contract. If the Contractor did not succeed in

obtaining enough DBE participation to achieve the advertised contract goal, and the Utilization Plan was approved, and contract awarded based upon a determination of good faith, the total dollar value of DBE work calculated in the approved Utilization Plan as a percentage of the awarded contract value shall become the amended contract goal. All work indicated for performance by an approved DBE shall be performed, managed, and supervised by the DBE executing the DBE Participation Commitment Statement.

- (a) <u>NO AMENDMENT</u>. No amendment to the Utilization Plan may be made without prior written approval from the Department. All requests for amendment to the Utilization Plan shall be submitted to the Department 's Project Manager.
- (b) <u>CHANGES TO WORK</u>. Any deviation from the DBE condition-of-award or contract plans, specifications, or special provisions must be approved, in writing, by the Department as provided elsewhere in the Contract. The Contractor shall notify affected DBEs in writing of any changes in the scope of work which result in a reduction in the dollar amount condition-of-award to the contract. Where the revision includes work committed to a new DBE subcontractor, not previously involved in the project, then a Request for Approval of Subcontractor form must be signed and submitted. If the commitment of work is in the form of additional tasks assigned to an existing subcontract, then a new Request for Approval of Subcontractor shall not be required. However, the Contractor must document efforts to assure that the existing DBE subcontractor is capable of performing the additional work and has agreed in writing to the change.
- (c) <u>SUBCONTRACT</u>. The Contractor must provide DBE subcontracts to the Department upon request. Subcontractors shall ensure that all lower tier subcontracts or agreements with DBEs to supply labor or materials be performed in accordance with this Special Provision.
- (d) <u>ALTERNATIVE WORK METHODS</u>. In addition to the above requirements for reductions in the condition of award, additional requirements apply to the two cases of Contractor- initiated work substitution proposals. Where the contract allows alternate work methods which serve to delete or create underruns in condition of award DBE work, and the Contractor selects that alternate method or, where the Contractor proposes a substitute work method or material that serves to diminish or delete work committed to a DBE and replace it with other work, then the Contractor must demonstrate one of the following:
  - (1) That the replacement work will be performed by the same DBE (as long as the DBE is certified in the respective item of work) in a modification of the condition of award; or
  - (2) That the DBE is aware that its work will be deleted or will experience underruns and has agreed in writing to the change. If this occurs, the Contractor shall substitute other work of equivalent value to a certified DBE or provide documentation of good faith efforts to do so; or
  - (3) That the DBE is not capable of performing the replacement work or has declined to perform the work at a reasonable competitive price. If this occurs, the Contractor shall substitute other work of equivalent value to a certified DBE or provide documentation of good faith efforts to do so.
- (e) <u>TERMINATION AND REPLACEMENT PROCEDURES</u>. The Contractor shall not terminate or replace a DBE listed on the approved Utilization Plan or perform with other forces work designated for a listed DBE except as provided in this Special Provision. The Contractor shall

utilize the specific DBEs listed to perform the work and supply the materials for which each is listed unless the Contractor obtains the Department's written consent as provided in subsection (a) of this part. Unless Department consent is provided for termination of a DBE subcontractor, the Contractor shall not be entitled to any payment for work or material unless it is performed or supplied by the DBE in the Utilization Plan.

As stated above, the Contractor shall not terminate or replace a DBE subcontractor listed in the approved Utilization Plan without prior written consent. This includes, but is not limited to, instances in which the Contractor seeks to perform work originally designated for a DBE subcontractor with its own forces or those of an affiliate, a non- DBE firm, or with another DBE firm. Written consent will be granted only if the Department agrees, for reasons stated in its concurrence document, that the Contractor has good cause to terminate or replace the DBE firm. Before transmitting to the Department any request to terminate and/or substitute a DBE subcontractor, the Contractor shall give notice in writing to the DBE subcontractor, with a copy to the Department, of its intent to request to terminate and/or substitute, and the reason for the request. The Contractor shall give the DBE five days to respond to the Contractor's notice. The DBE so notified shall advise the Department and the Contractor of the reasons, if any, why it objects to the proposed termination of its subcontract and why the Department should not approve the Contractor's action. If required in a particular case as a matter of public necessity, the Department may provide a response period shorter than five days.

For purposes of this paragraph, good cause includes the following circumstances:

- (1) The listed DBE subcontractor fails or refuses to execute a written contract;
- (2) The listed DBE subcontractor fails or refuses to perform the work of its subcontract in a way consistent with normal industry standards. Provided, however, that good cause does not exist if the failure or refusal of the DBE subcontractor to perform its work on the subcontract results from the bad faith or discriminatory action of the prime contractor;
- (3) The listed DBE subcontractor fails or refuses to meet the prime Contractor's reasonable, nondiscriminatory bond requirements;
- (4) The listed DBE subcontractor becomes bankrupt, insolvent, or exhibits credit unworthiness;
- (5) The listed DBE subcontractor is ineligible to work on public works projects because of suspension and debarment proceedings pursuant 2 CFR Parts 180, 215 and 1200 or applicable state law.
- (6) You have determined that the listed DBE subcontractor is not a responsible contractor;
- (7) The listed DBE subcontractor voluntarily withdraws from the projects and provides to you written notice of its withdrawal;
- (8) The listed DBE is ineligible to receive DBE credit for the type of work required;

- (9) A DBE owner dies or becomes disabled with the result that the listed DBE subcontractor is unable to complete its work on the contract;
- (10) Other documented good cause that compels the termination of the DBE subcontractor. Provided, that good cause does not exist if the prime Contractor seeks to terminate a DBE it relied upon to obtain the contract so that the prime Contractor can self-perform the work for which the DBE contractor was engaged or so that the prime Contractor can substitute another DBE or non-DBE contractor after contract award.

When a DBE is terminated or fails to complete its work on the Contract for any reason the Contractor shall make a good faith effort to find another DBE to substitute for the original DBE to perform at least the same amount of work under the contract as the terminated DBE to the extent needed to meet the established Contract goal. The good faith efforts shall be documented by the Contractor. If the Department requests documentation under this provision, the Contractor shall submit the documentation within seven days, which may be extended for an additional seven days if necessary, at the request of the Contractor. The Department shall provide a written determination to the Contractor stating whether or not good faith efforts have been demonstrated.

- (f) PAYMENT RECORDS. The Contractor shall maintain a record of payments for work performed to the DBE participants. The records shall be made available to the Department for inspection upon request. After the performance of the final item of work or delivery of material by a DBE and final payment therefore to the DBE by the Contractor, but not later than thirty calendar days after payment has been made by the Department to the Contractor for such work or material, the Contractor shall submit a DBE Payment Agreement on Department form to the Project Manager. If full and final payment has not been made to the DBE, the DBE Payment Agreement shall indicate whether a disagreement as to the payment required exists between the Contractor and the DBE or if the Contractor believes that the work has not been satisfactorily completed. If the Contractor does not have the full amount of work indicated in the Utilization Plan performed by the DBE companies indicated in the Utilization Plan and after good faith efforts are reviewed, the Department may deduct from contract payments to the Contractor the amount of the goal not achieved as liquidated and ascertained damages. The Contractor may request an administrative reconsideration of any amount deducted as damages pursuant to subsection (h) of this part.
- (g) <u>ENFORCEMENT</u>. The Department reserves the right to withhold payment to the Contractor to enforce the provisions of this Special Provision. Final payment shall not be made on the contract until such time as the Contractor submits sufficient documentation demonstrating achievement of the goal in accordance with this Special Provision or after liquidated damages have been determined and collected.
- (h) <u>RECONSIDERATION</u>. Notwithstanding any other provision of the contract, including but not limited to Article 109.09 of the Standard Specifications, the Contractor my request administrative reconsideration of a decision to deduct the amount of the goal not achieved as liquidated damages. A request to reconsider shall be delivered to the Department and shall be handled and considered in the same manner as set forth in paragraph (c) of "Good Faith Effort Procedures" of this Special Provision, except a final decision that a good faith effort was not made during contract performance to achieve the goal agreed to in the Utilization Plan shall be the final administrative decision of the Department.





# (1) Policy

It is public policy that disadvantaged businesses as defined in the Special Provision shall have the maximum opportunity to participate in the performance of contracts financed in whole or in part with Federal or State funds.

# (2) Obligation

Date

The contractor agrees to ensure that disadvantaged businesses as defined in the Special Provision have the maximum opportunity to participate in the performance of contracts or subcontracts financed in whole or in part with Federal or State funds. The contractor shall take all necessary and reasonable steps in accordance with the Special Provision to ensure that said businesses have the maximum opportunity to compete for and perform under this contract. The contractor shall not discriminate on the basis of race, color, national origin, or sex in the award and performance of contracts.

uic awai	d and performance of contracts.			
(3) Proj	ect and Bid Identification			
Complet	e the following information concerning the project and bid:			
		Total Bid		
		Contract DBE Goal		,
Project			(Percent)	(Dollar Amount)
County				
Letting [	Date			
Contract	No			
Letting I	tem No.			
(4) Ass	urance			
	in my capacity as an officer of the undersigned bidder (or bidd my company: (check one)	ers if a joint venture), hereb	y assure the Dep	artment that on this
	Meets or exceeds contract award goals and has provided door Disadvantaged Business Participation	2025, required by the Spectat each business will performate aith effort documentation to Attached is all information rethe signed participation statistiness participating in this participation.	cial Provision evid on a Commercially meet the goals ar equired by the Spe ements, forms SB olan and assuring	Useful Function in the and that my company has ecial Provision in support E 2025, required by the that each business will
By Title	Company	The "as read" Low Bidder is re Submit only one utilization pla be submitted in accordance w	n for each project. Thith the special provision	e utilization plan shall
Tiue		Illinois Department of Natural One Natural Resources Way Springfield, Illinois 62702-127		



# **DBE Participation Statement**

■ / Re	sources	_	DE Faiticipatio	ii Statement
Subcontractor	Registration Number	_ L	etting	
Participation :	Statement	It	em No	
(1) Instruction	s	Contract No.		
accordance wi	t be completed for each disadvantaged business participating th the Special Provision and will be attached to the Utilization for the firm. Trucking participation items; description must lis	Plan form. If additi	onal space is needed	
(2) Work: Please indicat	e: J/VManufacturerSupplier (60%)	Subcont	tractorTru	cking
Pay Item No.	Description (Anticipated items for trucking)*	Quantity	Unit Price	Total
				<u>\$</u> \$
				\$
				\$
				<u>     \$                               </u>
			Total	Ψ
(3) Partial Pay	ment Items (For any of the above items which are partial pay	items)	_	
*Applies to true  (4) Commitme When a DBE is subcontract, it In the event a contract, the perform a contractor or 1 approval from payment there	nt s to be a second-tier subcontractor, or if the first-tier DBE submust be clearly indicated on the DBE Participation Statement, DBE subcontractor second-tiers a portion of its subcontract to rime must submit a DBE Participation Statement, with the detailed certify that the information included herein is true and commercially useful function in the work of the contract item(s) Tier subcontractor. The undersigned further understand that the Department and that complete and accurate information fore must be provided to the Department.	contractor is going to and the details of the one or more subco- ils of the transaction rrect, and that the E listed above and to t no changes to this regarding actual wo	o be subcontracting a le transaction fully exp intractors during the w l(s) fully explained. DBE firm listed below to execute a contract statement may be ma	portion of its blained.  Fork of a has agreed to with the prime de without prior project and the
Sigr	nature for Contractor 1st Tier 2nd Tier	Signature for	DBE Firm 1 <sup>st</sup> Tier 2	<sup>nd</sup> Tier
Date	Da	te		
Contact Perso	on Co	ntact Person		
Title	Tit	e		
Firm Name	Fir	m Name		
Address	Ad	dress		
City/State/Zip	Cit	y/State/Zip		
Phone	Ph	one		
Email Address	Em	nail Address		
	tural Resources is requesting disclosure of information that is necessary to accomplish the statuto e of this information is <b>REQUIRED</b> . Failure to provide any information will result in the contract no		e state and E	

# Illinois Department of Natural Resources

## PROJECT LABOR AGREEMENT

This Project Labor Agreement ("PLA" or "Agreement") is entered into this 11th day of January, 2021, by and between the Illinois Department of Natural Resources ("DNR" or "Board") in its proprietary capacity, and each relevant Illinois AFL-CIO Building Trades signatory hereto as determined by the Illinois AFL-CIO Statewide Project Labor Agreement Committee on behalf of each of its affiliated members (individually and collectively, the "Unions"). This PLA shall apply to Construction Work (as defined herein) to be performed by DNR's Prime Contractor(s) and each of its Subcontractors of whatever tier ("Subcontractor" or "Subcontractors") on **Project No. AML-GSIE-1907** (hereinafter, the "Project").

# **ARTICLE 1 - INTENT AND PURPOSES**

- 1.1 This PLA is entered into in accordance with the Project Labor Agreement Act ("Act", 30 ILCS 571). It is mutually understood and agreed that the terms and conditions of this PLA are intended to promote the public interest in obtaining timely and economical completion of the Project by encouraging productive and efficient construction operations; by establishing a spirit of harmony and cooperation among the parties; and by providing for peaceful and prompt settlement of any and all labor grievances or jurisdictional disputes of any kind without strikes, lockouts, slowdowns, delays, or other disruptions to the prosecution of the work. The parties acknowledge the obligations of the Contractors and Subcontractors to comply with the provisions of the Act. The parties will work with the Contractors and Subcontractors within the parameters of other statutory and regulatory requirements to implement the Act's goals and objectives.
- 1.2 As a condition of the award of the contract for performance of work on the Project, DNR's Prime Contractor(s) and each of its Subcontractors shall execute a "Contractor Letter of Assent", in the form attached hereto as Exhibit A, prior to commencing Construction Work on the Project. The Prime Contractor(s) shall submit their Subcontractor's Contractor Letter of Assent to the Board prior to the Subcontractor's performance of Construction Work on the Project. Upon request copies of the applicable collective bargaining agreements will be provided by the appropriate signatory labor organization consistent with this Agreement and at the pre-job conference referenced in Article III, Section 3.1.
- 1.3 Each Union affiliate and DNR local representing workers engaged in Construction Work on the Project in accordance with this PLA are bound to this agreement by the Illinois AFL-CIO Statewide Project Labor Agreement Committee which is the central committee established with full authority to negotiate and sign PLAs with the State on behalf of all respective crafts. Upon their signing the Contractor Letter of Assent, the Prime Contractor(s), each Subcontractor, and the individual Unions shall thereafter be deemed a party to this PLA. No party signatory to this PLA shall, contract or subcontract, nor permit any other person, firm, company, or entity to contract or subcontract for the performance of Construction Work for the Project to any person, firm, company, or entity that does not agree in writing to become bound for the term of this Project by the terms of this PLA prior to commencing such work and to the applicable area-wide collective bargaining agreement(s) with the Union(s) signatory hereto.

- 1.4 It is understood that the Prime Contractor(s) and each Subcontractor will be considered and accepted by the Unions as DNR employers for the purposes of collective bargaining, and it is further agreed that the employees working under this PLA shall constitute a bargaining unit DNR and distinct from all others. The parties hereto also agree that this PLA shall be applicable solely with respect to this Project, and shall *have* no bearing on the interpretation of any other collective bargaining agreement or as to the recognition of any bargaining unit other than for the specific purposes of this Project.
- 1.5 In the event of a variance or conflict, whether explicit or implicit, between the terms and conditions of this PLA and the provisions of any other applicable national, area, or local collective bargaining agreement, the terms and conditions of this PLA shall supersede and control. For any work performed under the **NTL** Articles of Agreement, the National Stack/Chimney Agreement, the National Cooling Tower Agreement, the National Agreement of the International Union of Elevator Constructors, and for any instrument calibration work and loop checking performed under the UA/IBEW Joint National Agreement for Instrument and Control Systems Technicians, the preceding sentence shall apply only with respect to Articles I, 11, V, VI, and VII.
- 1.6 Subject to the provisions of paragraph 1.5 of this Article, ii is the parties' intent to respect the provisions of any other collective bargaining agreements that may now or hereafter pertain, whether between the Prime Contractor and one or more of the Unions or between a Subcontractor and one or more of the Unions. Accordingly, except and to the extent of any contrary provision set forth in this PLA, the Prime Contractor and each of its Subcontractors agrees to be bound and abide by the terms of the following in order of precedence: (a) the applicable collective bargaining agreement between the Prime Contractor and one or more of the Unions made signatory hereto; (b) the applicable collective bargaining agreement between a Subcontractor and one or more of the Unions made signatory hereto; or (c) the current applicable area collective bargaining agreement for the relevant Union that is the agreement certified by the Illinois Department of Labor for purposes of establishing the Prevailing Wage applicable to the Project. The Union will provide copies of the applicable collective bargaining agreements pursuant to part (c) of the preceding sentence to the Prime Contractor. Assignments by the Contractors or Subcontractors amongst the trades shall be consistent with area practices; in the event of unresolved disagreements as to the propriety of such assignments, the provisions of Article VI shall apply.
- 1.7 Subject to the limitations of paragraphs 1.4 to 1.6 of this Article, the terms of each applicable collective bargaining agreement as determined in accordance with paragraph 1.6 are incorporated herein by reference, and the terms of this PLA shall be deemed incorporated into such other applicable collective bargaining agreements only for purposes of their application to the Project.
- 1.8 To the extent necessary to comply with the requirements of any fringe benefit fund to which the Prime Contractor or Subcontractor is required to contribute under the terms of an applicable collective bargaining agreement pursuant to the preceding paragraph, the Prime Contractor or Subcontractor shall execute all "Participation Agreements" as may be reasonably required by the Union to accomplish such purpose; provided, however, that such Participation Agreements shall, when applicable to the Prime Contractor or Subcontractor solely as a result of this PLA, be amended as reasonably necessary to reflect such fact. Upon written notice in the form of a lien of a Contractor's or Subcontractor's delinquency from any applicable fringe benefit fund, DNR will withhold from the Contractor's periodic pay request an amount sufficient to extinguish any delinquency obligation of the Contractor or Subcontractor arising out of the Project.

1.9 In the event that the applicable collective bargaining agreement between a Prime Contractor and the Union or between the Subcontractor and the Union expires prior to the completion of this Project, the expired applicable contract's terms will be maintained until a new applicable collective bargaining agreement is ratified. The wages and fringe benefits included in any new applicable collective bargaining agreement will apply on and after the effective date of the newly negotiated collective bargaining agreement, except to the extent wage and fringe benefit retroactivity is specifically agreed upon by the relevant bargaining parties.

# ARTICLE II APPLICABILITY, RECOGNITION, AND COMMITMENTS

- The term Construction Work as used herein shall include all "construction, demolition, rehabilitation, renovation, or repair" work performed by a "laborer or mechanic" at the "site of the work" for the purpose of "building" the specific structures and improvements that constitute the Project. Terms appearing within quotation marks in the preceding sentence shall have the meaning ascribed to them pursuant to 29 CFR Part 5 and Illinois labor laws.
- 2.2 By executing the Letters of Assent, Prime Contractor(s) and each of its Subcontractors recognizes the Unions signatory to this PLA as the sole and exclusive bargaining representatives for their craft employees employed on the job-site for this Project. Unions who are signatory to this PLA will have recognition on the Project for their craft.
- 2.3 The Prime Contractor and each of its Subcontractors retains and shall be permitted to exercise full and exclusive authority and responsibility for the management of its operations, except as expressly limited by the terms of this PLA or by the terms and conditions of the applicable collective bargaining agreement.
- 2.4 Except to the extent contrary to an express provision of the relevant collective bargaining agreement, equipment or materials used in the Project may be pre-assembled or prefabricated, and there shall be no refusal by the Union to handle, transport, install, or connect such equipment or materials. Equipment or materials delivered to the job-site will be unloaded and handled promptly without regard to potential jurisdictional disputes; any such disputes shall be handled in accordance with the provisions of this PLA.
- 2.5 The parties are mutually committed to promoting a safe working environment for all personnel at the job-site. It shall be the responsibility of each employer to which this PLA applies to provide and maintain safe working conditions for its employees, and to comply with all applicable federal, state, and local health and safety laws and regulations.
- 2.6 The use or furnishing of alcohol or drugs and the conduct of any other illegal activity at the job-site is strictly prohibited. The parties shall take every practical measure consistent with the terms of applicable collective bargaining agreements to ensure that the job-site is free of alcohol and drugs.
- 2.7 All parties to this PLA agree that they will not discriminate against any employee based on race, creed, religion, color, national origin, Union activity, age, gender or sexual orientation and shall comply with all applicable federal, state, and local laws.
- 2.8 In accordance with the Act and to promote diversity in employment, DNR will establish, in cooperation with other parties, the apprenticeship hours which are to be performed by minorities and females on the Project. DNR shall consider the total hours to be performed

by these underrepresented groups, as a percentage of the workforce, and create aspirational goals for each Project, based on the level of underutilization for the service area of the Project. Pursuant to the Project Labor Agreement Act (30 ILCS571) DNR shall provide a quarterly report to the Illinois Department of Labor regarding the racial and gender composition of the workforce on the Project.

Consistent with the Project Labor Agreement Act (30 ILCS571) the parties agree that all Prime Contractors and Subcontractors working on the Project shall be encouraged to utilize the maximum number of apprentices as permitted under the terms of the applicable collective bargaining agreements.

The Unions shall assist the Prime Contractors and each Subcontractor in efforts to satisfy the aspirational goals. The application of this section shall be consistent with all local Union collective bargaining agreements, and the hiring hall rules and regulations established for the hiring of personnel, as well as the apprenticeship standards set forth by each individual Union.

2.9 The parties hereto agree that engineering/architectural/surveying consultants' materials testing employees are subject to the terms of this PLA for Construction Work performed for a Contractor or Subcontractor on this Project. These workers shall be fully expected to objectively and responsibly perform their duties and obligations owed to the Board without regard to the potential Union affiliation of such employees or of other employees on the Project.

# ARTICLE III -ADMINISTRATION OF AGREEMENT

- 3.1 In order to assure that all parties have a clear understanding of the PLA, and to promote harmony, at the request of the Unions a post-award pre-job conference will be held among the Prime Contractor(s), all Subcontractors and Union representatives prior to the start of any Construction Work on the Project. No later than the conclusion of such pre-job conference, the parties shall, among other matters, provide to one another contact information for their respective representatives (including name, address, phone number, facsimile number, e-mail). Nothing herein shall be construed to limit the right of the Board to discuss or explain the purpose and intent of this PLA with prospective bidders or other interested parties prior to or following its award of the job.
- 3.2 Representatives of the Prime Contractor and the Unions shall meet as often as reasonably necessary following award until completion of the Project to assure the effective implementation of this PLA.
- 3.3 Any notice contemplated under Article VI and VII of this Agreement to a signatory labor organization shall be made in writing to the Local Union with copies to the local Union's International Representative.

# **ARTICLE IV - HOURS OF WORK AND GENERAL CONDITIONS**

4.1 The standard work day and work week for Construction Work on the Project shall be consistent with the respective collective bargaining agreements. In the event Project site or other job conditions dictate a change in the established starting time and/or a staggered lunch period for portions of the Project or for specific crafts, the DNR, the Prime Contractor, relevant Subcontractors and business managers of the specific crafts involved shall confer and mutually agree to such changes as appropriate. If proposed work schedule

- changes cannot be mutually agreed upon between the parties, the hours fixed at the time of the pre-job meeting shall prevail.
- 4.2 Shift work may be established and directed by the Prime Contractor or relevant Subcontractor as reasonably necessary or appropriate to fulfill the terms of its contract with the Board. If used, shift hours, rates and conditions shall be as provided in the applicable collective bargaining agreement.
- 4.3 The parties agree that chronic and/or unexcused absenteeism is undesirable and must be controlled in accordance with procedures established by the applicable collective bargaining agreement. Any employee disciplined for absenteeism in accordance with such procedures shall be suspended from all work on the Project for not less than the maximum period permitted under the applicable collective bargaining agreement.
- 4.4 Except as may be otherwise expressly provided by the applicable collective bargaining agreement, employment begins and ends at the Project site; employees shall be at their place of work at the starting time; and employees shall remain at their place of work until quitting time.
- 4.5 Except as may be otherwise expressly provided by the applicable collective bargaining agreement, there shall be no limit on production by workmen, no restrictions on the full use of tools or equipment, and no restrictions on efficient use of manpower or techniques of construction other than as may be required by safety regulations.
- The parties recognize that specialized or unusual equipment may be installed on the Project. In such cases, the Union recognizes the right of the Prime Contractor or Subcontractor to involve the equipment supplier or vendor's personnel in supervising the setting up of the equipment, making modifications and final alignment, and performing similar activities that may be reasonably necessary prior to and during the start-up procedure in order to protect factory warranties. The Prime Contractor or Subcontractor shall notify the Union representatives in advance of any work at the job-site by such vendor personnel in order to promote a harmonious relationship between the equipment vendor's personnel and other Project employees.
- 4.7 For the purpose of promoting full and effective implementation of this PLA, authorized Union representatives shall have access to the Project job-site during scheduled work hours. Such access shall be conditioned upon adherence to all reasonable visitor and security rules of general applicability that may be established for the Project site at the pre-job conference or from time to time thereafter.

# ARTICLE V GRIEVANCE PROCEDURES FOR DISPUTES ARISING UNDER A PARTICULAR COLLECTIVE BARGAINING AGREEMENT

- 5.1 In the event a dispute arises under a particular collective bargaining agreement specifically not including jurisdictional disputes referenced in Article VI below, said dispute shall be resolved by the Grievance/Arbitration procedure of the applicable collective bargaining agreement. The resulting determination from this process shall be final and binding on all parties bound to its process.
- 5.2 Employers covered under this Agreement shall have the right to discharge or discipline any employee who violates the provisions of this Agreement. Such discharge or discipline by a contractor or subcontractor shall be subject to Grievance/Arbitration procedure of the applicable collective bargaining agreement only as to the fact of such violation of this agreement. If such fact is established, the penalty imposed shall not be disturbed. Work at the Project site

- shall continue without disruption or hindrance of any kind as a result of a Grievance/Arbitration procedure under this Article.
- 5.3 In the event there is a deadlock in the foregoing procedure, the parties agree that the matter shall be submitted to arbitration for the selection and decision of an Arbitrator governed under paragraph 6.8.

# **ARTICLE VI - DISPUTES: GENERAL PRINCIPLES**

- This Agreement is entered into to prevent strikes, lost time, lockouts and to facilitate the peaceful adjustment of jurisdictional disputes in the building and construction industry and to prevent waste and unnecessary avoidable delays and expense, and for the further purpose of at all times securing for the employer sufficient skilled workers.
- 6.2 A panel of Permanent Arbitrators are attached as Exhibit (B) to this agreement. By mutual agreement between DNR and the Unions, the parties can open this section of the agreement as needed to make changes to the list of permanent arbitrators.
- 6.3 The PLA Jurisdictional Dispute Resolution Process ("Process") sets forth the procedures below to resolve jurisdictional disputes between and among Contractors, Subcontractors, and Unions engaged in the building and construction industry. Further, the Process will be followed for any grievance or dispute arising out of the interpretation or application of this PLA by the parties except for the prohibition on attorneys contained in 6.11. All decisions made through the Process are final and binding upon all parties.

# **DISPUTE PROCESS**

- 6.4 Administrative functions under the Process shall be performed through the offices of the President and/or Secretary-Treasurer of the Illinois AFL-CIO, or their designated representative, called the Administrator. In no event shall any officer, employee, agent, attorney, or other representative of the Illinois AFL-CIO be subject to any subpoena to appear or testify at any jurisdictional dispute hearing.
- 6.5 There shall be no abandonment of work during any case participating in this Processor in violation of the arbitration decision. All parties to this Process release the Illinois AFL-CIO from any liability arising from its action or inaction and covenant not to sue the Illinois AFL-CIO, nor its officers, employees, agents or attorneys.
- 6.6 In the event of a dispute relating to trade or work jurisdiction, all parties, including the employers, Contractors or Subcontractors, agree that a final and binding resolution of the dispute shall be resolved as follows:
  - (a) Representatives of the affected trades and the Contractor or Subcontractor shall meet on the job-site within two (2) business days after receiving written notice in an effort to resolve the dispute. (In the event there is a dispute between local Unions affiliated with the same International Union, the decision of the General President, or his/her designee, as the internal jurisdictional authority of that International Union, shall constitute a final and binding decision and determination as to the jurisdiction of work.)
  - (b) If no settlement is achieved subsequent to the preceding Paragraph, the matter shall be referred to the local area Building & Construction Trades Council, which shall meet with

the affected trades within two (2) business days subsequent to receiving written notice. In the event the parties do not wish to avail themselves of the local Building & Construction Trades Council, the parties may elect to invoke the services of their respective International Representatives with no extension of the time limitations. An agreement reached at this Step shall be final and binding upon all parties.

- (c) If no settlement agreement is reached during the proceedings contemplated by Paragraphs "a" or "b" above, the matter shall be immediately referred to the Illinois Jurisdictional Dispute Process for final and binding resolution of said dispute. Said referral submission shall be in writing and served upon the Illinois AFL-CIO, or the Administrator, pursuant to paragraph 6.4 of this agreement. The Administrator shall, within three (3) days, provide for the selection of an available Arbitrator to hear said dispute within this time period. Upon good cause shown and determined by the Administrator, an additional three (3) day extension for said hearing shall be granted at the sole discretion of the Administrator. Only upon mutual agreement of all parties may the Administrator extend the hearing for a period in excess of the time frames contemplated under this Paragraph. Business days are defined as Monday through Friday, excluding contract holidays.
- 6.7 The primary concern of the Process shall be the adjustment of jurisdictional disputes arising out of the Project. A sufficient number of Arbitrators shall be selected from list of approved Arbitrators as referenced Sec. 6.2 and shall be assigned per Sec. 6.8. Decisions shall be only for the Project and shall become effective immediately upon issuance and complied with by all parties. The authority of the Arbitrator shall be restricted and limited specifically to the terms and provisions of Article VI and generally to this Agreement as a whole.
- 6.8 The Arbitrator chosen shall be randomly selected based on the list of Arbitrators in Sec. 6.2 and geographical location of the jurisdictional dispute and upon his/her availability, and ability to conduct a Hearing within two (2) business days of said notice. The Arbitrator may issue a "bench" decision immediately following the Hearing or he/she may elect to only issue a written decision, said decision must be issued within two (2) business days subsequent to the completion of the Hearing. Copies of all notices, pleadings, supporting memoranda, decisions, etc. shall be provided to all disputing parties and the Illinois State Federation of Labor.

Any written decision shall be in accordance with this Process and shall be final and binding upon all parties to the dispute and may be a "short form" decision. Fees and costs of the arbitrator shall be divided evenly between the contesting parties except that any party wishing a full opinion and decision beyond the short form decision shall bear the reasonable fees and costs of such full opinion. The decision of the Arbitrator shall be final and binding upon the parties hereto, their members, and affiliates.

In cases of jurisdictional disputes or other disputes between a signatory labor organization and another labor organization, both of which is an affiliate or member of the same International Union, the matter or dispute shall be settled in the manner set forth by their International Constitution and/or as determined by the International Union's General President whose decision shall be final and binding upon all parties. In no event shall there be an abandonment of work.

- 6.9 In rendering a decision, the Arbitrator shall determine:
  - (a) First, whether a previous agreement of record or applicable agreement, including a disclaimer agreement, between National or International Unions to the dispute or agreements between local Unions involved in the dispute, governs;

- (b) Only if the Arbitrator finds that the dispute is not covered by an appropriate or applicable agreement of record or agreement between the crafts to the dispute, he shall then consider the established trade practice in the industry and prevailing practice in the locality. Where there is a previous decision of record governing the case, the Arbitrator shall give equal weight to such decision of record, unless the prevailing practice in the locality in the past ten years favors one craft In that case, the Arbitrator shall base his decision on the prevailing practice in the locality, Except, that if the Arbitrator finds that a craft has improperly obtained the prevailing practice in the locality through raiding, the undercutting of wages or by the use of vertical agreements, the Arbitrator shall rely on the decision of record and established trade practice in the industry rather than the prevailing practice in the locality; and,
- (c) Only if none of the above criteria is found to exist, the Arbitrator shall then consider that because efficiency, cost or continuity and good management are essential to the well being of the industry, the interests of the consumer or the past practices of the employer shall not be ignored.
- 6.10 The Arbitrator shall set forth the basis for his/her decision and shall explain his/her findings regarding the applicability of the above criteria. If lower ranked criteria are relied upon, the Arbitrator shall explain why the higher-ranked criteria were not deemed applicable. The Arbitrator's decision shall only apply to the Project Agreements of Record, for other PLA projects, are applicable only to those parties signatory to such agreements. Decisions of Record are those that were either attested to by the former Impartial Jurisdictional Disputes Board or adopted by the National Arbitration Panel.
- 6.11 All interested parties, as determined by the Arbitrator, shall be entitled to make presentations to the Arbitrator. Any interested labor organization affiliated to the PLA Committee and party present at the Hearing, whether making a presentation or not, by such presence shall be deemed to accept the jurisdiction of the Arbitrator and to agree to be bound by its decision. In addition to the representative of the local labor organization, a representative of the labor organization's International Union may appear on behalf of the parties. Each party is responsible for arranging for its witnesses. In the event an Arbitrator's subpoena is required, the party requiring said subpoena shall prDNRre the subpoena for the Arbitrator to execute. Service of the subpoena upon any witness shall be the responsibility of the issuing party. Attorneys shall not be permitted to attend or participate in any portion of a Hearing. The parties are encouraged to determine, prior to Hearing, documentary evidence which may be presented to the Arbitrator on a joint basis,
- 6.12 The Order of Presentation in all Hearings before an Arbitrator shall be
  - L Identification and Stipulation of the Parties
  - IL Unions(s) claiming the disputed work presents its case
  - III. Union(s) assigned the disputed work presents its case
  - IV. Employer assigning the disputed work presents its case
  - V, Evidence from other interested parties (Le., general contractor, project manager, owner)
  - VI. Rebuttal by Union(s) claiming the disputed work
  - VII.Additional submissions permitted and requested by Arbitrator
  - VIII.Closing arguments by the parties
- 6.13 All parties bound to the provisions of this Process hereby release the Illinois AFL-CIO and DNR, their respective officers, agents, employees or designated representatives, specifically including any Arbitrator participating in said Process, from any and all liability or claim, of whatsoever nature, and specifically incorporating the protections provided in the

Illinois Arbitration Act, as amended from time to time.

- 6.14 The Process, as an arbitration panel, nor its Administrator, shall have any authority to undertake any action to enforce its decision(s). Rather, it shall be the responsibility of the prevailing party to seek appropriate enforcement of a decision, including findings, orders or awards of the Arbitrator or Administrator determining non-compliance with a prior award or decision.
- 6.15 If at any time there is a question as to the jurisdiction of the Illinois Jurisdictional Dispute Resolution Process, the primary responsibility for any determination of the arbitrability of a dispute and the jurisdiction of the Arbitrator shall be borne by the party requesting the Arbitrator to hear the underlying jurisdictional dispute. The affected party or parties may proceed before the Arbitrator even in the absence or one or more stipulated parties with the issue of jurisdiction as an additional item to be decided by the Arbitrator. The Administrator may participate in proceedings seeking a declaration or determination that the underlying dispute is subject to the jurisdiction and process of the Illinois Jurisdictional Dispute Resolution Process. In any such proceedings, the non-prevailing party and/or the party challenging the jurisdiction of the Illinois Jurisdictional Dispute Resolution Process and attorneys' fees incurred by the Illinois Jurisdictional Dispute Resolution Process and/or its Administrator in establishing its jurisdiction.

# **ARTICLE VII - WORK STOPPAGES AND LOCKOUTS**

- 7.1 During the term of this PLA, no Union or any of its members, officers, stewards, employees, agents or representatives shall instigate, support, sanction, maintain, or participate in any strike, picketing, walkout, work stoppage, slow down or other activity that interferes with the routine and timely prosecution of work at the Project site or at any other contractor's or supplier's facility that is necessary to performance of work at the Project site. Hand billing at the Project site during the designated lunch period and before commencement or following conclusion of the established standard workday shall not, in itself, be deemed an activity that interferes with the routine and timely prosecution of work on the Project.
- 7.2 Should any activity prohibited by paragraph 7.1 of this Article occur, the Union shall undertake all steps reasonably necessary to promptly end such prohibited activities.
  - (a) No Union complying with its obligations under this Article shall be liable for acts of employees for which it has no responsibility or for the unauthorized acts of employees it represents. Any employee who participates or encourages any activity prohibited by paragraph 7.1 shall be immediately suspended from all work on the Project for a period equal to the greater of (a) 60 days; or (b) the maximum disciplinary period allowed under the applicable collective bargaining agreement for engaging in comparable unauthorized or prohibited activity.
  - (b) Neither the PLA Committee nor its affiliates shall be liable for acts of employees for which it has no responsibility. The principal officer or officers of the PLA Committee will immediately instruct, order and use the best efforts of his office to cause the affiliated Union or Unions to cease any violations of this Article. The PLA Committee in its compliance with this obligation shall not liable for acts of its affiliates. The principal officer or officers of any involved affiliate will immediately instruct, order or use the best effort of his office to cause the employees the Union represents to cease any violations of this Article. A Union complying with this obligation shall not be liable for unauthorized acts of employees it

represents. The failure of the Contractor to exercise its rights in any instance shall not be deemed a waiver of its rights in any other instance. During the term of this PLA, the Prime Contractor and its Subcontractors shall not engage in any lockout at the Project site of employees covered by this Agreement.

- 7.3 Upon notification of violations of this Article, the principal officer or officers of the local area Building and Construction Trades Council, and the Illinois AFL-CIO Statewide Project Labor Agreement Committee as appropriate, will immediately instruct, order and use their best efforts to cause the affiliated Union or Unions to cease any violations of this Article. A Trades Council and the Committee otherwise in compliance with the obligations under this paragraph shall not be liable for unauthorized acts of its affiliates.
- 7.4 In the event that activities in violation of this Article are not immediately halted through the efforts of the parties, any aggrieved party may invoke the special arbitration provisions set forth in paragraph 7.5 of this Article.
- 7.5 Upon written notice to the other involved parties by the most expeditious means available, any aggrieved party may institute the following special arbitration procedure when a breech of this Article is alleged:
  - (a) The party invoking this procedure shall notify the individual designated as the Permanent Arbitrator pursuant to paragraph 6.8 of the nature of the alleged violation; such notice shall be by the most expeditious means possible. The initiating party may also furnish such additional factual information as may be reasonably necessary for the Permanent Arbitrator to understand the relevant circumstances. Copies of any written materials provided to the arbitrator shall also be contemporaneously provided by the most expeditious means possible to the party alleged to be in violation and to all other involved parties.
  - (b) Upon receipt of said notice the Permanent Arbitrator shall set and hold a hearing within twenty-four (24) hours if it is contended the violation is ongoing, but not before twenty-four (24) hours after the written notice to all parties involved as required above.
  - (c) The Permanent Arbitrator shall notify the parties by facsimile or any other effective written means, of the place and time chosen by the Permanent Arbitrator for this hearing. Said hearing shall be completed in one session. A failure of any party or parties to attend said hearing shall not delay the hearing of evidence or issuance of an Award by the Permanent Arbitrator.
  - (d) The sole issue at the hearing shall be whether a violation of this Article has, in fact, occurred. An Award shall be issued in writing within three (3) hours after the close of the hearing, and may be issued without a written opinion. If any party desires a written opinion, one shall be issued within fifteen (15) days, but its issuance shall not delay compliance with, or enforcement of, the Award. The Permanent Arbitrator may order cessation of the violation of this Article, and such Award shall be served on all parties by hand or registered mail upon issuance.
  - (e) Such Award may be enforced by any court of competent jurisdiction upon the filing of the Award and such other relevant documents as may be required. Facsimile or other hardcopy written notice of the filing of such enforcement proceedings shall be given to the other relevant parties. In a proceeding to obtain a temporary order enforcing the Permanent Arbitrator's Award as issued under this Article, all parties waive the right to a hearing and

agree that such proceedings may be ex parte. Such agreement does not waive any party's right to participate in a hearing for a final order of enforcement. The Court's order or orders enforcing the Permanent Arbitrator's Award shall be served on all parties by hand or by delivery to their last known address or by registered mail.

- 7.6 Individuals found to have violated the provisions of this Article are subject to immediate termination. In addition, DNR reserves the right to terminate this PLA as to any party found to have violated the provisions of this Article.
- 7.7 Any rights created by statue or law governing arbitration proceedings inconsistent with the above procedure or which interfere with compliance therewith are hereby waived by parties to whom they accrue.
- 7.8 The fees and expenses of the Permanent Arbitrator shall be borne by the party or parties found in violation, or in the event no violation is found, such fees and expenses shall be borne by the moving party.

# **ARTICLE VIII - TERMS OF AGREEMENT**

- 8.1 If any Article or provision of this Agreement shall be declared invalid, inoperative or unenforceable by operation of law or by any of the above mentioned tribunals of competent jurisdiction, the remainder of this Agreement or the application of such Article or provision to persons or circumstances other than those as to which ii has been held invalid, inoperative or unenforceable shall not be affected thereby.
- 8.2 This Agreement shall be in full force as of and from the date of the Authorization to Proceed until the Project contract is closed.
- 8.3 This PLA may not be changed or modified except by the subsequent written agreement of the parties. All parties represent that they have the full legal authority to enter into this PLA. This PLA may be executed by the parties in one or more counterparts.
- Any liability arising out of this PLA shall be severable and not joint. DNR shall not be liable to any person or other party for any violation of this PLA by any other party, and no Contractor or Union shall be liable for any violation of this PLA by any other Contractor or Union.
- 8.5 The failure or refusal of a party to exercise its rights hereunder in one or more instances shall not be deemed a waiver of any such rights in respect of a DNR instance of the same or similar nature.

[The Balance of This Page Intentionally Left Blank]

# Bluebird 5 & 6/Pitco Abandoned Mined Lands Reclamation Project

AML-GVeE-1904

Saline County

Item 2LR

**Execution Page** 

Illinois Department of Natural Resources

Bhu Ryn

John Rogner, Assistant Director

Date

Colleen Callahan, Director

Date

Iffinois AFL-CIO Statewide Project Labor Agreement Committee, representing Laborers, Operating Engineers and Teamsters in Egyptian Building Trades Council.

Dec. 18, 2020

Tim Drea, President

Date

Jim Allen Bricklayers Millia P. Muyus J.	William Mangin Heat & Frost Insulators & Allied Workers
William P. Meyers Jr./ United Association	Gary Menzel
The Marie	Roofers & Waterproofers
Ed Christensen Elevator Constructors	Paul Noble
Ryan Anderson	IBEW IBEW
IUPAT	Marshall Douglas
Pat Gleason	Hay borna, f.
Teamsters	Gary Périnar Jr. Carpenters
Terrence M. Alak Terrence Healy LIUNA	Daniel M. Ahern Sheet Metal Workers
David Beard	1905

Eric S. Davis Boilermakers

Kevin J. Farley

**OPCMIA** 

Iron Workers

<sup>\*</sup>Elevator Constructors master agreement language must be attached to PLA

Exhibit A - Contractor Letter of Assent
January 15, 2021
To All Parties:
In accordance with the terms and conditions of the contract(s) for Construction Work on [Project No. AML-GSIE-1907, this Letter of Assent hereby confirms that the undersigned Prime Contractor or Subcontractor agrees to be bound by the terms and conditions of the Project Labor Agreement established and entered into by the Illinois Department of Natural Resources in connection with said Project.
It is the understanding and intent of the undersigned party that this Project Labor Agreement shall pertain only to the identified Project. In the event it is necessary for the undersigned party to become signatory to a collective bargaining agreement to which it is not otherwise a party in order that it may lawfully make certain required contributions to applicable fringe benefit funds, the undersigned party hereby expressly conditions its acceptance of and limits its participation in such collective bargaining agreement to its work on the Project.
(Authorized Company Officer)

(Company)

SPECIAL PROVISIONS FOR THE CONSTRUCTION OF: Bluebird 5 & 6 / Pitco Mine Reclamation Project Saline County, Illinois AML-GSIE-1907

# SPECIAL PROVISIONS TABLE OF CONTENTS

		<u>PAGE</u>
DESCRIPTION (	OF PROJECT	000-2
LOCATION OF I	PROJECT	000-2
ABILITY OF CO	NTRACTOR TO COMPLETE WORK	000-2
RESPONSIBILIT	Y OF THE CONTRACTOR	000-2
STARTING DAT	E OF CONTRACT	000-3
CONTRACT ENI	DING DATE	000-3
PROGRESS AND	D LIQUIDATED DAMAGES	000-3
CONSTRUCTIO	N PROJECT SIGN	000-3
<b>EXISTING PAVE</b>	MENTS	000-4
BASE AND TOP	PING MATERIALS	000-4
FIELD ENGINEE	RING	000-4
OWNER OCCU	PANCY	000-5
TEMPORARY C	ONTROLS	000-5
SECTION 101 -	Definition of Terms	100-6
SECTION 102 -	Advertisement, Bidding, Award, and Contract Execution	100-7
SECTION 107 -	Legal Relations and Responsibility to the Public	100-7
SECTION 108 -	Prosecution and Progress	100-11
SECTION 109 -	Measurement and Payment	100-12
SECTION 201 -	Clearing, Tree Removal and Protection Care and	
	Repair of Existing Plant Material	200-12
SECTION 202 -	Abandoned Mine Site Excavation	200-13
SECTION 205 -	Mine Site Compaction	200-17
SECTION 250 -	Seeding	200-19
SECTION 255 -	Mine Refuse Treatment	200-26
SECTION 258 -	Mowing	200-25
SECTION 280 -	Temporary Erosion Control	200-26
SECTION 286 -	Special Excelsior Blanket	200-27
SECTION 501 -	Removal of Existing Structures	500-29
SECTION 613 -	Cleaning Existing Culverts	600-31
SECTION 614 -	Dewatering Impoundments	600-31
SECTION 616 -	Cofferdams	600-33
SECTION 618 -	Haul Road Stream Crossings, Other Temporary Stream	
	Crossings and In-Stream Work Pads	600-34
SECTION 665 -	Barbed Wire and Temporary Safety Fence	600-35
SECTION 666 -	Mine Opening Markers	600-36
SECTION 671 -	Mobilization	600-37
TEST BORING L	OGS	

SPECIAL PROVISIONS FOR THE CONSTRUCTION OF: Bluebird 5 & 6 / Pitco Mine Reclamation Project Saline County, Illinois AML-GSIE-1907

The "Standard Specifications for Road and Bridge Construction," adopted <u>April 1, 2016</u> by the Illinois Department of Transportation; as amended and supplemented by the "Supplemental Specifications and Recurring Special Provisions," adopted <u>January 1, 2020</u> (hereinafter referred to collectively as "Standard Specifications"), are incorporated by reference and made a part of this Contract for the Reclamation of the Bluebird 5 & 6 / Pitco Mine, Saline County, AML-GSIE-1907. (The Standard Specifications can be purchased from the Illinois Department of Transportation.)

The following Special Provisions supplement the Standard Specifications, and govern the construction of the Bluebird 5 & 6 / Pitco Mine Reclamation Project. In the event of conflict between the Special Provisions and the Standard Specifications, the Special Provisions shall take precedence and govern.

In the application of the Standard Specifications to this Contract, references to the Department of Transportation shall be interpreted to mean the Department of Natural Resources; Office of Mines and Minerals; Division of Abandoned Mined Lands Reclamation (Department); except that references to the Department of Transportation within Section 102 - Advertisement, Bidding, Award, and Contract Execution - shall continue to mean the Department of Transportation.

The advertising for Bids, Prequalifications of Bidders, Issuance of Proposals, Proposal Guarantee, and Acceptance and Opening of Bids shall be in accordance with the policies and procedures of the Illinois Department of Transportation. Proposals, Schedule of Prices, Signature Sheet and other bidding or contract requirements as utilized by the Department of Natural Resources; Office of Mines and Minerals; Division of Abandoned Mined Lands Reclamation (Department) shall apply to this contract.

#### **DESCRIPTION OF THE PROJECT**

This reclamation project provides for the correction of hazardous mine conditions and for the correction of existing mine conditions which adversely affect the surrounding environment. This project consists of work items as described in detail herein, and within the Plans or Plan Documents.

#### LOCATION OF THE PROJECT

This reclamation project is located three miles west of Carrier Mills, Illinois, in Section 31 of Township 9 South, Range 5 East and Sections 5 and 6 of Township 10 South, Range 5 East in Saline County.

#### ABILITY OF CONTRACTOR TO COMPLETE WORK

The Contractor shall be able to provide the necessary equipment and manpower to successfully complete all phases of the contract as described herein.

# RESPONSIBILITY OF THE CONTRACTOR

It shall be the responsibility of the Contractor to visit the reclamation site in order to become fully acquainted with all the details pertaining to the project. The Contractor shall be responsible for obtaining any and all permits required by local ordinances, state and/or federal laws, and shall be required to become a party to the Department of Natural Resources; Office of Mines and Minerals;

Division of Abandoned Mined Lands Reclamation (Department) Storm Water Pollution Prevention Plan, as mandated by the Illinois Environmental Protection Agency General Permit for Storm Water Discharges. Consents for Right of Entry from property owners, will be obtained by the Department.

Any fees required for the procurement of other permits which may be necessary shall be at the expense of the Contractor, not to be reimbursed by the State, but to be considered incidental to the contract.

During the performance of this construction contract, the Contractor shall not enter into any agreement to provide additional work for or at the direction of the owner(s) of the property where the reclamation shall take place, or with the owner(s) of adjacent or nearby property, without the prior written approval of the Department. The Contractor agrees that any additional work to be performed for such owners, after approval by the Department, will not be permitted to interfere with the scheduled operations or planned reclamation results specified for the reclamation project. The Contractor further agrees to indemnify and hold harmless the Department against any and all claims for personal injury or property damage arising out of or occasioned by the additional work.

#### STARTING DATE OF CONTRACT

Work on the project shall commence within 15 calendar days of the execution of the contract. The Contractor shall contact the Department within the 15 day period to schedule a preconstruction conference prior to the beginning of actual construction operations.

#### **CONTRACT ENDING DATE**

This Contract shall end on or before December 31, 2023 (see also interim progress date below).

#### PROGRESS AND LIQUIDATED DAMAGES

All work shall proceed in accordance with a Progress Schedule as provided in Article 108.02 of the Standard Specifications.

Establishing vegetation is critical to the success of reclamation projects. Seeding must be performed within specified times for optimum chances of success. Failure to complete all prerequisite earthwork, erosion control, *permanent* seeding (or temporary seeding, if approved by the Engineer) *and mulching* by September 30, 2021 (North of Legion Road) and September 30, 2022 (South of Legion Road) shall be considered a material breach of the Contract and the Department may assess liquidated damages immediately upon such failure, and until said work is completed, as provided in Article 108.09 of the Standard Specifications.

All remaining work, including final clean-up, removal of equipment, final inspection, any alterations, repair, remedial or holdover work, reseeding, and submission of the final pay request shall be completed prior to the contract ending date.

#### CONSTRUCTION PROJECT SIGN

Two project construction signs will be furnished and installed by the Contractor prior to commencement of work at the site. The location, text and construction details for the sign are shown on the plans. Furnishing, erecting, and removal of the sign shall be the responsibility of the Contractor and considered incidental to the contract.

#### **EXISTING PAVEMENTS**

Existing on-site roadways may be used for construction traffic. The Contractor shall provide temporary additional roads needed for required construction access, maintain existing roads throughout construction, and restore to original or better condition at completion of work.

#### BASE AND TOPPING MATERIALS

For temporary construction which will be removed when no longer needed for construction purposes, and all affected areas restored to original or better condition at the completion of work, the selection of these materials is at the Contractor's option, unless otherwise specified.

#### FIELD ENGINEERING

#### Requirements Included:

The Contractor shall provide and pay for all field engineering services required for the project, including:

- 1. Lay-out and field stake the project's construction limits, unless otherwise specified on the plans, to the satisfaction of the Engineer. Limits of Seeding Class 4B are also to be staked at the time of Seeding.
- 2. Survey work required in execution of the project.
- 3. Civil, structural or other professional engineering services specified, or required to execute the Contractor's construction methods.

## Survey Reference Points:

Existing basic horizontal and vertical control points for the project are identified on the plans and will be identified by the Engineer for the Contractor's use. The Contractor shall locate and protect control points prior to starting site work, and preserve all permanent reference points during construction.

#### **Project Survey Requirement:**

The Contractor shall use established bench marks on-site as identified on the plans. The Contractor shall establish construction limits, lines and levels, locate and lay-out by instrumentation and similar appropriate means, all site improvements. From time to time, the Engineer shall verify layouts by same methods.

Initial, periodic and final cross-sectioning of borrow areas for payment will be performed by the Engineer.

# Records:

The Contractor shall maintain complete, accurate records, computations and field books of all control and survey work as it progresses. These shall be kept on-site for use of and reference by the Engineer.

#### Submittal:

The Contractor shall submit name and address of surveyor or engineer to the Project Engineer.

#### **OWNER OCCUPANCY**

Owners will occupy premises during entire construction period for conduction of their normal operations. The Contractor shall cooperate with Owners in scheduling operations to minimize conflict and to facilitate Owner's usage.

#### **TEMPORARY CONTROLS**

#### A. Dust and Mud Control:

The Contractor shall provide positive methods and apply dust control materials to minimize raising dust from construction operations, and provide positive means to prevent air-borne dust from dispersing into the atmosphere.

#### B. Debris Control:

The Contractor shall initiate and maintain a specific program to prevent accumulation of debris at the construction site, storage and parking areas, or along access roads and haul roads.

#### C. Pollution Control:

The Contractor shall provide methods, means and facilities required to prevent contamination of soil, water or atmosphere by the discharge of noxious substances and sediments from construction operations. All projects involving the disturbance of 1 or more acres are covered by NPDES General Permit Number ILR100000, issued by the Illinois Environmental Protection Agency (IEPA) for storm water discharges from construction site activities. The Contractor shall be required to comply with the provisions of the General Permit and must become a party to the Department of Natural Resources; Office of Mines and Minerals; Division of Abandoned Mined Lands Reclamation Storm Water Pollution Prevention Plan (See Sample Document following the Special Provisions).

**The Contractor shall** prevent harmful substances, such as acid water, from entering public or private waters. *If treatment of acid water* is determined necessary by the Engineer and it is not specified within these special provisions, any water treated will be paid for in accordance with Article 109.04 of the Standard Specifications. The Contractor is liable for restoration of water quality and aquatic life if adversely affected by his/her actions. The Contractor shall maintain all such systems throughout the duration of the project.

The Contractor shall provide systems for control of atmospheric pollutants to prevent toxic concentrations of chemicals; to prevent harmful dispersal of pollutants into the atmosphere; and to comply with all permit requirements that may apply.

The Contractor must notify the Engineer immediately if buried wastes, liquid waste vessels or other potentially harmful materials are encountered. Necessary precautions should be taken to safeguard the area and to protect workers and the public until further directions are provided by the Engineer.

#### End of SECTION 000

#### **DIVISION 100 - GENERAL REQUIREMENTS AND COVENANTS**

#### SECTION 101: DEFINITION OF TERMS - (revise and add the following articles as indicated)

Whenever in these specifications or in other contract documents the following terms or pronouns in place of them are used, the intent of meaning shall be interpreted as follows:

## Article 101.03 Award - (revise as indicated)

The decision of the Department of Natural Resources; Office of Mines and Minerals; Division of Abandoned Mined Lands Reclamation to accept the proposal of the lowest responsible bidder for the work, subject to the execution and approval of a satisfactory contract therefore and bond to secure the performance thereof, and to such other conditions as may be specified or otherwise required by law.

## Article 101.14 <u>Department</u> - (revise as indicated)

The Department of Natural Resources of the State of Illinois with its principal offices of business at Springfield.

## Article 101.16 Engineer - (revise as indicated)

The Director of the Department of Natural Resources of the State of Illinois; or his authorized representative limited by the particular duties entrusted to him.

#### Article 101.35 Right of Way - (revise as indicated)

Right of way shall be replaced by construction limits, except when used in conjunction with right of way markers or highways.

#### Article 101.39 Roadway - (revise as indicated)

Roadway shall be replaced by site.

#### Article 101.47 Subgrade - (revise as indicated)

The top surface of the mine refuse upon which the cover soil is placed.

# Add the following Articles 101.56, 101.57, and 101.58.

#### Article 101.56 Gob

Coarse textured mine waste material, generally acidic, from a coal cleaning process. This material is composed of rock, shale, pyritic material and varying amounts of coal. The material varies considerably in its moisture content, texture, stable angle of repose and bearing capacity.

#### Article 101.57 Mine Spoil

A mixture of various soil and rock material as a result of the removal of overburden to expose the coal in surface mining. The material varies considerably in its' moisture content, texture, stable angle of repose and bearing capacity.

## Article 101.58 Slurry

A mixture of coal fines and fine coal waste material resulting from a coal cleaning process. This material is composed of water, silts, clays, pyritic material and coal. The material varies considerably in its' moisture content, stable angle of repose, shear strength and bearing capacity.

End of Revisions to SECTION 101: DEFINITION OF TERMS

# SECTION 102: ADVERTISEMENT, BIDDING, AWARD, AND CONTRACT EXECUTION – (revise the following article as indicated)

Article 102.01 - (add the following)

When the plans or Special Provisions include information pertaining to subsurface exploration, borings, test pits and other preliminary investigation, such information represents only the best knowledge of the Department of Natural Resources as to the location, character or quantity of the materials encountered and is only included for the convenience of the bidder. The Department of Natural Resources assumes no responsibility whatever in respect to the sufficiency or accuracy of the information, and there is no guaranty, either expressed or implied, that the conditions indicated are representative of those existing throughout the work, or that unanticipated developments may not occur. All soil information upon which the design was prepared is available for examination by all prospective bidders at the Department of Natural Resources's Springfield or Benton office.

The topographical land features of abandoned coal mine sites have typically been altered or impacted by the mining operations. When mine refuse covers those features, it may be difficult or impossible to discover or estimate the full extent of impacts to the ground surface. The depths and composition of mine refuse, as well as corresponding ground surface characteristics as represented in the Plans, are based upon available information and extrapolations from surrounding land features and deductive reasoning as to the probable techniques employed by the mining operation. The Plan lines that indicate existing conditions do not purport to fully represent minor variations in refuse depth or thickness, or small, hidden pockets of mine refuse. Such conditions encountered, shall not constitute a basis for unit price adjustment or extra compensation.

End of Revisions to SECTION 102

# SECTION 107: LEGAL RELATIONS AND RESPONSIBILITY TO THE PUBLIC - (revise and add the following articles as indicated)

Article 107.11 Insurance Requirements for Railroad - Highway Crossing - (add the following)

When work is to be performed within the right-of-way of an active railroad, the Contractor shall provide the following insurance requirements.

#### Article 107.19 Unexpected Regulated Substances - (revise as indicated)

Delete references to the Response Action Contractor Indemnification Act found in Article 107.19, 6th paragraph. Said Act is not applicable to federally funded abandoned mine reclamation projects. All other provisions of Article 107.19 shall remain in full force and effect.

## Article 107.20 Protection and Restoration of Property - (add the following)

If any damages are incurred from the Contractor's operations to any properties outside of the construction limits as shown on the plans, the Contractor shall be responsible for all repairs required to restore the damaged areas to their original condition regardless of the property involved. Any deviations from the limits of the construction area or requirements specified herein shall only be done with written approval of the Engineer pursuant to the following:

- 1. Written request from the Contractor, due to the limitations of the construction area as it affects his efficiency to complete the contract.
- 2. If the Engineer deems it necessary to deviate from the construction limits, as provided herein, to improve the work ability of the contract.

Article 107.22 <u>Approval of Proposed Borrow Areas, Use Areas, and/or Waste Areas.</u> (delete and replace with the following)

Proposed borrow areas are to be designated by the Contractor to the Engineer and approved prior to their use. A map showing the location and approximate size limits of the borrow area shall be submitted to the Engineer for approval. The Engineer will consult with the Department to determine if potentially significant cultural and /or biological resources may be present at the site. If the Department determines that potentially significant cultural and/or biological resources may be present, the Contractor shall have the option of choosing another site or paying for additional surveys and testing. Results of the additional surveying and testing will determine if the site may be used or if the Contractor must provide another site. The borrow area shall not be disturbed until the Department has given approval.

#### Article 107.27 Insurance - (delete and replace with the following)

The Contractor shall obtain and thereafter keep in force the following insurance coverage provided by insurance companies acceptable to the Department and authorized to transact business under the laws of the State of Illinois. The insurance companies providing coverage shall be rated in the Best's Key Rating Guide. The Department will accept companies with a rating not lower than B+ provided the financial size category is VII or larger. Companies rated A- or better shall have a financial size category of not less than VI. Coverage limits shall be written at not less than the minimum specified in this Article. Higher minimum limits and additional coverage may be specified by a special provision elsewhere in the contract. Whether stated in this Article or elsewhere, the Department does not warrant the adequacy of the types of insurance coverage or the limits of liability specified.

#### (a) Workers Compensation and Employers Liability

(1) Workers compensation shall be provided in accordance with the provisions of the Illinois Worker's Compensation Act, as amended. Notwithstanding the rating and financial size

categories stated in this Article, coverage may be provided by a group self-insurer authorized in Section 4(a) of the Act and approved pursuant to the rules of the Illinois Department of Insurance.

# (2) Employers Liability

a.	Each Accident	\$500,000
b.	Disease - policy limit	\$500,000
c.	Disease - each employee	\$500,000

## (b) Commercial General Liability

Required liability insurance coverage shall be written in the occurrence form and shall provide coverage for operations of the Contractor; operations of Sub-Contractor=s (contingent or protective liability); completed operations; broad form property damage and hazards of explosion, collapse and underground; and contractual liability. The general aggregate limit shall be endorsed on a per project basis.

(1) General Aggregate Limit	\$2,000,000
(2) Products - Completed Operation Aggregate Limit	\$2,000,000
(3) Each Occurrence Limit	\$1,000,000

The coverage shall provide by an endorsement in the appropriate manner and form, the Department, to its officers, agents and employees shall be named as additional insureds with respect to the policies and any umbrella excess liability coverage for occurrences arising in whole or in part out of the work and operations performed. The Department may accept a separate owner's protective liability policy in lieu of the Department, it's officers, and employees being insured on the Contractor's policy.

## (c) Owners and Contractor's Protective (OCP) Liability

**BODILY INJURY LIABILITY** 

The Contractor shall provide an OCP policy covering the property owner(s) of the site where the work is to be performed. In the case of multiple owners, all the landowners may be listed as additional insurers on the same policy.

This project will require OCP Policy coverage for seven property owners.

If the Contractor chooses to put the Department on an OCP (in lieu of placing the Department as an additional insured on the Commercial General Liability - see (b) above), then the Department should be listed as the insured, with all landowners listed as additional insured(s). The amounts of insurance shall be as follows:

PROPERTY DAMAGE LIABILITY

		<del></del>
Each Occurrence	Each Occurrence	Aggregate
\$1,000,000	\$500,000	\$1,000,000

or

COMBINED SINGLE LIMIT \$1,000,000

The required OCP policy shall contain the following endorsement:

"Each named insured shall be provided full coverage under this policy without regard to the fact that such named insured is not in contractual privity with the Contractor. It is understood that the construction operations are performed for and on behalf of the Department, with the consent of the property owner(s)-insured(s). Coverage under this policy with respect to liability arising out of operations shall not be denied to any named-insured because of his passive relationship to the Contractor".

When any named insured is a corporation, insurance coverage under the OCP policy shall extend to the Corporation, its officers, agents, and employees.

#### (d) Commercial Automobile Liability

The policy shall cover owned, non-owned and hired vehicles.

Bodily Injury & Property Damage Liability Limit Each Occurrence

\$1,000,000

## (e) Umbrella Liability

Any policy shall provide excess limits over and above the other insurance limits stated in this Article. The Contractor may purchase insurance for the full limits required or by a combination of primary policies for lesser limits and remaining limits provided by the umbrella policy.

When work is to be performed within *railroad right-of-ways*, the requirements of Article 107.11 of the Standard Specifications will also apply.

All insurance shall remain in force during the period covering occurrences happening on or after the effective date and remaining in effect during performance of the work and at all times thereafter when the Contractor may be correcting, removing or replacing defective work until notification of the date of final inspection. Termination or refusal to renew shall not be made without 30 days prior written notice to the Department by the insured(s) and the policies shall be endorsed so as to remove any language restricting or limiting liability concerning this obligation.

Certified copies of the original policies or certificate(s) of insurance by the insurer(s) issuing the policies and endorsements setting forth the coverage, limits and endorsements shall be filed with the Department before the Department will execute the contract. A certificate of insurance shall include a statement that, "the coverage and limits conform to the minimums required by Article 107.27 of the Standard Specifications for the Road and Bridge Construction". Any exception or deviation shall be brought to the attention of the Department for a ruling of acceptability. In no event shall any failure of the Department to receive polices or certificates or to demand receipt be construed as a waiver of the Contractor's obligation to obtain and keep in force the required insurance.

All costs for insurance as specified herein will be considered as included in the cost of the contract. The Contractor shall, at its own expense and risk of delay, cease operations if the insurance required is terminated or reduced below the required amounts of coverage. Coverage in the minimum amounts set forth herein shall not be construed to relieve the

Contractor from its obligation to indemnify in excess of the coverage in accordance with the contract.

Article 107.32 Furnishing Right of Way - (change to)

The Department shall secure and provide permission from the property owners for reclamation to be performed.

(Add the following section)
Article 107.42 Limitation on Mechanics Liens

The owners and tenants of private property involved in Abandoned Mined Land (AML) projects are <u>not</u> responsible to the Contractor, nor to any Sub-Contractor, material supplier, operator or laborer for any of the costs or expenses of the reclamation work. AML projects are undertaken pursuant to the Abandoned Mined Lands and Water Reclamation Act for the protection of the public health and safety and/or protection of the environment. Project design, contracting, and payment are the sole responsibility of the Department.

In the event of a contract dispute, the Contractor's remedies shall be limited to those provided in the Contract and to claims or actions to be brought against the Department in the Illinois Court of Claims, pursuant to the Court of Claims Act (Illinois. Rev. Stat 1991, ch. 37, par. 439.1 et. seq.). The Contractor shall not place any mechanics liens against any private property involved in the reclamation project.

Sub-Contractors, material suppliers, operators, and laborers remedies for non-payment include all legal actions against the Contractor, claims and actions brought against the Contractor's surety under the contract performance and payment bond, and claims for "Liens Against Public Funds" as provided in paragraph 23(c) of the Mechanics Lien Act. Sub-Contractors, material suppliers, operators, and laborers shall have no rights in regard to liens against private property.

The Contractor shall cause the terms of this Special Provision to be included in all subcontracts.

End of Revisions to SECTION 107: LEGAL RELATIONS AND RESPONSIBILITY TO THE PUBLIC

SECTION 108: PROSECUTION AND PROGRESS - (revise the following articles as indicated)

Article 108.07 <u>Suspension of Work</u> - (add the following)

The Department hereby makes express provision for any suspensions which may result from disputes with property owners. The Engineer may suspend work for up to ten working days during the contract period without additional compensation to the Contractor, when such suspension is necessary to resolve disputes or problems with property owners. Multiple suspensions, less than ten working days each, shall not exceed ten working days total, without additional compensation.

End of Revisions to SECTION 108: PROSECUTION AND PROGRESS

#### SECTION 109: MEASUREMENT AND PAYMENT - (revise the following articles as indicated)

Article 109.07 Partial Payments (Add the following after the first paragraph of 109.07(a))

The State will deduct from the amount so determined for the first 50 percent of the completed work a sum of ten percent to be retained until after the completion of the entire work to the satisfaction of the Engineer. After 50 percent or more of the work is completed, the Engineer may, at his/her discretion, certify the remaining partial payments without any further retention, provided that satisfactory progress is being made, and provided that the amount retained is not less than five percent of the total adjusted contract price. When the principal items of the work have been satisfactorily completed, a semi-final estimate may be made with the consent of the surety. Payment to the Contractor under such an estimate shall not exceed 90 percent of the amount retained after making partial payments, but in no event shall the amount retained after making the semi-final payment be less than one percent of the adjusted contract price, nor less than \$500.00.

At the request of the Contractor, with approval of the Department, the retainage of the contract set forth in this Article may be deposited under a trust agreement with an Illinois Financial Institution of the Contractor's choice and subject to the approval of the Department. The Contractor shall receive any interest thereon. Pursuant to application by the Contractor, a trust agreement by an Illinois Financial Institution and the Department shall contain, as a minimum, the amount to be deposited subject to the trust, the terms and conditions of payment in case of default of the Contractor, and the termination of the trust agreement upon completion of the contract.

The Contractor shall be responsible for obtaining the written consent of an Illinois Financial Institution trustee and any costs or service fees shall be borne by the Contractor. The trust agreement may, at the discretion of the Department and upon request of the Contractor, become operative at the time of the first partial payment according to existing statutes and Department procedures.

As soon as possible after final inspection, the Department will submit final quantities to the Contractor, will request material certification information from the Contractor, and will act on any time extension requests. At the end of 21 days from such action, if the Contractor has not agreed to final quantities or liquidated damages, or submitted required documentation, the Department may withdraw retained funds from the financial institution. At the end of three months, the Department may proceed with final payment on the basis of measured quantities.

End of Revisions to SECTION 109: MEASUREMENT AND PAYMENT

End of Revisions to SECTION 100: GENERAL REQUIREMENTS AND COVENANTS

#### SECTION 200 - EARTHWORK, LANDSCAPING, AND EROSION CONTROL

# SECTION 201: CLEARING, TREE REMOVAL AND PROTECTION CARE AND REPAIR OF EXISTING PLANT MATERIAL - (revise and add the following as indicated)

Article 201.01 <u>Description</u> - (add the following)

(f) Trash and Debris Removal -- Trash and debris removal shall consist of the removal and disposal of all trash and debris that is within the area to be graded inside the construction limits to an approved landfill off-site.

Article 201.09 Disposal of Materials - (delete and replace with the following)

This work shall be done in accordance with Article 202.03 of these Special Provisions.

Article 201.10 Method of Measurement - (delete paragraphs (b) through (d) and replace with the following)

All Clearing, Tree Removal, Protection of Existing Plant Material, Care of Existing Plant Material and Trash and/or Debris Removal that is necessary to perform the grading work within the construction limits shall be classified as SPECIAL CLEARING and will not be measured for payment. Any of these items associated within the designated areas of Special Excavation shall not be considered here, but shall be covered under Section 214 - Special Excavation.

Clearing of trees may only occur from October 16 to March 31, except in areas specifically exempt from this requirement as noted in these Special Provisions. Areas with the construction limits North of Legion Road are specifically exempt from the tree clearing date limitations.

Any special areas of trees within the construction limits to be preserved will be specified in the plans and shall not be removed unless approved by the Engineer.

All trees outside the construction limits shall not be disturbed.

## Article 201.11 Basis of Payment - (delete and replace with the following)

All Tree Removal, Protection of Existing Plant Material, Care of Existing Plant Material and Trash/Debris Removal within the construction limits shall be paid for at the contract lump sum price for SPECIAL CLEARING. No payment for any of the items associated within the limits of Special Excavation will be made. Payment for those shall be in accordance with Section 214 - SPECIAL EXCAVATION.

End of Revisions to SECTION 201: CLEARING, TREE REMOVAL AND PROTECTION CARE AND REPAIR OF EXISTING PLANT MATERIAL

## SECTION 202: EARTH AND ROCK EXCAVATION - (delete entire section and replace with the following)

#### **SECTION 202: ABANDONED MINE SITE EXCAVATION**

#### Article 202.01 <u>Description</u>

Abandoned mine site excavation shall consist of the excavation, removal and satisfactory disposal of materials taken from within the construction limits for the reshaping and disposal of mine refuse; the covering of mine refuse with soil; the construction of embankments, ditches, waterways, entrances, field roads and incidental work.

# Construction Requirements

#### Article 202.02 Clearing, Tree Removal, Hedge Removal

Prior to starting excavation operations in any area, all clearing, tree removal, hedge removal and trash and debris removal in that area shall be performed according to Section 201 - Clearing, Tree Removal, and Protection, Care and Repair of Existing Plant Material.

## Article 202.03 Removal and Disposal of Surplus, Unstable and Unsuitable Materials and Organic Waste

The Contractor, at his/her own expense, shall dispose of all surplus, unstable and unsuitable materials, including those which result from the work included in Section 201 and 501 of these Special Provisions, and Section 440 of the Standard Specifications in such a manner that public or private property will not be damaged or endangered.

Whenever possible, stones and boulders naturally occurring within the construction limits shall be placed in fills or embankments in layers and compacted, in accordance with Section 205 of these Special Provisions. Broken concrete without protruding metal bars, bricks, rock, stone, or uncontaminated dirt or sand generated from construction or demolition activities may be used in embankment or in fill. These materials shall be placed as approved by the Engineer; shall be compacted to the satisfaction of the Engineer; shall be buried under a minimum of 3 feet (900 millimeters) below finished grade unless specified otherwise in the plans (except when the materials include only uncontaminated dirt and sand); and shall not create an unsightly appearance or detract from the natural topographic features of an area. Broken concrete without protruding metals bars, bricks, rock, or stone may be used as riprap as approved by the Engineer. If the materials are used for fill in locations within the mine site but outside project construction limits the Contractor must specify to the Engineer, in writing, how the landscape restoration of the fill areas will be accomplished. Placement of fill in such areas shall not commence until the Contractor's landscape restoration plan is approved by the Engineer.

Aside from broken concrete without protruding metal bars, bricks, rock, stone, or uncontaminated dirt or sand used in embankment, for fill, or for riprap, as appropriate, all other construction and demolition debris or waste shall either be disposed of in a licensed landfill, or recycled, reused, or otherwise disposed of as allowed by State or federal solid waste disposal laws and regulations and solid waste determinations of the Illinois Environmental Protection Agency (IEPA).

A permit shall be obtained from IEPA and made available to the Engineer prior to open burning of organic waste (i.e., plant refuse resulting from pruning or removal of trees or shrubs) or other construction or demolition debris available to the Engineer. Organic waste originating within the construction limits may be left on-site for use by the landowner, stockpiled for use as wildlife habitat, as determined by the Engineer, in locations designated by the Engineer. When landscape plantings are included in the project, organic waste originating within the construction limits may be chipped or shredded and placed as mulch around landscape planting within the construction limits when approved by the Engineer. Chipped or shredded material to be placed as mulch shall not exceed a depth of 6 inches (150 millimeters).

When specified, surplus excavated material, including excavated stable and suitable material from special excavation, sewer trenches or other underground construction, shall be used to increase soil cover thickness, construct embankments, flatten slopes, or be disposed of otherwise within the project construction limits as approved by the Engineer. Surplus excavated material shall not be disposed of by the Contractor outside of the construction limits.

All unstable and unsuitable material, including excavated material from special excavation, sewer trenches, or other underground construction shall be excavated or removed and replaced with material acceptable to the Engineer. Unstable and unsuitable material shall not be used in embankments. If unsuitable material is present at or below the finished grade, it shall be removed and replaced with suitable material, in accordance with Articles 205.04 and 205.05 of these Special Provisions. Unsuitable material shall be placed or disposed of by the Contractor at his/her own

expense outside of the construction limits as specified herein.

When the plans require the backfilling of a final cut pit, the pit shall be dewatered to the satisfaction of the Engineer before backfilling as required by Article 614 of these Special Provisions. Saturated earthen sediments that remain after the dewatering is completed shall be processed by one or a combination of the following methods as Earth Excavation:

Method 1- The saturated sediment remaining on the bottom of the pit may be used for earth fill if removed from the pit and allowed to dry to the satisfaction of the engineer prior to placement.

Method 2- The saturated sediment remaining on the bottom of a pit may bridged over with earth fill not meeting the compaction requirements of Special Provision 205 only for a depth that allows it to support the movement of construction equipment over the fill. The depth of the allowable limited compaction fill will be demonstrated in the field and approved by the engineer. After the fill is able to support the movement of construction equipment, the compaction requirements of Special Provision 205 are applicable and must be met.

Any additional costs associated with the processing of saturated sediment shall be considered incidental to the contract unit price for Earth Excavation.

Solid waste encountered in pit that has been dewatered and that was not visible due to the water level in the pit prior to reclamation, shall be removed and disposed of at an I.E.P.A. approved landfill and considered extra work to be paid per Article 109.04.

#### Article 202.04 Grading the Site

The Contractor shall excavate earth materials to the lines, grade, cross-sections and elevations shown on the plans or designated by the Engineer. Mine Refuse shall be graded, hauled to, and/or incorporated into the configuration as shown on the plans. Cover material shall be graded, excavated, hauled, and/or placed to the configuration as shown on the plans. Cover material shall be uniformly spread in layers not to exceed nine inches individually to the total depth specified in the plans. All mine refuse, grading, and/or excavation shall be completed prior to applying cover material.

The mine refuse is to be excavated to the lines, grade, cross-sections and elevations shown on the plans or designated by the Engineer. If mine refuse remains below those lines, grade, cross-sections and elevations and was not specified for soil cover on the plans or by the Engineer, then after receiving written approval of the Engineer the Contractor shall excavate the remaining mine refuse to a depth of two feet below the adjacent proposed grade or to soil, whichever occurs first. The area affected by the additional mine refuse excavation shall be backfilled with soil to original plan proposed grade or to the lines, grades, elevations specified by the Engineer. All additional mine refuse excavation and earth excavation necessary due to encountering these conditions will be paid for at the contract unit price for Mine Refuse Excavation and Earth Excavation as described herein.

# Article 202.05 <u>Classification</u>

Abandoned mine site excavation shall be classified as mine refuse excavation or earth excavation.

Mine Refuse Excavation - All excavation of mine refuse materials as defined by Articles 101.56 and 101.58 of these Special Provisions.

Earth Excavation - Excavation of any earth materials except mine refuse as defined in Articles 101.56 and 101.58 of these Special Provisions.

#### Article 202.06 Construction of Ditches and Waterways

Ditches and waterways shall be constructed and maintained to the lines, grades and cross-sections shown on the plans. Ditches and waterways so constructed shall be kept free from debris until acceptance. All suitable materials excavated from inlet, outlet and intercepting ditches, and waterways within the construction limits shall be used for cover soil as far as practicable. Roots, stumps and other objectionable material in the slopes or bottoms of ditches shall be removed and the holes backfilled with suitable material.

#### Article 202.07 Drainage

The site shall be maintained so that it will be well drained at all times. If, during the prosecution of the work, it is necessary to interrupt existing sewer or under drainage, temporary drainage facilities shall be provided until the permanent drainage work has been completed. Such temporary drainage facilities will be paid for in accordance with the Provisions of Article 109.04 of the Standard Specifications, unless otherwise provided for in the contract.

The Contractor shall be responsible for, and shall take all necessary precautions to preserve and protect all existing tile drains, sewers and other sub-surface drains or parts thereof which may be affected by his operations, and which may be continued in use without change. He shall repair, at his own expense, any and all damage to such drainage facilities resulting from negligence on his part.

#### Article 202.08 Method of Measurement

#### (a) Contract Quantities:

When the project is constructed essentially to the lines, grades or dimensions shown on the plans and the Contractor and the Engineer have agreed in writing that the plan quantities are accurate, no further measurement will be required and payment will be made for the quantities shown in the contract for the various items involved except that if errors are discovered after work has been started, appropriate adjustments will be made.

When the plans have been altered or when disagreement exists between the Contractor and the Engineer as to the accuracy of the plan quantities, either party shall, before any work is started which would affect the measurement, have the right to request in writing and thereby cause the quantities involved to be measured as hereinafter specified.

#### (b) Measured Quantities:

Mine Refuse Excavation and Earth Excavation will be measured in its original position, and the volume in cubic yards (cubic meters) computed by the method of average end areas. The volume of any unstable or unsuitable material removed, and the volume of the replacement material, will both be measured for payment in cubic yards (cubic meters).

Excavated material used for purposes other than designated in the Specifications, and material excavated beyond slope lines, will not be measured for payment.

#### Article 202.09 Basis of Payment

Mine site excavation will be paid for at the contract unit prices per cubic yards (cubic meters) for MINE REFUSE EXCAVATION and EARTH EXCAVATION, measured as specified herein, which prices shall include payment for other items incidental to the work included under the general heading of Earthwork for which no payment item is included in the contract.

End of Revisions to SECTION 202: ABANDONED MINE SITE EXCAVATION

SECTION 205: EMBANKMENT - (delete entire section and replace with following)

**SECTION 205: MINE SITE COMPACTION** 

#### Article 205.01 Description

This work shall consist of the compaction of earth fill area(s) or mine refuse disposal area(s) and cover soil by depositing, placing and compacting mine refuse and earth fill areas and all cover soil over mine refuse except the top 12 inches (300 millimeters) of cover soil.

# Article 205.02 Equipment

(a)

Equipment shall meet the requirements of the following Articles of Section 1100 - Equipment:

<u>Item</u>	<u>Article</u>		
Disk Harrow	1101.02		

(b) Tamping-Type Roller shall consist of one or more cylindrical sections having studs or feet projecting not less than six and one-half inches (162.5 millimeters) from the surface of the drum. The number of tamping feet and the area of feet shall be such that the pressure on a single row of feet approximately parallel to the axis of the drum is not less than 200 p.s.i (1.38 kPa) when supporting the full weight of the roller.

#### Article 205.03 Preparation of the Subgrade for Earth Cover

Before fill material is placed, all clearing, tree removal and hedge removal over the fill area shall be performed as provided in Section 201 of the Special Provisions, and the top six inches (150 millimeter) of the existing ground surface shall be disked and then compacted to the satisfaction of the Engineer. If the fill areas are being constructed during the winter, snow and ice shall be removed from the areas to be covered by fill material. Fill material shall not be placed on frozen earth. When construction is resumed after any winter shutdown period, the top eight inches (200 millimeters) of all partially completed fill areas shall be reprocessed and compacted to the minimum specified density prior to placing more fill material in the areas.

When earth fill area(s) are to be constructed on hillsides or slopes, the existing slopes shall be plowed deeply; or if additional precautions for binding the fill materials together are justified, steps shall be cut into the existing slopes before the construction of the fill area is started. If the existing surface is within six inches (150 millimeters) of the elevation of the subgrade or the completed earth surface, it shall be plowed or otherwise broken up to a depth of not less than six inches (150 millimeters).

When the mine refuse disposal area(s) has been graded to the subgrade shown in the plans and cross sections, MINE REFUSE TREATMENT - LIMESTONE shall be performed on the subgrade in accordance with Section 255 of these Special Provisions. The subgrade shall then be compacted with a roller until the tamping feet of the roller penetrate not more than two inches (50 millimeters) into the subgrade or to the satisfaction of the Engineer.

#### Article 205.04 Placing Earth Cover Material

Fill material shall be placed in accordance with the following requirements:

(a) General. Fill areas shall be constructed of materials that will compact and develop a stability satisfactory to the Engineer. No sod, frozen material or any material which, by decay or otherwise, might cause settlement, shall be placed or allowed to remain in the fill areas. Fill areas shall be constructed to the height and width deemed necessary to provide for shrinkage during compaction. Upon completion, they shall conform to the lines, grades and cross sections shown on the plans, with proper provision for shrinkage. When mine refuse disposal areas are constructed of crushed material, broken concrete, stones, or rocks and earth, such materials shall be well distributed, and sufficient earth or other fine material shall be incorporated with them when they are deposited to fill the interstices and provide solid embankment. No rock, stones or broken concrete more than six inches (150 millimeters) in largest dimension shall be permitted within a vertical distance of 12 inches (300 millimeters) below the surface of the subgrade.

Pieces of concrete, not exceeding two square feet for any area of surface, and large rocks and boulders may be placed in fills without being broken up, provided they are well embedded, and interstices filled with smaller pieces or smaller material in a manner to give a density satisfactory to the Engineer. The layers of the smaller pieces or smaller material shall not exceed 12 inches (300 millimeters) in depth.

So far as practicable, each layer of material shall extend the entire length and width of the mine refuse disposal area. The material shall be leveled by means of bulldozers, blade graders or other equipment approved by the Engineer. Each layer shall be not more than nine inches thick when in loose condition, shall be uniform in cross section, and shall be thoroughly compacted before the next layer is started.

The use of dragline excavators or similar equipment which excavate and deposit material in large unit masses will not be permitted, unless all materials excavated in this manner are spread as provided herein and compacted as required in Article 205.05 of these Special Provisions, or as directed by the Engineer.

# Article 205.05 Compaction

Each layer of mine refuse or earth fill material shall be disked sufficiently to break down oversized clods, mix the different materials, secure a uniform moisture content, and ensure uniform density and compaction. Disking may be omitted if the fill consists of non-cohesive material.

All lifts of earth fill or mine refuse will be considered compacted when the tamping feet of the roller penetrates not more than three inches into a nine-inch lift or one-third of the depth of the layer being placed. If, after making four passes the required compaction is not yet achieved, the Engineer shall

take necessary steps to analyze and test the soil conditions. If tests indicate that the material is above 115 percent or below 90 percent of the standard optimum moisture content then the material shall be dried or wetted as necessary to fall within this range. The layer shall then be recompacted until the desirable results are obtained or an additional four passes are made. If the material is determined to be within the specified optimum moisture content range and four passes have been made, no further compaction efforts are necessary.

All lifts of cover soil shall be compacted except the top 12 inches (300 millimeters). Compaction will not be required on the top 12 inches (300 millimeters) of cover soil.

The fill areas shall be sprinkled with water when it is necessary to increase the moisture content of the soil to permit the fill areas to be constructed to the densities indicated above.

Compacting equipment and compacting operations shall be coordinated with the rate of placing the earth materials so that the required density is obtained.

#### Article 205.06 Maintaining and Trimming Embankments

The Contractor shall replace, at his own expenses, any portions of the fill areas which have been damaged or displaced by reason of carelessness or negligence on his part. After the fill areas have been constructed as specified herein, their sides shall be trimmed to the proper slopes where required, and they shall be maintained by the Contractor to the proper elevation and cross-section until they have been accepted.

#### Article 205.07 Method of Measurement

Mechanical compaction will not be measured for payment.

#### Article 205.08 Basis of Payment

Compaction and any additive or water applied will not be paid for directly, but shall be considered as incidental to the various items of excavation, and the cost of their construction shall be included in the unit prices for these items.

End of Revisions to SECTION 205: MINE SITE COMPACTION

#### SECTION 250: SEEDING - (revise the following articles as indicated)

#### Article 250.02 Materials (revise Article 1081.04 as indicated)

(a) Sampling and Testing. Each lot of seed, or seed mixture, except Prairie Forbs, furnished shall be tested by a State Department of Agriculture (including other states), or by land grant college or university agricultural sections, or by a Registered Seed Technologist. The seed sample shall be sent directly from the dealer to the place of testing. The cost of this testing shall be included in the unit bid price.

All seeds shall comply with the requirements of the U.S. Department of Agriculture Consumer and Marketing Service, Rules and Regulations under the Federal Seed Act of August 9, 1939, issued March 1940, reprinted with amendments April 1968, or any current revisions.

Acceptance of seeds furnished under this Specification will be based on receipt and approval of a certification covering tests from each lot of seed. Certification shall consist of test reports showing the required test results of lots corresponding to the shipment and signed by the responsible personnel of a State seed laboratory or college or university seed testing section or a Registered Seed Technologist. A Registered Seed Technologist shall verify his/her signature with his/her Society of Commercial Technologists' seal.

The sample must be tested within 30 days of scheduled seeding. Test reports shall provide or include the following information at a minimum:

- (1) Name of Seed Dealer
- (2) Kind and Variety of Seed
- (3) Date of Test
- (4) Lab Number
- (5) Weight Examined by Grams
- (6) Lot Number
- (7) Pure Seed Crop by Name
- (8) Purity Percentage Analysis
- (9) Germination Percentage Analysis
- (10) Hard Seed Percentage Analysis
- (11) Other Crop Names and Percentages
- (12) Common Weed Names & Percentages
- (13) Percentage of Total Inert Matter
- (14) Noxious Weeds and Percentages (if any)

A ten-percent tolerance will be allowed for each specified pure live seed species in the total seed mixture. If test results indicate insufficient pure live seed of any species, additional pure live seed of the same species shall be added prior to seeding, to correct deficiencies to within the ten percent tolerance allowable.

If test results indicate the presence of an Illinois noxious weed, or the seed mixture is found unacceptable by reason of any other defect that in the judgment of the Engineer cannot be corrected, the Contractor shall obtain a new supply of the specified seed mixture. Any areas seeded with an unacceptable seed mixture shall be destroyed, by preparing a new seed bed and reseeding. No additional compensation will be allowed for correcting deficiencies to within the allowable tolerance, for obtaining a new seed supply if required, or for reseeding.

Seeds may be sampled at destination on a random basis and tested for comparison with certification and compliance with the Specifications. If deviations are found, the results will be reviewed to determine whether the material is acceptable for use. Major deviations may result in a requirement that each lot of material from the source in question be sampled, tested and approved by the Illinois Department of Agriculture before further use.

#### Article 250.03 Equipment (revise Article 250.03(e), and add Article 250.03(i) and (j))

- (e) Broadcast Seeders (change to)
- (e) Spinning Disk Seeders. (revise Article 1101.08(e) to the following)

When spinning disk seeders are used, the individual seeds comprising the seeding mixture need not be sown separately. A spike-toothed or tine-toothed harrow, approved by the Engineer, must be either be pulled behind the spinning disk seeder by the same equipment in one operation, or pulled by other equipment over all seeded areas on the same day.

(i) Harrows - Spike Toothed and Tine Toothed. (add as Article 1101.08(i))

Spike and tine toothed harrows shall be commercially manufactured harrows designed for light tillage necessary to cover grass and legume seed after these seeds have been broadcast with spinning disk seeders, truck mounted air flow fertilizer/seeder spreaders, and aerial seeders.

(j) No-Till Seeder. (add as Article 1101.08(j))

These seeders shall be commercially manufactured no-till (zero-till) seeders specifically designed for no-till placement of grass and legume seed and shall be approved by the Engineer prior to use.

## Article 250.04 Fertilizer and Agricultural Ground Limestone Application (revise to)

- (a) Prior to the application of fertilizer nutrients and agricultural ground limestone on the soil and/or coal refuse, the Contractor shall notify the Engineer so that the Engineer can sample soil and/or coal refuse, retest and, if necessary, revise the rates for fertilizer and limestone specified on the plans to accommodate actual field conditions.
- (b) Immediately prior to seed bed preparation and seeding, fertilizer nutrients and agricultural ground limestone shall be uniformly spread at the specified rates over the areas designated. Specified rates of agricultural ground limestone and fertilizer nutrients are listed on the plans under Summary of Quantities or Schedule of Seeding, Fertilizer Nutrients, Mulch and Mowing. Fertilizer quantities and application rates may be based on two or more applications. Potassium may be required to be applied in split applications.
- (c) When Incorporation Limestone and Mulch are to be used, as specified in the plans, agricultural ground limestone shall be applied in accordance with SECTION 256. The fertilizer nutrients and seed mixture shall then be uniformly spread at the rates specified over the incorporated areas and tilled into the soil with the seed mixture by use of a spike toothed or tine toothed harrow as directed by the Engineer.
- (d) No-till (zero-till) Seeding. No-Till (zero-till) seeding will not require seed bed preparation. Agricultural ground limestone shall be applied two weeks (14 days) prior to no-till (zero-till) seeding. Fertilizer nutrients shall be applied two weeks (14 days) after no-till (zero-till) seeding according to the Engineer's discretion. The no-till (zero-till) areas may or may not be mowed prior to or after no-till (zero-till) seeding according to the Engineer's discretion. If the Engineer determines mowing is necessary, it will be measured and paid for according to Articles 250.09

and 250.10, respectively. At no time will the seeder be used as a mulch stabilizer in conjunction with seeding or alone.

(e) Direct Vegetation. If seed bed preparation is required on direct vegetation areas, agricultural ground limestone and fertilizer nutrients shall be applied prior to seeding and according to these specifications. If seed bed preparation is not required or if the Engineer determines it is impractical, the agricultural ground limestone and fertilizer nutrients shall be applied according to the Engineer's discretion.

#### Article 250.05 Seed Bed Preparation (delete last paragraph and add the following)

Seed bed preparation cannot be performed sooner than 14 days prior to seeding. Seed bed preparation will not be required when no-till seeding or Incorporation - Limestone and Mulch is specified.

#### Article 250.06 Seeding Methods (delete all but paragraphs 1 and 2 and add the following)

Harrows that meet the requirements of Article 250.03(j) shall be used for light tillage to cover grass and legume seeds, fertilizer and agricultural ground limestone with soil to the satisfaction of the Engineer on the same day the that the seed is sown. A minimum of two passes will be required, one parallel to the slope and one perpendicular to the slope to assure coverage.

Rolling will not be required.

# Article 250.07 Seeding Mixtures (change to)

#### Article 250.07 Seeding Requirements and Guarantee

(a) Seeding Dates and Seed Mixture for Permanent Seeding.

## SOUTHERN ILLINOIS (South of U.S. Route 50)

Spring seeding dates shall be January 1 to March 15, and fall seeding dates shall be August 20 to September 30 for the following seeding mixes.

Seeding will not be allowed when the wind speed is 10 miles/hour (16 kilometers/hour) or greater. Seed bed preparation may be allowed by the Engineer prior to seeding dates at his/her discretion.

## **PURE LIVE SEED**

SEED	<u>VARIETIES</u>	<u>lb./ac.</u>	( <u>kg./ha.)</u>
Switch Grass	-	2	(2.24)
Orchard Grass	-	10	(11.21)
Redtop	-	4	(4.48)
Smooth Brome Grass	-	24	(26.90)

Medium Red Clover	e.g. Kenstar		5	(5.60)
Alsike Clover or Ladino Clover other White Clovers	or -		10	(11.21)
Alfalfa	-		10	(11.21)
Annual Lespedeza	e.g. Kobe		5	(5.60)
Winter Wheat	-		<u>40</u>	( <u>44.83)</u>
		TOTAL	110	(123.28)

Average purity and germination percentages (viable seed for legumes) are from 1948, Yearbook of Agricultural, <u>Grass</u>. Any other product from seed tag percentages of germination times purity, and/or viable seed, will cause the Contractor to adjust his/her total pounds/acre (kilograms/hectare) of seed to sow.

- (b) Temporary Seeding. This provision is applicable in the event that the Contractor fails to perform permanent seeding within the dates specified. In that event, temporary seeding shall be required to provide a temporary vegetative cover until the next term of permanent seeding dates. Temporary seeding shall be performed by the Contractor at his/her own proper cost and expense, at no additional cost to the Department. Prior to temporary seeding, the Engineer shall submit in writing to the Contractor a proposed temporary seeding mixture, specifying the seed varieties and their respective rates on a pounds/acre (kilograms/hectare) of pure live seed basis. Vegetation resulting from the temporary seeding shall be destroyed as part of the seed bed preparation for permanent seeding during the next term of permanent seeding dates.
- (c) Reseeding Guarantee. The Contractor is required to guarantee the results of the permanent seeding for one year after the date of seeding. The Engineer will periodically inspect all seeded areas during that year to determine whether or not vegetation has been successfully established. Upon the Engineer's determination that vegetation has been successfully established, the Contractor shall be released from all further obligations. If the Engineer determines that vegetation on any area is unacceptable, the Contractor shall be required to reseed that area during the next term of permanent seeding dates, at the Contractor's own proper cost and expense, and at no additional cost to the Department.

#### Unacceptability will be based on:

- 1. Seed test failure (Article 250.02).
- 2. Using unacceptable equipment in performing seeding.
- 3. Failure to perform seeding as specified; i.e., missing areas during seeding, improper seed bed preparation, etc.
- 4. Failure to perform mulching as specified; i.e., applying too much or too light application in some areas, using unacceptable mulch, etc.
- (d) Subsequent Reseeding. Any area reseeded once by the Contractor will be inspected within six months after reseeding to determine if germination has occurred. If subsequent reseedings

are required of the same area(s), through no fault of the Contractor, the Contractor shall be compensated for such subsequent reseeding at unit bid prices, or as otherwise agreed upon by the Contractor and the Engineer.

#### Article 250.08 Selective Mowing Stakes (delete entire article)

## Article 250.09 Method of Measurement (revise as indicated)

Delete all references to mowing, and refer to SECTION 258 if mowing is specified on the plans.

In Article 250.09(b), delete "of the class specified".

#### Article 250.10 Basis of Payment (revise as indicated)

Substitute SEEDING for the various classes of seeding and interseeding. The cost of seed testing and any temporary seeding or reseeding will not be paid for separately, but shall be considered incidental to the cost of SEEDING.

Delete all references to mowing, and refer to SECTION 258 if mowing is specified on the plans.

End of Revisions to SECTION 250.

#### SECTION 255: MINE REFUSE TREATMENT - (add this section)

# Article 255.01 Description

This work shall consist of furnishing, transporting and incorporating Agricultural Ground Limestone required in the treatment of mine refuse. Multiple applications of Agricultural Ground Lime may be required, as specified in the plans.

## Article 255.02 Materials

Agricultural Ground Limestone used for treatment of mine refuse shall meet the requirements of Article 1081.07 of the Standard Specifications.

#### Article 255.03 Equipment

Equipment used for incorporating Agricultural Ground Limestone and the three inches (75 millimeters) of cover material into the upper surface of the proposed mine refuse subgrade, location and rates shown on Sheets 3 and 4 of the plans, shall consist of a tractor drawn offset disk. The disk shall have the capability of cutting to the depth of six inches (150 millimeters). The minimum diameter of the disks shall be 24 inches (600 millimeters). The offset disk shall consist of two rows, or gangs, of disks set at an angle to each other. Each gang shall have a separate frame and axle assembly. The angle shall be adjustable for varying conditions.

#### Article 255.04 Construction Requirements

#### Top Layer of Mine Refuse Excavation

Once the specified elevation and desired topography of the proposed mine refuse subgrade as shown

on Sheets 3 and 4 of the plans is obtained, agricultural ground limestone will be uniformly spread over the regraded mine refuse area at the rates of application as shown on Sheets 3 and 4 of the plans. Application(s) in this manner will be applied only to the areas receiving the cover material over buried mine refuse as specified in the plans. Three inches (75 millimeters) of cover material shall then be spread over the mine refuse treatment area. This three inches (75 millimeters) of cover material shall be incorporated into the upper three inches (75 millimeters) of the mine refuse surface with an offset disk. This blending of six inches (150 millimeters) of soil, agricultural ground limestone, and mine refuse shall be completed to the satisfaction of the Engineer (minimum of two passes required) prior to the placement of the remaining cover material.

## Entire Volume of Mine Refuse Fill

Mine Refuse Disposal Areas are shown on the plan sheets 11, 13, 14, 23 and 25. All mine refuse fill in those locations shall receive Mine Refuse Treatment – Limestone at the rates specified. This includes mine refuse fill transported through pushing and hauling. Adequate mixing of the Limestone and mine refuse is essential. The Limestone may be applied to the mine refuse material as it is excavated, hauled and/or placed. The Contractor shall supply a written plan on how the mixing is proposed at the various locations. No payment will be made for Mine Refuse Treatment – Limestone that is not applied as in the approved plan. Compaction of the mine refuse fill shall be in accordance with Section 205 of these special provisions.

# Article 255.05 Method of Measurement

Mine refuse treatment will be measured for payment in ton (metric ton) of Agricultural Ground Limestone incorporated as specified herein. Measurement shall be based on weight tickets or receipts provided to the Engineer. Agricultural Ground Limestone will be measured by weight in ton (metric ton) of Agricultural Ground Limestone having an effective neutralizing value of 67.5 (four-year based, a source correction factor of 1.0).

Pay quantity will be computed according to procedures established by the Department. Applied quantity shall be the plan quantity multiplied by the source correction factor. The pay quantity shall be corrected for variations in applied quantity. Payment will not be made for Agricultural Ground Limestone in excess of 108 percent of the amount specified by the Engineer.

Excavation for the three inch (75 millimeter) layer of cover material to be incorporated into the mine refuse along with the Agricultural Ground Limestone will be measured for payment at the contract unit price per cubic yard (cubic meter) as noted in Article 202.08 of the special provisions.

#### Article 255.06 Basis of Payment

Mine refuse treatment will be paid for at the contract unit price per ton (metric ton) of MINE REFUSE TREATMENT - LIMESTONE.

The cover material will be paid for at the contract unit price per cubic yard (cubic meter) of EARTH EXCAVATION, as outlined in Article 202.09 of the special provisions.

End of SECTION 255: MINE REFUSE TREATMENT

#### SECTION 258: MOWING - (add this section)

#### Article 258.01 Description

This work shall consist of mowing areas designated by the Engineer and as indicated in the plans.

# Article 258.02 Equipment

Mowing equipment shall be one of the following:

- (a) Tractor drawn rotary mower(s)
- (b) Tractor drawn sickle mower(s)
- (c) Tractor drawn flail mower(s)

# Article 258.03 Construction Requirements

At time and locations designated by the Engineer, the Contractor shall mow vegetation to a height of not more than six inches (150 millimeters).

Mowing shall not be permitted when the ground is too wet to properly support the equipment used.

#### Article 258.04 Method of Measurement

Mowing shall be measured in acre (hectare) of surface area mowed.

#### Article 258.05 Basis of Payment

This work shall be paid for at the contract unit price per acre (hectare) for MOWING.

End of SECTION 258: MOWING

#### SECTION 280: TEMPORARY EROSION AND SEDIMENT CONTROL – (revise the following articles as indicated)

Article 280.03 Construction Requirements - (delete and replace with the following)

Erosion and sediment control measures as indicated in the Storm Water Pollution Prevention Plan, or as directed by the Engineer shall be installed on the project site prior to beginning any construction activities which will potentially create erodible conditions. Erosion and sediment control devices shall be in place and approved by the Engineer as to proper placement and installation prior to beginning other work. Erosion and sediment control protection for Contractor borrow pits, equipment storage sites, plant sites, haul roads, and other sites shall be installed by the Contractor and approved by the Engineer prior to beginning construction activities at each site.

The Engineer has the authority to limit the surface area of erodible earth material exposed by clearing and grubbing, excavation, borrow and embankment operations, and to direct the Contractor to provide immediate permanent or temporary erosion and sediment control measures upon finding an incidence of non-compliance with the Storm Water Pollution Prevention Plan. The Contractor shall

incorporate all permanent erosion and sediment control features into the project at the earliest practicable time to minimize the need for temporary controls.

The Contractor is encouraged to carefully plan his/her operation so that final gradework is performed as close as possible to the seeding dates specified in the contract to minimize the chances of erosion from areas affected by construction.

Areas where construction activities have ceased for more than 14 consecutive days may require site stabilization practices which may include temporary seeding, mulching, or installation of excelsior blanket, straw bales, silt fence, diversion ditches, vegetative buffer strips and/or geotextiles. For purposes of this Section, the end of construction activities on affected land areas is defined as the time when seedbed preparation has been concluded. Site stabilization, if determined necessary by the Engineer, will not be paid for but will be considered incidental to the contract.

In case of repeated failure on the part of the Contractor to take steps prescribed by the Engineer to control erosion and sediment, the Engineer reserves the right to employ outside assistance or to use his/her own forces to provide the necessary corrective measures. Such incurred direct costs plus project engineering costs will be charged to the Contractor and deducted from any compensation due, or which may become due the Contractor under the contract.

#### Article 280.08 Basis of Payment - (add the following)

Maintenance of temporary erosion and sediment control systems including repair of the various systems, removal of entrapped sediment and cleaning of any silt filter fabric, will be considered incidental to the above pay items for temporary erosion control systems. The sediment shall be removed as directed by the Engineer during the contract period and disposed of on-site as directed by the Engineer.

End of Revisions to SECTION 280: TEMPORARY EROSION CONTROL

## SECTION 286: SPECIAL EXCELSIOR BLANKET - (add this section)

# Article 286.01 Description

This shall include all labor, materials, equipment and services necessary for and reasonably incidental to installing special excelsior blanket as shown on the plans and specified herein.

# Article 286.02 Materials

For special excelsior blanket reference Article 1081.10(a) of the Standard Specifications except as modified herein:

- (a) <u>Minimum</u> width 48 inches (1200 millimeters), plus or minus one inch (25 millimeters).
- (b) Minimum length of roll 180 feet (approximately 54.9 meters).
- (c) Weight -0.9 pound per square yard  $(4.4 \text{ kg/m}^2)$ , plus or minus ten percent.
- (d) Fiber length 80 percent shall be six inches (150 millimeters) or longer.

- (e) Fiber dimension .021 inch (0.5 millimeter) x 0.042 inch (1 millimeter), plus or minus 25 percent.
- (f) Both sides of each blanket shall be enclosed with a plastic netting, black or green in color, having an approximate minimum opening of 5/8 inch (15.6 millimeters) x 5/8 inch (15.6 millimeters) to an approximate maximum opening of 2 inches (50 millimeters) x 1 inch (25 millimeter).
- (g) Blankets shall be smolder resistant and shall meet the test of no-flame or smolder for more than a distance of 12 inches (300 millimeters) from a spot where a lighted cigarette is placed on the blanket's surface.
- (h) All material shall be new and unused and the length shall be marked on each roll.
- (i) The manufacturer shall furnish a certification with each shipment of special excelsior blanket stating the number of rolls furnished and that the material complies with the requirements of the specifications.
- (j) Reference Article 1081.10(d) of the Standard Specifications for requirements for staples and Article 1081.10(e) for requirements wood stakes to hold the blanket in place.

#### Article 286.03 Construction Requirements

The special excelsior blanket shall be placed at locations shown on the plans and in accordance with Article 251.04 of the Standard Specifications modified as follows:

#### (a) Equipment:

Equipment may require the use of hand tools to roll out the blanket and tack staples or wooden stakes through the blanket into the soil below.

## (b) Preparation:

Areas to receive blanket will be staked by the Engineer once seeding work is completed. Installation of special excelsior blanket will follow within a 24-hour period.

#### (c) Installation:

- (1) Special excelsior blanket shall be installed one layer thick and stapled or staked in accordance with Article 251.04 for excelsior blanket of the Standard Specifications, to comply with the varying widths indicated on the plans. The areas to receive special excelsior blanket will not be mulched.
- (2) This blanket shall be installed parallel to the direction of slope in neat, straight lines or with uniform curvature to the approval of the Engineer.

## (d) Acceptance/Clean Up:

(1) Seeded/blanketed areas disturbed by the Contractor shall be repaired in accordance

with the Standard Specifications and as specified herein, with no additional cost to the contract before the Contractor may request a final inspection of the placement of special excelsior blanket.

(2) Upon completion of the work, remove from the job site and legally dispose of all equipment, surplus materials, empty containers and all other debris resulting from these operations. Clean-up shall be completed prior to final payment.

## Article 286.04 Method of Measurement

The area of the special excelsior blanket will be measured in-place in square meter (square yards) of actual surface area protected.

#### Article 286.05 Basis of Payment

This work will be paid for at the contract unit price per square yard (square meter) for SPECIAL EXCELSIOR BLANKET measured as specified herein.

End of SECTION 286: SPECIAL EXCELSIOR BLANKET

End of Revisions to SECTION 200: EARTHWORK, LANDSCAPING, EROSION CONTROL

#### **DIVISION 500 - STRUCTURES**

# SECTION 501: REMOVAL OF EXISTING STRUCTURES - (delete the entire section and replace with the following)

#### Article 501.01 Description

This work shall consist of the removal, satisfactory disposal, and filling of the existing mine structures, or portions thereof, as shown in the plans and specified herein.

# <u>Construction Requirements</u>

# Article 501.02 Materials

Concrete Fill material shall be class SI concrete meeting the requirements of Section 1020 of the Standard Provisions.

#### Article 501.03 Demolition

Prior to the pre-construction meeting, the Contractor shall submit a written plan describing the measures that will be taken to exercise the utmost care not to endanger existing property.

All concrete or masonry structures to be removed shall be removed to a minimum of 24 inches below finished grade unless specified otherwise in the plans. Where existing bars or metal extend from the portions of the structures that remain, they shall be cut off flush with the surface of the concrete.

All metal structures and equipment to be removed shall be carefully removed in transportable sections and shall be either salvaged by the Contractor or otherwise removed from the site.

Any vessels, containers, transformers, or unknown materials encountered during excavation or demolition shall be brought to the Engineer's attention immediately.

All materials, other than those specified above that are associated with the structures to be removed, shall be considered trash and debris and disposed of in accordance with Article 201.01(f) of these Special Provisions.

#### Article 501.04 Salvageable Materials

Materials which the Contractor deems fit for reuse or recycling shall become the property of the contractor and shall be removed from the site and disposed of according to the requirements of Article 202.03. Materials selected for salvage may be temporarily stockpiled on site for a period not to exceed 60 days. The stockpile location shall be subject to approval by the Engineer. The salvage value of any materials removed should be reflected in the bid price.

#### Article 501.05 Subsurface Fill

In locations of the Existing Pipe Culverts to be sealed as noted on the plans, Concrete Fill shall be placed in the culvert ends to the satisfaction of the Engineer.

#### Article 501.06 Disposal of Rubble

Rubble from the demolition of existing structures shall be buried on-site. Rubble with projecting bars shall not be placed until the bars have been cut off flush with the surface of the concrete.

Concrete rubble shall be placed in the disposal area in a manner to give a density satisfactory to the Engineer. Pieces of concrete rubble may be placed in the disposal area without being broken up, provided the Contractor has equipment capable of adjusting their location to the satisfaction of the Engineer. Concrete rubble shall be placed in 12'' - 18'' horizontal layers so far as practicable, and the voids filled with smaller pieces to the satisfaction of the Engineer.

All voids and interstices in each layer shall be backfilled to the satisfaction of the Engineer before depositing the next layer of rubble.

#### Article 501.07 Method of Measurement

Concrete fill material will be measured for payment in cubic yards. Measurements shall be based on weight tickets or receipts provided to the Engineer.

#### Article 501.08 Basis of Payment

Demolition and disposal of structures or specified portions thereof shall be paid for at the contract lump sum price for REMOVAL OF EXISTING STRUCTURES.

Concrete Fill material shall be paid for at the contract unit price per cubic yard for CONCRETE FILL.

Earth excavation shall be paid for according to Section 202 of the Special Provisions.

End of Revisions to SECTION 501: REMOVAL OF EXISTING STRUCTURES

End of Revisions for DIVISION 500: STRUCTURES

#### **SECTION 600 – INCIDENTAL CONSTRUCTION**

# SECTION 613: CLEANING EXISTING CULVERTS - (add this section)

#### Article 613.01 Description

This work shall consist of the removal and disposal of all the accumulation of sediment, debris or foreign material of any kind from the existing culverts as shown on the plans.

#### Article 613.02 Construction Requirements

The culverts shall be thoroughly cleaned and the sediments deposited on site in an area designated by the Engineer. This work shall be performed prior to extensive site grading, and shall be maintained and kept free from such accumulations during the entire contract period.

#### Article 613.03 Basis of Payment

This work shall be paid for at the contract lump sum price which price shall include all labor, excavation, and equipment necessary to clean existing pipe culverts. No additional compensation shall be made for any re-cleaning required subsequent to the initial cleaning.

#### End of SECTION 613: CLEANING EXISTING CULVERTS

## SECTION 614: DEWATERING IMPOUNDMENTS - (add this section)

## Article 614.01 Description

This work shall include furnishing all labor, material, equipment and services necessary to treat, backfill or eliminate water impoundments as shown in the plans. This work includes dewatering measures, acid water treatment and other activities necessary to ensure compliance with applicable water quality and effluent standards as established by the Illinois Environmental Protection Agency.

## Article 614.02 Materials

Materials used in water treatment shall be approved by the Engineer prior to use. Under no circumstances shall ammonia be used for treatment.

Care should be taken in the handling and application of materials used in water treatment. Protective clothing and equipment should be worn and safety precautions taken as recommended by the material manufacturer or supplier.

## Article 614.03 Conditions

Water Quality test results and estimated impoundment volumes are shown on the plans. This information is provided only as a guide and should not be considered to be absolute. Water volumes and quality fluctuate seasonally and may differ at the time of necessary treatment. Furthermore, impoundments may refill and re-acidify if the Contractor does not proceed expeditiously with construction operations. No additional compensation will be allowed for multiple acid water treatments and/or pumping operations that are necessarily caused by the Contractor's inactivity or

failure to properly coordinate construction operations. The only adjustment will be made in accordance with Article 614.06 of these Special Provisions.

#### Article 614.04 Discharge of Water

(a) All water being displaced by backfilling or being discharged by dewatering must meet the following water standards:

<u>Constituent</u> <u>Standard</u>

Total Acidity Shall not exceed total alkalinity

pH (range 6.0 - 9.0)

Total Iron Shall not exceed 3.5 mg/l
Total Suspended Solids Shall not exceed 35 mg/l

Additional standards must be met if the type of material used in water treatment has a composition that may be expected to exceed certain other water quality standards or cause damage to aquatic life or habitat.

- (b) Once the Contractor believes the water quality standards have been achieved and dewatering can occur, the Contractor shall notify the Engineer so that water quality tests may be taken. A minimum of 24 hours will be required to obtain the results following the retrieval of the water samples. The Engineer shall provide the Contractor with these results. Commencement of discharge operations can only occur upon the approval of the Engineer.
- (c) Monitoring shall continue throughout the dewatering operations. If, at any time, it is determined that water quality standards are not being met, dewatering operations shall cease until the situation is remedied.
- (d) Dewatering operations shall be performed by pumping or other approved methods which does not cause transportation sediment outside the construction limits, flooding, erosion of the existing stream channel, or damage to aquatic life or habitat. Under <u>no</u> circumstances will <u>breaching</u> of any portion of existing containment embankment(s) be allowed as a method for dewatering a treated impoundment. All discharges from dewatering operations shall be directed to the existing drainage ways adjacent to and downstream from the impoundments. Ditches graded for dewatering purposes shall be backfilled, compacted and revegetated. The Contractor shall repair any areas disturbed through his dewatering or treatment operations.

## Article 614.05 Method of Measurement

Dewatering the impoundments will not be measured for payment, but will be considered complete when it is done as specified herein and to the satisfaction of the Engineer.

## Article 614.06 Basis of Payment

This work shall be paid for at the lump sum price for DEWATERING IMPOUNDMENT for each impoundment that is specified to be dewatered in the plans, which price shall include all labor, equipment and materials to perform the work specified herein. The lump sum price for each impoundment to be dewatered shall be based on the volume and total acidity of each impoundment as specified in the plans. The lump sum bid price for each impoundment specified includes all water treatment and dewatering operation(s) necessary throughout the duration of the project. No

adjustments will be allowed once construction begins.

At the time of the preconstruction meeting, the volume and total acidity shall be remeasured by the Engineer for each impoundment that is to be dewatered as specified in the plans, and a one-time only adjustment to compensate for any seasonal changes which may have occurred since the original samples were taken will be made to the lump sum bid price for each impoundment according to the following formula:

Adjusted L SUM Price =

Fill material used to fill the impoundment will be paid for at the contract unit price per cubic meter (cubic yard) for EARTH EXCAVATION and MINE REFUSE EXCAVATION as specified in Section 202 of the Special Provisions.

End of SECTION 614: DEWATERING IMPOUNDMENTS

SECTION 616: COFFERDAMS – (add this section)

# Article 616.01 Description

This work shall consist of all work necessary to install, maintain and remove a cofferdam(s) and of all work, including all diversions of water, construction of sumps, and pumping as required to maintain all construction areas free of water for prosecution of all contract work.

## Article 616.02 Construction Requirements

The cofferdams shall be sufficient in size to allow construction of all items as proposed. The cofferdams shall be located, designed, constructed, and removed with the Engineer's approval. The Contractor shall provide the detailed plan for the cofferdam to the Engineer prior to construction. Earthen materials may be used for the cofferdams construction.

Water shall be removed from the work areas. Diversion of water and/or pumping may be required. The Contractor shall supply and maintain the pump(s) as deemed necessary to complete the required construction.

#### Article 616.03 Method of Measurement

Temporary cofferdams will not be measured for payment, but will be considered complete when done as specified herein and to the satisfaction of the Engineer.

Pumping of impounded water from or around the cofferdams area will not be measured for payment but shall be considered incidental to the cofferdam contract price. Dewatering of the impoundment will not be measured for payment but shall be considered incidental to the cofferdam contract price.

# Article 616.04 Basis of Payment

This work shall be paid for at the lump sum contract unit price for COFFERDAMS. The size and details

of the cofferdams shall meet the approval of the Engineer and no extra compensation will be allowed for a cofferdam of excessive size.

End of SECTION 616: COFFERDAMS

# SECTION 618: <u>HAUL ROAD, STREAM CROSSINGS, OTHER TEMPORARY STREAM CROSSINGS AND</u> IN-STREAM WORK PADS - (add this section)

#### Article 618.01 <u>Description</u>

This work shall consist of all work necessary to install, maintain and remove stream crossings to maintain site access throughout construction activities

#### Article 618.02 Construction Requirements

(a) Haul Road and Other Temporary Stream Crossings A temporary low flow structure such as a pipe culvert shall be installed at haul road and other temporary stream crossings. The haul road shall be constructed with materials (i.e., coarse aggregate) meeting the requirements of Article 1004.04 of the Standard Specifications, except, if pit run gravel is used, prior approval of the source may be required by the Engineer. Upon completion of the work, the haul road or other temporary stream crossing shall be removed and the stream channel returned to its original cross section or the cross section called for in the plans.

The Contractor may propose other methods of constructing the stream crossing to the Illinois Department of Natural Resources, Office of Mines and Minerals, Division of Abandoned Mined Lands Reclamation and, if approved by them, the Contractor may proceed with that method.

(b) In-Stream Work Pads All in-stream work pads shall be constructed with materials (i.e., coarse aggregate) meeting the requirements of Article 1004.04 of the Standard Specifications, except, if pit run gravel is used, prior approval of the source may be required by the Engineer. In cases where the work pad will span the stream, a temporary low flow structure such as a pipe culvert shall be installed. Upon completion of the work, the in-stream work pads shall be removed and the stream channel returned to its original cross section or the cross section called for in the plans.

The Contractor may propose other methods of constructing the work pads to the Illinois Department of Natural Resources, Office of Mines and Minerals, Division of Abandoned Mined Lands Reclamation, and if approved by them, the Contractor may proceed with that method.

# Article 618.03 Method of Measurement and Basis of Payment

Haul Roads and other Temporary Stream Crossings or In-Stream Work Pads will not be measured nor paid for separately but shall be considered as included in the unit cost of the various pay items in the contract.

The salvaged aggregates and pipe culverts used in the Haul Roads and Other Temporary Stream Crossings or In-Stream Work Pads shall remain the property of the Contractor but may be used in construction if approved by the Engineer.

End of SECTION 618: HAUL ROAD, STREAM CROSSINGS, OTHER TEMPORARY STREAM CROSSINGS AND IN-

STREAM WORK PADS

# SECTION 665: WOVEN WIRE FENCE - (delete entire section and replace with the following)

## **SECTION 665: BARBED WIRE AND TEMPORARY SAFETY FENCE**

# Article 665.01 Description

This work shall consist of constructing a barbed wire fence supported on wood and metal posts and steel entrance gates as shown on the plans. The gates shall be supported on wood posts set in concrete.

This work shall consist of constructing a temporary safety fence acting as a visual barrier supported on metal posts along the top of the dangerous highwall as shown on the plans. The fence shall be constructed as soon as the top of the highwall, or any portion of it, is cleared of trees and vegetation.

# Article 665.02 Materials

Materials shall meet the requirements of the following Articles of Section 1000 - Materials of the I.D.O.T. Standard Specifications for Road and Bridge Construction:

<u>Item</u>	<u>Article</u>
(a) Barbed Wire	1006.28
(b) Wood Posts	1007.11
(c) Wood Braces and Blocks	1007.11
(d) Brace Wires	1006.28
(e) Metal Posts	1006.28
(f) Fitting and Miscellaneous Materials	1006.28
(g) Class SI Concrete	1020
Painted metal posts and gates may be us	sed in lieu of galvanized metal.

Safety fence shall be constructed of high density polyethylene polymer mesh. The mesh size shall be 1.75 inches (45 mm) having a tensile strength of 75 pounds/foot (1100 N/m) in the longitudinal direction and 41 pounds/foot (600 N/m) in the transverse direction based on ASTM method D 6637. The fencing height shall be 4 feet (1.22 meters). Posts shall be painted steel T-posts with a tapered anchor plate.

#### Article 665.03 Construction Requirements

Construction requirements of the Barbed Wire Fence and Entrance Gates shall be in accordance with Article 665.03 of the Standard Specifications as included in the plan sheet details.

Construction requirements of the Temporary Safety Fence shall be in accordance with the manufacturer's recommendations. Posts shall be T-posts 6 feet (1.83 meters) in length with at least eighteen inches (0.46 meters) driven into the ground. Posts shall be placed at 8 feet (2.44 meters) spacing. Three ties shall be placed at the top, middle and bottom of each post to connect the fence to the post. After establishment of final vegetation on the site, and with approval of the engineer, the fencing and posts shall be removed and become the property of the contractor. Any portion of the

fence damaged during construction shall be repaired immediately.

Article 665.04 Method of Measurement

Barbed wire fence will be measured for payment in lineal foot (lineal meter). Removal and proper disposal of existing fencing will not be measured for payment. Entrance gates shall be measured for

payment for each gate complete and in place, as shown on the plans.

Temporary safety fence will be measured for payment in lineal foot (lineal meter). Removal and

proper disposal of temporary safety fence or existing fencing will not be measured for payment.

Article 665.05 Basis of Payment

The work will be paid for at the contract unit price per lineal foot (lineal meter) for BARBED WIRE FENCE. This work shall include the cost of furnishing and installing the complete fence as shown on

the plans and specified herein.

The work will be paid for at the contract unit price per each for ENTRANCE GATES.

The work will be paid for at the contract unit price per lineal foot (lineal meter) for TEMPORARY SAFETY FENCE. This work shall include the cost of furnishing and installing the complete fence as

shown on the plans and specified herein.

The removal and proper disposal of existing fencing will not be paid for but shall be considered as

incidental to the excavation required in the contract.

End of Revisions to SECTION 665: BARBED WIRE AND TEMPORARY SAFETY FENCE

SECTION 666: RIGHT-OF-WAY MARKERS - (delete entire section and replace with the following)

**SECTION 666: MINE OPENING MARKERS** 

Article 666.01 Description

This work shall consist of the proper installation of the concrete mine marker as shown on the plans

and specified herein.

Article 666.02 Materials

(a) Concrete -- The concrete shall be Class SI Concrete and shall meet the requirements of Section

1020 of the Standard Specifications.

(b) A brass tablet for the concrete mine marker will be furnished by the Engineer prior to

construction of the marker.

Article 666.03 Erection of Marker

(a) Location

36

The exact location of the concrete mine marker will be staked by the Engineer prior to the beginning of concrete marker work. The approximate location is shown on the plans.

### (b) Tablet

During construction of the concrete marker (either pre-cast in the shop or cast-in-place in the field), the Contractor will be required to anchor the brass tablet in the "wet" concrete and properly finish the top face to securely bond the two materials together.

#### (c) Installation

The concrete mine marker shall be installed in compacted soil, the bottom of the holes shall be compacted to provide a stable foundation and it shall be set in a vertical position. The hole shall be backfilled with approved materials, in layers, thoroughly rammed in such a manner that the bottom of the marker will not be moved from their correct position.

## Article 666.04 Basis of Payment

This work shall be paid for at the contract unit price each for MINE OPENING MARKER.

End of Revisions to SECTION 666: MINE OPENING MARKERS

#### SECTION 671: MOBILIZATION - (delete entire section and replace with the following)

#### Article 671.01 Description

This work shall consist of preparatory work and operations necessary for the movement of personnel, equipment, supplies and incidentals to the project site; for establishment of offices, buildings and other facilities necessary for work on the project; and for all other work or operations which must be performed or costs incurred when beginning work on the project.

The amount which a Contractor will receive payment for, in accordance with the following schedule, will be limited to six percent of the total contract bid.

# Article 671.02 Basis of Payment

Payment of the lump sum amount bid for this item, not exceeding six percent, will be made in entirety in the first partial payment.

Nothing herein shall be construed to limit or preclude partial payments for other items as provided for by the contract.

End of Revisions to SECTION 671: MOBILIZATION
End of Revisions for DIVISION 600: INCIDENTAL CONSTRUCTION
End of Revisions for SPECIAL PROVISIONS FOR THE CONSTRUCTION OF:
Bluebird 5 & 6 / Pitco Mine Reclamation Project
Saline County, Illinois
AML-GSIE-1907

Holcomb Foundation Engineering Co.	οf	R	O.F	51 <i>V</i>	IG <b>1</b>
333 Wood Road Carbonadie, Milliois		ں 			
Unconfined Compressive Strength (Tons/Sq. Ft.)  1 2 3 4 5 6				eo	
Water Content (%)	Feet	Sample No.	ple	Distance	Description of Material
	Depth in	9 <u>e</u>	Sarr	le D	
Standard N Penetration, Blows/Ft.	epth	Samp	уре	Sample	S ( 51 H
10 20 30 40 50 60		"	<b> </b>	S	
					Black Coarse Refuse
	1				
	1	<u> </u>		<u> </u>	
	5	1	ss	/	
				/	Brown CLAY (CL)
	1				Gray CLAY (CL) w/mine spoils
					End of Boring @ -8.0'
	10				
	]				
	15				
	20				
	1				
	25				
	1				
	30				
	1				
	35	5			
	1 -				
		<u></u>			
Ground Water Data No Ground Water Encountered Durin	ıg [	)   Drill	ing	an	d Dry Upon Completion.
Project: Bluebird Coal Co. #6 — Pitco Mine					Date of Boring
Stonefort, Illinois Client: Prown & Pohorto					September 9, 2019
Brown & Roberts Harrisburg, Illinois					Project No. H-19194

Holcomb Foundation Engineering Co. 393 Wood Road Carbondale, Illinois	of	В	OF	RIN	IG <b>2</b>
Unconfined Compressive Strength (Tons/Sq. Ft.)					
1 2 3 4 5 6	- <del></del>		a	Distance	Description of Material
Water Content (%)	in Feet	Sample No.	Sample	Dis:	2 1 3 3 1 Mai 3 Ma
Standard N Penetration, Blows/Ft.	Depth i	mple	Type S	Sample	
10 20 30 40 50 60	a	γ	<u>&gt;</u>	Sa	Surface Elevation 444.0
					Black Coarse Refuse
		3			
	5	1	ss		
				۷	
					End of Boring @ -8.0'
					Lind of Borning & -o.v
	10				
	1				
	1				
	15				
	1				
	]				
	20				
	1				
	1				
	25				
	30				
	]				
	1				
	35				
Ground Water Data	1	l		l	1
No Ground Water Encountered Durin	g D	rilli	ng	an	
Project: Bluebird Coal Co. #6 — Pitco Mine Stonefort, Illinois					Date of Boring September 9, 2019
Client: Brown & Roberts					Project No.
Harrisburg, Illinois					H-19194

Holcomb Foundation Engineering Co. 393 Wood Road Carbondale, Illinois	of	В	OF	RIN	IG <b>.3</b>						
Unconfined Compressive Strength (Tons/Sq. Ft.)				<b>Θ</b>							
1 2 3 4 5 6 Water Content (%)	Feet	No.	nple	Distance	Description of Material						
Standard N Penetration, Blows/Ft.	pth in	Sample No.	Type Sample	Sample							
10 20 30 40 50 60	De	Sa	Туј	Sa	Surface Elevation 443.9						
					Black Coarse Refuse						
	1										
	5	1	SS	_							
					End of Boring @ -8.0'						
	10										
	15										
	20										
	1										
	25										
				A A A A A A A A A A A A A A A A A A A							
	30										
	35	5									
Ground Water Data			L	L							
No Ground Water Encountered During Project: Bluebird Coal Co. #6 — Pitco Mine	ng l	Orill	ing	an	d Dry Upon Completion.  Date of Boring						
Stonefort, Illinois					September 9, 2019 Project No.						
Client: Brown & Roberts Harrisburg, Illinois	lient: Brown & Roberts										

Engin	Holcomb Foundation Engineering Co. 393 Wood Road Carbondale, Illinois LOG of BORING 4												
	od Road Carbondale, Illinois  confined Compressive Strength (Tons/Sq. Ft.)												
1	2 3 4 5 6 Water Content (%)	Feet	<del>-</del>		Distance	Description of Material							
-			Sample No.	Type Sample	le Dis	•							
	Standard N Penetration, Blows/Ft.		Samp	Гуре	Sample	Surface Elevation 436.0							
	0 20 30 40 50 60	1	ļ			Black Coarse Refuse							
						Black Scales Relass							
		1	<u> </u>										
		5	1	ss									
						Brown Mottled Gray CLAY (CL)							
						Brown Morned Gray CLAT (CL)							
			2	ss									
		10	-		/	End of Boring @ -10.0'							
		15											
		20											
		25											
		<u>ا</u> _ ـ											
		30	)										
		_											
		35	6										
Ground	Water Data		···	L	<u></u>								
Project:	No Ground Water Encountered During Bluebird Coal Co. #6 — Pitco Mine	ng I	Jrill	ıng	an	d Dry Upon Completion.  Date of Boring							
	Stonefort, Illinois					September 9, 2019							
Client:	Brown & Roberts Harrisburg, Illinois					Project No. H—19194							
<u> </u>		**********											

Holcomb Foundation Engineering Co.	o f	BC	)RIN	NG . <b>5</b> _
393 Wood Road Carbonadie, Illinois				
Unconfined Compressive Strength (Tons/Sq. Ft.)  1 2 3 4 5 6			oe	
Water Content (%)	Feet	o N	mple Distance	Description of Material
Standard N. Banatration Claus /Ch	Depth in Feet	ele y	Type Sample Sample Dista	
Standard N Penetration, Blows/Ft. $ \frac{10  20  30}{40  50  60} $	)eptr	Sample	Type Sar Sample	Southern Floridi
10 20 30 40 50 60			- 0,	Surface Elevation 433.5 Black Coarse Refuse
	1			Brown Silty CLAY (CL)
	1			,
	-			
	5	1 8	ss /	Brown Mottled Gray SHALE
	1			
60/4"	] [			
	1	2 5	ss	
	10			End of Boring @ -9.0'
	1			
	]			
	-			
	15			
	1			
	1			
	20			
	1			
	1			
	25			
	1			
	1			
	30			
	1			
	35			
Ground Water Data	1			
No Ground Water Encountered Durir	ng D	rillin	ng ar	nd Dry Upon Completion.
Project: Bluebird Coal Co. #6 — Pitco Mine				Date of Boring September 9, 2019
Stonefort, Illinois  Client: Brown & Roberts		<u></u>		Project No.
Harrisburg, Illinois				H-19194

Holcomb Foundation Engineering Co.  393 Wood Road Carbondale Illinois LOG	Holcomb Foundation Engineering Co. LOG of BORING <b>6</b> <sup>393</sup> Wood Road Carbondale, Illinois												
Unconfined Compressive Strength (Tons/Sq. Ft.)													
1 2 3 4 5 6				nce									
Water Content (%)	Depth in Feet	No.	Type Sample	Distance	Description of Material								
Standard N Penetration, Blows/Ft.	2.	Sample	Sar	ple									
X	Dept	Sam	Туре	Sample	Surface Elevation 436.2								
10 20 30 40 50 60					Black Coarse Refuse								
<del>┡</del> ┼╀┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼													
		1	ss										
	5			/									
	1												
		2	ss										
	10			/									
	]												
		3	ss										
	15			<b>/</b>	End of Boring @ −15.0'								
	1												
	]												
	1												
	20												
	]												
	25												
	] 23												
	30												
	35												
	133		1										
Ground Water Data  No Ground Water Encountered Durin	ıa f	)rill	ina	an	d Dry Upon Completion								
Project: Bluebird Coal Co. #6 — Pitco Mine	.A ,	J 1111	9	<b>4</b> 11	Date of Boring								
Stonefort, Illinois		**************************************		**********************	September 9, 2019								
Client: Brown & Roberts					Project No. H-19194								
Harrisburg, Illinois					11 13137								

Holcomb Foundation Engineering Co. 393 Wood Road Carbondale, Illinois	G	o f	В	OF	RIN	IG <b>7</b>
Unconfined Compressive Strength (Tons/Sq. F	T					
1 2 3 4 5 6	•	+			Distance	Deposition of Material
Water Content (%)		Fee	No.	mple	Dist	Description of Material
Standard N Penetration, Blows/Ft.		Depth in Feet	Sample	Type Sample	Sample	
10 20 30 40 50 60		Det	Sai	Тур	Sar	Surface Elevation 437.1
						Black Coarse Refuse
			1	ss		
		5	•		<u> </u>	
	$\blacksquare$					
			2	ss		
		10			/	
	$\parallel \parallel$					
		15	3	ss		Gray SHALE
		١٦				End of Boring ◎ -15.0'
		20				
		25				
		30				
		50				
		35				
Ground Water Data				<u></u>	<u> </u>	
No Ground Water Encountered D		g C	rill	ing	an	
Project: Bluebird Coal Co. #6 — Pitco M Stonefort, Illinois	line					Date of Boring September 9, 2019
Client: Brown & Roberts						Project No.
Harrisburg, Illinois						H-19194

Holcomb Foundation Engineering Co.  393 Wood Road Carbondale Illinois LOG of BORING 8											
Coo mod nod Carbonade, minor	T -	ں ا			. O _O						
Unconfined Compressive Strength (Tons/Sq. Ft.)  1 2 3 4 5 6  Water Content (%)	Depth in Feet	le No.	Type Sample	le Distance	Description of Material						
Standard N Penetration, Blows/Ft.	epth	Sample	уре	Sample							
10 20 30 40 50 60		0,	) <del>-</del>	S	Surface Elevation 446.3						
					Black Coarse Refuse						
					Gray Mottled Brown CLAY (CL)						
	_	<u> </u>									
	1_	1	SS								
	5										
	_										
		2	ss		Gray CLAY (CL) w/mine spoils						
	10			$\angle$							
					End of Boring @ -10.0'						
	]										
	15										
	1										
	}										
	20										
	120										
	1										
	1										
	]										
	25										
	1										
	1										
	30										
	] 30										
	1										
	35										
	]										
			L								
Ground Water Data No Ground Water Encountered Durin	g C	rilli	ing	an	d Dry Upon Completion.						
Project: Bluebird Coal Co. #6 — Pitco Mine					Date of Boring						
Stonefort, Illinois					September 9, 2019						
Client: Brown & Roberts Harrisburg, Illinois					Project No. H—19194						

Holcomb Foundation												
Holcomb Foundation Engineering Co.  AND ADDRESS LOG OF BORING 9												
393 Wood Road	Carbondale, Illinois	LOG	ot l	ROE	ΚIN	G <u>9</u>						
Unconfined	d Compressive Strengt	h (Tons/Sq. Ft.)			a)							
1 2		5 6	ŧ l	0)	Distance	Description of Material						
	Water Content (%		Depth in Feet Sample No.	Type Sample	Dist	bescription of Material						
	ndard N Penetration,		Depth in Sample N	S	Sample							
10 20	X		Sam	Type	Sam	Surface Elevation 436.2						
10 2	0 30 1 40	50 60				Black Coarse Refuse						
						black Coarse Refuse						
				. —								
			5	1 ss								
			3									
			2	2 ss		Drawn Warth and Chale						
			10	+	$\leftarrow$	Brown Weathered SHALE						
		60/6"										
			3	3 ss		Gray SHALE						
			15			End of Boring @ -14.0'						
			20									
			25									
			23									
			30									
			35									
Ground Water Do		ountered During	a Dril	llina	an	d Dry Upon Completion.						
Project: Bluebi	rd Coal Co. #6	— Pitco Mine	<i></i>		<b></b> -	Date of Boring						
Stonet	fort, Illinois				~	September 9, 2019						
	& Roberts					Project No.						
<u>Harris</u>	burg, Illinois					H-19194						

Holcomb Foundation Engineering Co. 393 Wood Road Carbondale, Illinois	ngineering Co. LOG of RORIN										
Unconfined Compressive Strength (Tons/Sq. Ft.)											
1 2 3 4 5 6	- <del>t</del> o		an	Distance	Description of Material						
Water Content (%)	Depth in Feet	No.	Type Sample	Dist	2000 Phon of Maleria						
Standard N Penetration, Blows/Ft.	i q	Sample	Š	Sample							
10 20 30 $\times$ 40 50 60	Dep	Sar	Тур	Sar	Surface Elevation 441.1						
					Black Coarse Refuse						
	]										
	1	4		7							
	5	1	ss	$\angle$							
	]										
<u> </u>	1				Brown Mottled Gray Silty CLAY (CL)						
		2	ss	7	, , , , , , , , , , , , , , , , , , , ,						
	10			<u> </u>	-						
	-										
	1										
	1	3	ss	17	1						
	15	1		_	End of Boring @ -15.0'						
	1										
<u> </u>	-										
			1								
<u> </u>	20										
	1										
	25										
	]										
	30										
	ا د	1									
	1										
	35	5									
	] ``										
		1		<u></u>							
No Ground Water Encountered Durin	ng I	Drill	ing	an	nd Dry Upon Completion.						
Project: Bluebird Coal Co. #6 — Pitco Mine					Date of Boring						
Stonefort, Illinois					September 10, 2019 Project No.						
Client: Brown & Roberts Harrisburg, Illinois					H-19194						

Engin	Holcomb Foundation Engineering Co.  393 Wood Road Carbondale, Illinois  LOG of BORING 11																	
Ur	nconfined	l Comp	press	ive :	Stren	gth			q. F	t.)				a)		MACHINIA A Anna da Andrewson (Anna Anna Anna Anna Anna Anna Anna An		
1	1 2 3 4 5 6  Water Content (%)						Feet		<u>e</u>	Distance	De	scription	of Mate	rial				
-							_≘.	Sample No.	Type Sample									
				$\times$ $-$							Depth	Samp	уре	Sample	C(			
	0 20	) <del>                                     </del>	30 ———		40 	5	0		60		+	-				ce Elevat Coarse Re		
																	,	
									Ħ		1			7				
											5	1	ss					
									$oldsymbol{+}$		=						_	
												2	ss		Coal	Slurry w/c	lay	
									$\pm$		10			/				
			+								_							
									$\blacksquare$			<u> </u>		7	Browi	n Silty CLA	Y (CL)	
											15	3	ss	/				
											] -				End	of Boring (	∌ −15.0'	
									+		1							
											1							
									$\pm$		20							
			#			+			+									
											3							
									H		25							
			#						$\pm$									
									$\pm$									
							F		${\dagger}$	H	30							
					H				H									
					Ш		Ħ		$\blacksquare$									
											- - 35							
						Ħ	H		Ħ		_ 35							
HHH		Ш			Ш		Ш	Ш		Ш	_	<u></u>	<u></u>					
Ground	No Gr		l Wo	ater	En	cou	ınte	erec	d D	urii	ng l	)   Drill	ing	an	d Dry	Upon Com	pletion.	
Project:	Bluebi	rd C	oal	Со								M	CAMBON STORMS FOR	Y 7 7 A BIN SEE THE SEE	-	Date of Borin	9	2010
Client:	Stone:							•								Project No.	tember 9,	2019
	Harris																9194	

Holcomb Foundation Engineering Co.	O f	P	<b>∩</b> F	211/	G <b>12</b>
393 Wood Road Carbonadie, Illinois		<u>ں</u>	υı,	X 1 1 Y	·
Unconfined Compressive Strength (Tons/Sq. Ft.)				e	
1 2 3 4 5 6 Water Content (%)	Feet	o.	ple	Distance	Description of Material
	Depth in Feet	z o	Type Sample	le Di	
Stondard N Penetration, Blows/Ft.	epth	Sample	уре	Sample	
10 20 30 40 50 60	Ŏ	Ñ	7,	Š	Surface Elevation 441.3
					Black Coarse Refuse
	1				
		1	ss	/	
	5		33	/_	
		2	ss		Brown Silty CLAY (CL)
	10			<u>/_</u>	w/mine spoils
<u> </u>					
		3	ss		Brown Silty CLAY (CL)
	15			/	End of Boring @ -15.0'
	_				2 01 2011119 9 10.0
	-				
	1				
	20				
	-				
	]				
	25				
	1				
	]				
	30				
	1				
	-				
	-				
	35				
	1				
Ground Water Data	]	l	L	L	
No Ground Water Encountered Durin	ng C	rill'	ing	an	
Project: Bluebird Coal Co. #6 — Pitco Mine Stonefort, Illinois					Date of Boring September 9, 2019
Client: Brown & Roberts		w			Project No.
Harrisburg, Illinois					H-19194

Holcomb Foundation Engineering Co.  393 Wood Road Carbondale, Illinois  LOG of BORING 13									
Unconfined Compressive Strength (Tons/Sq. Ft.)									
1 2 3 4 5 6	e +		O)	Distance	Description of Material				
Water Content (%)	Depth in Feet	No.	Type Sample	Dist	bescription of Material				
Standard N Penetration, Blows/Ft.	pth i	Sample	Š	Sample					
10 20 30 40 50 60	De	Sa	ž	Sa	Surface Elevation 445.8				
					Black Coarse Refuse				
		1	ss						
	5			/					
		2	ss						
	10			/					
		_		7	Brown Weathered SHALE w/clay				
	15	3	ss		,,,				
	] ' ]								
		4	ss	/	Gray Mottled Brown SHALE				
	20	1 1		<u>/_</u>	End of Boring @ -20.0'				
					Lind of Borning & 20.0				
	25								
	30								
	1								
	35								
	-								
Ground Water Data		<u></u>	İ	<u></u>					
No Ground Water Encountered Durin	g [	)rill	ing	an	d Dry Upon Completion.    Date of Boring				
Project: Bluebird Coal Co. #6 — Pitco Mine Stonefort, Illinois	Project: Bluebird Coal Co. #6 — Pitco Mine								
Client: Brown & Roberts Harrisburg, Illinois	***************************************				September 9, 2019 Project No. H—19194				

Holcomb Foundation Engineering Co. LOG of BORING <u>14</u>										
Unconfined Compressive Strength (Tons/Sq. Ft.)				e e						
1 2 3 4 5 6 Water Content (%)	Feet	ö	D e	Distance	Description of Material					
Standard N Penetration, Blows/Ft.	<u>.</u> ⊆	Sample No.	Sample	Φ						
$\frac{10  20  30}{100000000000000000000000000000000000$	Depth	Sam	Type	Sam	Surface Elevation 443.0					
					Brown Silty CLAY (CL)					
		1	ss							
	5									
		2	ss							
	10				End of Boring @ -10.0'					
	15									
	20									
	25									
	_									
	30									
	1									
	7.									
	35									
Ground Water Data			<u></u>	<u></u>						
No Ground Water Encountered Durin	ng l	Orill	ing	ar						
Project: Bluebird Coal Co. #6 — Pitco Mine Stonefort, Illinois					Date of Boring September 9, 2019					
<sup>Client:</sup> Brown & Roberts Harrisburg, Illinois	***************************************				Project No. H-19194					

Holcomb Foundation Engineering Co. 393 Wood Road Carbondale, Illinois	of	В	OF	RIN	G <b>.1.6</b>
Unconfined Compressive Strength (Tons/Sq. Ft.)					
1 2 3 4 5 6	3et		<u>a</u>	Sample Distance	Description of Material
Water Content (%)	Depth in Feet	Sample No.	Type Sample	e Dis	
Standard N Penetration, Blows/Ft.	apth	ample	S ad,	mple	
10 20 30 40 50 60	۵	Š		Š	Surface Elevation 447.6
					Black Coarse Refuse
		1	ss	/	
	5			<u> </u>	
	1				D. Cill Olay (Ol)
					Brown Silty CLAY (CL)
	10	2	ss	$\angle$	
	] ' `				
	1	3	ss	/	
	15	l l		<u>/_</u>	End of Boring @ -15.0'
					Lina or Borning & To.o
	1				
	]				
	20				
	25				
	1				
	1				
	30	)			
	1				
	35				
	1	<u> </u>			
Ground Water Data No Ground Water Encountered Durin	na I	)rill	ina	an	d Dry Upon Completion
Project: Bluebird Coal Co. #6 — Pitco Mine	· J ·		3	<b>4</b> 11	Date of Boring
Stonefort, Illinois Client: Brown & Roberts					September 9, 2019 Project No.
Harrisburg, Illinois					H-19194

Holcomb Foundation Engineering Co. 393 Wood Road Carbondale, Illinois LOG of BORING 17									
Unconfined Compressive Strength (Tons/Sq. Ft.)  1 2 3 4 5 6				J.C.e					
Water Content (%)	Depth in Feet	Sample No.	Type Sample	Sample Distance	Description of Material				
Standard N Penetration, Blows/Ft.  10 20 30 40 50 60	Depth	Sampl	Type	Sampl	Surface Elevation 443.7				
					Black Coarse Refuse				
	5	1	ss						
		2	ss	/	Brown Silty CLAY (CL)				
	10	)		/_					
	15	3	ss						
					End of Boring ◎ -15.0'				
	20								
		•							
	25								
	30	)							
	35	5							
Ground Water Data	1	<u></u>							
No Ground Water Encountered During Project: Bluebird Coal Co. #6 — Pitco Mine	ng l	Drill	ing	an	Date of Boring				
Stonefort, Illinois  Client: Brown & Roberts					September 9, 2019 Project No.				
Harrisburg, Illinois					H-19194				

Holcomb Foundation Engineering Co.  393 Wood Road Carbondale, Illinois  LOG	of	В	OF	RIN	G <b>_1.8</b>
Unconfined Compressive Strength (Tons/Sq. Ft.)					
1 2 3 4 5 6	Feet		<u>o</u>	Distance	Description of Material
Water Content (%)	<u>,c</u>	e No.	Type Sample	e Dis	
Standard N Penetration, Blows/Ft.  10 20 30 40 50 60	Depth	Sample	ype	Sample	
10 20 30 40 50 60	۵	S	<u></u>	Ś	Surface Elevation 443.1  Black Coarse Refuse
					Black Course Keruse
	_	1	ss		
	5				
		2	ss	7	Brown CLAY (CL)
	10				
					Proven Silty CLAY (CL)
	4 =	3	ss		Brown Silty CLAY (CL) w/weathered shale
	15				End of Boring @ -15.0'
	20				
	٥.				
	25				
	30				
	35				
		<u></u>			
Ground Water Data  No Ground Water Encountered Durin	αΓ	)rill	ina	an	d Dry Upon Completion
Project: Bluebird Coal Co. #6 — Pitco Mine	<b>5</b> -				Date of Boring September 9, 2019
Stonefort, Illinois  Client: Brown & Roberts					Project No.
Harrisburg, Illinois					H-19194

Holcomb Foundation Engineering Co. 393 Wood Road Carbondale, Illinois LOG of BORING 19										
Unconfined Compressive Strength (Tons/Sq. Ft.)				ø.						
1 2 3 4 5 6 Water Content (%)	Feet	<u>o</u>	ıple	Distance	Description of Material					
Standard N Penetration, Blows/Ft.	Depth in	Sample No.	Type Sample	Sample D						
10 20 30 40 50 60	Dep	Sar	Typ	Sar	Surface Elevation 441.4					
	_				Black Coarse Refuse					
		<u> </u>		_						
	5	1	ss							
					Gray CLAY (CL)					
					Brown CLAY (CL)					
	10	2	ss	$\angle$	brown dent (de)					
	15	3	ss							
					End of Boring @ -15.0'					
	20									
	25									
	1									
	30									
	1			***************************************						
	35	5								
Ground Water Data	<b></b>		l	1						
No Ground Water Encountered During Project: Bluebird Coal Co. #6 — Pitco Mine	ng	Drill	ing	an	Date of Boring					
Stonefort, Illinois	September 10, 2019									
Client: Brown & Roberts Harrisburg, Illinois					Project No. H-19194					

·	. 1		1 1 *		····		····									
Holco	mb eer	Four ing C	idati o.	on					$\sim$	_	~ t	D	$\sim$ r	) i k i	· 21	0
393 Wo	od R	oad Ca	rbond								01				G 20	J.
Ur -	nconf	ined Cor	mpress	<b>—</b>						.)				a)		
1		2						6	·····				ø	Distance	De:	scription of Material
_			Water 	Conte	nt (%	·) 					in Feet	Sample No.	Type Sample	Dis		
		Standard									Depth i	nple	Sc	Sample		
- 10		20		×	.0	50		6(		_		San	Type	San	Surfo	ace Elevation 441.5
ТН	<del>-</del> 		Ť	ΙΤΙ	ĔШ	ŦĨ	ŤŦ	HÏ	ŦŦ	H						Coarse Refuse
							##			+						
								Н								
						$\pm$			11			1	ss			
##	+		444			#	#	H	#	#	5	<u>.</u>		$\angle$		
+/-1						$\dashv$	#	H		#					D	CILL OLAY (OL)
								Ш							Brown	n Silty CLAY (CL)
										#		<del> </del>				
\$111							##		#	#	_ ا	2	ss			
						#	井	$\square$	#	Ħ	10			٠	End	of Boring @ -10.0'
	$+ \parallel \parallel$					$\Box$	$\bot$		$\pm \mathbb{I}$	且						
	$\pm \pm \pm$					+	廿						:			
	##						##			- -						
					HH	$\dashv$	+	$\Box$	++	#	15		:			
							+	Ш								
							1			#						
HH						11		$\Box$			ړ					
											20					
						$\pm$										
						$\exists$	+									
$\Box$	111					$\parallel$			#	#						
						$\mathbb{H}$			+		25					
						$\pm 1$	$\pm \mathbb{F}$	$oxed{\blacksquare}$	$\prod$		1					
						+1	#	$  \downarrow \downarrow \downarrow$	#	#						
	##						#	<b>‡‡</b>	#	#		1				
									]	$oxed{\pm}$	30					
	$\pm \Xi$										ا ع					
###						$\parallel \parallel$	#		+	#						
				##		$\parallel$	#	###	#	#	1					
				H		$\exists 1$	1	$\Box$	]	$\pm$						
	$\blacksquare$					$\exists \mathbf{I}$	$\exists \exists$	+		$\mathbf{H}$	35					
	+						#			#						
					Ш	出	止	Ш	出		<u> </u>	L	<u></u>			
round			nd W	ater	Enc	OLU	ntei	red	Di	ırin	a r	)rill	ina	an	d Dry	Upon Completion.
roject:	Blu	ebird	Coal	Co	# <sub>6</sub>	_	Pił	co	Mi	ne	a <sub>-</sub>	-1111	9	اال <i>.</i>	G DIY	Date of Boring
	Sto	nefort,	, Illin	ois	π				17111							September 9, 2019
lient:	Bro	wn &	Rob	erts					*****							Project No.
	Hai	rrisbur	g, III	inois	\$											H-19194

Engine	nb Foundation ering Co. LOG of BORING <u>.</u> B Road Carbondale, Illinois	21
	onfined Compressive Strength (Tons/Sq. Ft.)	
<u> </u>	Water Content (%)	escription of Material
10	Standard N Penetration, Blows/Ft.  20 30 40 50 60   E	face Elevation 439.7
		ck Coarse Refuse w/mine spoils
	5 1 ss	
	Bro	wn Mottled Gray Silty CLAY (CL)
	2 ss	
	10	
	15 S S / W/	wn Mottled Gray Silty CLAY (CL) shale
	Enc	d of Boring @ -15.0'
	20	
	25	
	30	
	35	
Crawner	(ster Data	
	Vater Data  No Ground Water Encountered During Drilling and Di	ry Upon Completion.
	Bluebird Coal Co. #6 — Pitco Mine Stonefort, Illinois	September 9, 2019
1	Brown & Roberts Harrisburg, Illinois	Project No. H-19194

Holcomb Foundation Engineering Co.  Season Nood Road Carbondale, Illinois  LOG of BORING _22										
Unconfined Compressive Strength (Tons/Sq. Ft.)										
1 2 3 4 5 6	- <del>t</del>		Φ	Distance	Description of Material					
Water Content (%)	in Feet	Sample No.	Type Sample	Dist	·					
Standard N Penetration, Blows/Ft.	Depth i	mple	Se Sc	Sample						
10 20 30 40 50 60	De	Sa	ř	Sa						
	-				Black Coarse Refuse					
		1	ss	/						
	5	_	33	/_						
┠┼┼╬╬╂┼┼┼┼╂┼┼┼╂┼┼┼╂┼┼┼┼┼┼┼┼┼		2	SS							
	10			/						
					Brown CLAY (CL)					
		1	ss		Gray SHALE					
<del></del>	15			<del> </del>	End of Boring @ -15.0'					
					,					
	_									
	20									
	_									
			İ							
	٦,		ļ							
	25									
	30									
		1								
	35	5								
		1								
Ground Water Data No Ground Water Encountered Duri	ng l	Drill	lina	ar	nd Dry Upon Completion.					
Project: Bluebird Coal Co. #6 — Pitco Mine	_		- · J		Date of Boring					
Stonefort, Illinois					September 10, 2019					
Client: Brown & Roberts Harrisburg, Illinois					Project No. H-19194					

Holcomb Foundation Engineering Co.  393 Wood Road Carbondale, Illinois  LOG	of	В	OF	RIN	IG <b>23</b>
Unconfined Compressive Strength (Tons/Sq. Ft.)  1 2 3 4 5 6				nce	
Water Content (%)	in Feet	o No.	Type Sample	e Distance	Description of Material
Standard N Penetration, Blows/Ft.  10 20 30 40 50 60	Depth in	Sampl	Type S	Sample	Surface Elevation 441.5
	<b>-</b>				Black Coarse Refuse
					Brown CLAY (CL)
	] [				
		1	ss		
	5			$\angle$	
					Gray Mottled Brown Weathered
	1				SHALE
		2	SS		
	10				End of Boring @ -10.0'
	1				
	}				
	15				
	1				
	20				
	]				
	1				
┣ <del>╡╌┡╶┩╒╇╇╇┩═┡┋╌</del> ╀╌┼╌╃╌╬╌╬╌╬╌╬╌╬╌╬╌╬╌╬╌╬╌┼┼┼					
	1				
	25				
	]				
	-				
	1				
<del>┖┊┍┍╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒</del>	30				
┠┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼	1 1				
	]				
	1				
	35				
<del>┠┈╎┈┆┋┩┈┊╃┦╃╎┈╏┈</del> ┼╃┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼					
Ground Water Data			<u> </u>	<u></u>	
No Ground Water Encountered Durir	ıg D	rill	ing	an	
Project: Bluebird Coal Co. #6 — Pitco Mine Stonefort, Illinois					Date of Boring September 10, 2019
Client: Brown & Roberts					Project No.
Harrisburg, Illinois	····				H-19194

Unconfined Compressive Strength (Tons/Sq. Ft.)  1 2 3 4 5 6  Worlder Content (x)  Slondard N Penetrotion, Slows/Ft.  10 20 30 40 50 60  Slondard N Penetrotion, Slows/Ft.  10 20 30 40 50 60  Slondard N Penetrotion, Slows/Ft.  10 20 30 40 50 60  Slondard N Penetrotion, Slows/Ft.  Slondard N Penetrotion (Slows/Ft.)   Holcomb Foundation Engineering Co.  393 Wood Road Carbondale, Illinois  LOG of BORING 25											
1											
Standard N Penetration, Blows/Ft.  10 20 39 40 50 60  Surface Elevation 437.7  Black Coarse Refuse  1 ss   Brown CLAY (CL)  1 ss   Brown Silty CLAY (CL)  2 ss   Brown Silty CLAY (CL)  20  Ground Water Date No.  No Ground Water Encountered During Drilling and Dry Upon Completion.  Project: Bluebird Coal Co. #6 - Pitco Mine Stanefort, Illinois  Cient: Brown & Roberts  Project No.	THE RESIDENCE AND ADDRESS OF THE PROPERTY OF T				nce						
Standard N Penetration, Blows/Ft.  10 20 39 40 50 60  Surface Elevation 437.7  Black Coarse Refuse  1 ss   Brown CLAY (CL)  1 ss   Brown Silty CLAY (CL)  2 ss   Brown Silty CLAY (CL)  20  Ground Water Date No.  No Ground Water Encountered During Drilling and Dry Upon Completion.  Project: Bluebird Coal Co. #6 - Pitco Mine Stanefort, Illinois  Cient: Brown & Roberts  Project No.	Water Content (%)	Fee	è.	mple	Dìsto	Description of Material					
Black Coarse Refuse    1		r r	ple	Sai	p d						
Black Coarse Refuse  1 ss   Brown CLAY (CL)  2 ss   Brown Silty CLAY (CL)  5 1 ss   Brown Silty CLAY (CL)  End of Boring ® -15.0'  25   25   35   36   37   38   38   38   38   38   38   38		Dept	San	Туре	Sam	Surface Flevation 437.7					
Ground Water Date No Ground Water Encountered During Drilling and Dry Upon Completion.  Ground Water Date No Ground Water Encountered During Drilling and Dry Upon Completion.  Date of Boring © -15.0'  Date of Boring O -15.0'		1									
Ground Weter Date No Ground Water Encountered During Drilling and Dry Upon Completion.  Project: Bluebird Coal Co. #6 - Pitco Mine Stonefort, Illinois  Brown CLAY (CL)  End of Boring @ -15.0'  End of Boring @ -15.0'  Date of Boring @ -15.0'  Date of Boring @ -15.0'  Date of Boring @ -15.0'  Date of Boring @ -15.0'  Date of Boring @ -15.0'  Date of Boring @ -15.0'  Date of Boring @ -15.0'  Date of Boring @ -15.0'  Date of Boring @ -15.0'  Date of Boring @ -15.0'  Date of Boring @ -15.0'		]									
Ground Weter Date No Ground Water Encountered During Drilling and Dry Upon Completion.  Project: Bluebird Coal Co. #6 - Pitco Mine Stonefort, Illinois  Brown CLAY (CL)  End of Boring @ -15.0'  End of Boring @ -15.0'  Date of Boring @ -15.0'  Date of Boring @ -15.0'  Date of Boring @ -15.0'  Date of Boring @ -15.0'  Date of Boring @ -15.0'  Date of Boring @ -15.0'  Date of Boring @ -15.0'  Date of Boring @ -15.0'  Date of Boring @ -15.0'  Date of Boring @ -15.0'  Date of Boring @ -15.0'		1									
Ground Water Data No Ground Water Encountered During Drilling and Dry Project: Bluebird Coal Co. #6 - Pitco Mine Stonefort, Illinois Brown CLAY (CL) End of Boring @ -15.0'  End of Boring @ -15.0'  End of Boring @ -15.0'  Date of Boring September 10, 2019 Project No.			1	ss		·					
Ground Water Date No Ground Water Encountered During Drilling and Dry Upon Completion.  Project: Bluebird Coal Co. #6 - Pitco Mine Stonefort, Illinois  Client: Brown & Roberts  Project No.		5			_						
Ground Water Date No Ground Water Encountered During Drilling and Dry Upon Completion.  Project: Bluebird Coal Co. #6 - Pitco Mine Stonefort, Illinois  Client: Brown & Roberts  Project No.											
Ground Water Date No Ground Water Encountered During Drilling and Dry Upon Completion.  Project: Bluebird Coal Co. #6 - Pitco Mine Stonefort, Illinois  Client: Brown & Roberts  Rown Silty CLAY (CL)  End of Boring ® -15.0'  End of Boring ® -15.0'  Date of Boring September 10, 2019		1				D OLAY (OL)					
Ground Water Date No Ground Water Encountered During Drilling and Dry Upon Completion.  Project: Bluebird Coal Co. #6 - Pitco Mine Stonefort, Illinois  Client: Brown & Roberts  Brown Silty CLAY (CL)  End of Boring ® -15.0'  End of Boring ® -15.0'  Date of Boring September 10, 2019				ss		Brown CLAY (CL)					
Trought Water Data  Cround Water Data  No Ground Water Encountered During Drilling and Dry  Project: Bluebird Coal Co. #6 − Pitco Mine Stonefort, Illinois  Client: Brown & Roberts  End of Boring ⊕ −15.0'  Date of Boring ⊕ −15.0'	┠┼┼╏┼╏┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼	10									
Trought Water Data  Cround Water Data  No Ground Water Encountered During Drilling and Dry  Project: Bluebird Coal Co. #6 − Pitco Mine Stonefort, Illinois  Client: Brown & Roberts  End of Boring ⊕ −15.0'  Date of Boring ⊕ −15.0'		]									
Froject: Bluebird Coal Co. #6 - Pitco Mine Stonefort, Illinois  Client: Brown & Roberts  End of Boring @ -15.0'  Dote of Boring @ -15.0'	<del>┡┤╌┩┆┩╒┈┆┈╏┈┈┈┈┈┈┈┈┈┈┈┈┈┈┈┈┈┈┈┈┈┈┈┈┈┈┈┈┈┈┈┈</del>	1			ļ.,						
Ground Water Data No Ground Water Encountered During Drilling and Dry Upon Completion.  Project: Bluebird Coal Co. #6 - Pitco Mine Stonefort, Illinois  Client: Brown & Roberts  Project No.		1 5	1	ss		Brown Silfy CLAY (CL)					
Ground Water Data No Ground Water Encountered During Drilling and Dry Upon Completion.  Project: Bluebird Coal Co. #6 - Pitco Mine Stonefort, Illinois Client: Brown & Roberts  25  Date of Boring September 10, 2019		] 13				End of Boring @ -15.0'					
Ground Water Data No Ground Water Encountered During Drilling and Dry Upon Completion.  Project: Bluebird Coal Co. #6 - Pitco Mine Stonefort, Illinois Client: Brown & Roberts  25  Date of Boring September 10, 2019											
Ground Water Data No Ground Water Encountered During Drilling and Dry Upon Completion.  Project: Bluebird Coal Co. #6 - Pitco Mine Stonefort, Illinois Client: Brown & Roberts  25  Date of Boring September 10, 2019											
Ground Water Data No Ground Water Encountered During Drilling and Dry Upon Completion.  Project: Bluebird Coal Co. #6 - Pitco Mine Stonefort, Illinois Client: Brown & Roberts  25  Date of Boring September 10, 2019		20									
Ground Water Data No Ground Water Encountered During Drilling and Dry Upon Completion.  Project: Bluebird Coal Co. #6 — Pitco Mine Stonefort, Illinois  Client: Brown & Roberts  35  Date of Boring September 10, 2019 Project No.		]20									
Ground Water Data No Ground Water Encountered During Drilling and Dry Upon Completion.  Project: Bluebird Coal Co. #6 — Pitco Mine Stonefort, Illinois  Client: Brown & Roberts  35  Date of Boring September 10, 2019 Project No.											
Ground Water Data No Ground Water Encountered During Drilling and Dry Upon Completion.  Project: Bluebird Coal Co. #6 — Pitco Mine Stonefort, Illinois  Client: Brown & Roberts  35  Date of Boring September 10, 2019 Project No.		1									
Ground Water Data No Ground Water Encountered During Drilling and Dry Upon Completion.  Project: Bluebird Coal Co. #6 — Pitco Mine Stonefort, Illinois  Client: Brown & Roberts  35  Date of Boring September 10, 2019 Project No.		۱.,									
Ground Water Data No Ground Water Encountered During Drilling and Dry Upon Completion.  Project: Bluebird Coal Co. #6 — Pitco Mine Stonefort, Illinois  Client: Brown & Roberts  Ground Water Data No Ground Water Encountered During Drilling and Dry Upon Completion.  Date of Boring September 10, 2019  Project No.		25									
Ground Water Data No Ground Water Encountered During Drilling and Dry Upon Completion.  Project: Bluebird Coal Co. #6 — Pitco Mine Stonefort, Illinois  Client: Brown & Roberts  Ground Water Data No Ground Water Encountered During Drilling and Dry Upon Completion.  Date of Boring September 10, 2019  Project No.											
Ground Water Data No Ground Water Encountered During Drilling and Dry Upon Completion.  Project: Bluebird Coal Co. #6 — Pitco Mine Stonefort, Illinois  Client: Brown & Roberts  Ground Water Data No Ground Water Encountered During Drilling and Dry Upon Completion.  Date of Boring September 10, 2019  Project No.		1									
Ground Water Data No Ground Water Encountered During Drilling and Dry Upon Completion.  Project: Bluebird Coal Co. #6 — Pitco Mine Stonefort, Illinois  Client: Brown & Roberts  Ground Water Data No Ground Water Encountered During Drilling and Dry Upon Completion.  Date of Boring September 10, 2019  Project No.	┠╤╃┼╉┼┼╀┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼	1									
Ground Water Data No Ground Water Encountered During Drilling and Dry Upon Completion.  Project: Bluebird Coal Co. #6 — Pitco Mine Stonefort, Illinois  Client: Brown & Roberts  Project No.		30									
Ground Water Data No Ground Water Encountered During Drilling and Dry Upon Completion.  Project: Bluebird Coal Co. #6 — Pitco Mine Stonefort, Illinois  Client: Brown & Roberts  Project No.	<del></del>	1									
Ground Water Data No Ground Water Encountered During Drilling and Dry Upon Completion.  Project: Bluebird Coal Co. #6 — Pitco Mine Stonefort, Illinois  Client: Brown & Roberts  Project No.		1									
Ground Water Data No Ground Water Encountered During Drilling and Dry Upon Completion.  Project: Bluebird Coal Co. #6 — Pitco Mine Stonefort, Illinois  Client: Brown & Roberts  Project No.		1_									
No Ground Water Encountered During Drilling and Dry Upon Completion.    Project: Bluebird Coal Co. #6 — Pitco Mine Stonefort, Illinois   Date of Boring September 10, 2019     Client: Brown & Roberts   Project No.		35									
No Ground Water Encountered During Drilling and Dry Upon Completion.    Project: Bluebird Coal Co. #6 — Pitco Mine Stonefort, Illinois   Date of Boring September 10, 2019     Client: Brown & Roberts   Project No.		1									
Project: Bluebird Coal Co. #6 — Pitco Mine Stonefort, Illinois  Client: Brown & Roberts  Date of Boring September 10, 2019  Project No.		na r	)rill	ina	an	d Dry Upon Completion					
Stonefort, Illinois September 10, 2019  Client: Brown & Roberts Project No.		·	, i i i i i	9	J11						
11 12 12 12											
	Brown & Roberts										

Holcomb Foundation Engineering Co. 393 Wood Road Carbondale, Illinois LOG of BORING 26									
Unconfined Compressive Strength (Tons/Sq. Ft.)				•					
1 2 3 4 5 6	Feet		<u>e</u>	Distance	Description of Material				
Water Content (%) 	ء.	e No	Type Sample	e Dis	'				
Standard N Penetration, Blows/Ft.			Type S	Sample					
10 20 30 40 50 60	Depth	S	<u> </u>	Ň	Surface Elevation 436.6  Black Coarse Refuse w/shale				
					Black Coarse Refuse w/ shale				
	1								
	1_	1	ss						
	5								
	1								
	1	2	ss	7	Coarse Refuse w/clay and shale				
	10	1 1	55	<u>/</u>					
					Brown Silty CLAY (CL)				
	1								
	],_	3	ss						
	15 				End of Boring @ -15.0'				
	20								
	-								
	7								
	1								
	25								
	30								
	35								
Ground Water Data No Ground Water Encountered Durin		)rill	ina	an	d Dry Upon Completion				
Project: Bluebird Coal Co. #6 — Pitco Mine	ש' '	J 1111	9	uı	Date of Boring September 10, 2019				
Stonefort, Illinois Client: Brown & Roberts	Stonefort, Illinois								
Client: Brown & Roberts Harrisburg, Illinois	Project No. H-19194								

Holcomb Foundation Engineering Co. LOG of BORING 27 393 Wood Road Carbondale, Illinois								
Unconfined Compressive Strength (Tons/Sq. Ft.)  1 2 3 4 5 6				Jce				
Water Content (%)	in Feet	Sample No.	Sample	le Distance	Description of Material			
Standard N Penetration, Blows/Ft.  10 20 30 40 50 60	Depth in	Samp	Туре	Sample	Surface Elevation 432.9			
	<u></u>				Black Coarse Refuse w/shale			
	_	1	ss					
	5			<b>/</b>	Brown CLAY (CL)			
	10	2	ss		Black Coarse Refuse			
	'							
					Brown CLAY (CL)			
	15	1	ss	$\angle$				
					End of Boring @ -15.0'			
	20							
	25							
	30							
	35	5						
No Ground Water Encountered Durin	ng	Drill	ing	ar				
Project: Bluebird Coal Co. #6 — Pitco Mine Stonefort, Illinois	Date of Boring September 10, 2019							
Client: Brown & Roberts Harrisburg, Illinois	Project No. H-19194							


Engine	Holcomb Foundation Engineering Co. System Control of BORING 28  LOG of BORING 28															
	confined							ns/S	q. F	ł.)						
	2		3	•	1		5		6		_ <del> </del>		g)	Distance	Dac	scription of Material
		Wc		Conte							Depth in Feet	Sample No.	ldmc		003	Jon Phon of Majorial
		dard	N Pe	netro	ation,	, Blo					oth i	mple	že Š	Sample		
10	20	<del></del>	30	X	40		50		60		Dei	Sa	Тур	Sai	Surfa	ce Elevation 436.3
						#				+	-				Black	Coarse Refuse
					Ш	$\parallel$					]					
												1	ss			
			#			#	+			#	5			<u>/_</u>		
						$\blacksquare$										
			$oldsymbol{+}$								=				Brown	CLAY (CL)
			#		H	+					-	2	ss			
						+	$\forall$				10			/		
				H			$\coprod$		#							
			$\blacksquare$	H	$\prod$	#	$\blacksquare$		$oxed{\Box}$					,		
											15	3	ss		SHALE	
			#			+	#				╡'゚				End o	of Boring @ -15.0'
			$\blacksquare$				$\parallel$		11							
			$\blacksquare$				#	H	#		20				To a de la comunicación de la co	
			#	- -		#	#	H	#		4					
						#										
						#			井		25					
								$\square$								
				$\mathbf{H}$	$\mathbf{H}$				$oldsymbol{+}$							
		111-					#	$\prod$	#		_					
							+		$\blacksquare$	H	30	)				
	1111	##		+ + +	#		#		1							
					+		$\mathbf{H}$		+							
					$\pm$		1		$\perp$							
					+		$\blacksquare$			H	35	5				
Ground	Water Do						<u>.</u> .	لسلسك			<b></b>	· · · ·	•			
Prolect:												)rill	ıng	ar	nd Dry	Upon Completion.  Date of Boring
	Bluebi Stonef				•#	0 -	- F	TIC	M ر	ıne						September 10, 2019
Client:	BIOWII & RODEIIS									Project No.						
	Harris	burg	, III	linoi	is											H-19194

Holcomb Foundation Engineering Co. LOG of BORING 29									
393 Wood Road Carbondale, Illinois  Unconfined Compressive Strength (Tons/Sq. Ft.)									
1 2 3 4 5 6	± 0			Distance	Description of Material				
Water Content (%)	n Feet	No.	Type Sample	Dist	Description of Material				
Standard N Penetration, Blows/Ft.	Depth in	Sample No.	e So	Sample					
10 20 30 40 50 60	Dep	Sai	Тур	Sar	Surface Elevation 433.7				
					Black Coarse Refuse				
		1	ss		Brown Silty CLAY (CL)				
	5		-	<u>/</u>					
		2	ss						
	10			<b>/</b>	End of Boring @ -10.0'				
	1								
	15			***************************************					
	] 13								
	20								
	1								
	-								
	25								
	1								
	30	)							
	35								
		<u>l</u>		<u></u>					
Ground Water Data   No Ground Water Encountered Durit	ng (	Orill	ing	ar	nd Dry Upon Completion.				
Project: Bluebird Coal Co. #6 — Pitco Mine					Date of Boring				
Stonefort, Illinois	September 10, 2019								
Client: Brown & Roberts Harrisburg, Illinois	Project No. H-19194								

Holcomb Foundation Engineering Co. LOG of BORING <b>30</b> 393 Wood Road Carbondale, Illinois									
Unconfined Compressive Strength (Tons/	/Sq. Ft.)								
1 2 3 4 5	6	Feet		e)	Distance	Description of Material			
Water Content (%)		Depth in Fe	N O	Type Sample	Dis				
Standard N Penetration, Blows/Ft.				S ec	Sample				
10 20 30 40 50	60	De	Sa	Ty	Sa				
			1			Brown CLAY (CL) w/mine spoils			
			1	au					
						End of Boring ◎ -3.0'			
		5							
		1							
		10							
		1							
		1							
		15							
		20							
		1							
		1							
		25							
		]							
		1.,							
		30	)						
		-							
		]							
		7.5							
		35	7	:					
Ground Water Data	ed Durin	a l	Drill	lina	ar	nd Dry Unon Completion.			
Project: Bluebird Coal Co. #6 — Pit	No Ground Water Encountered During Drilling and Dry  Project: Bluebird Coal Co. #6 — Pitco Mine								
Stonefort, Illinois Client: Brown & Roberts	September 11, 2019 Project No.								
Harrisburg, Illinois	H-19194								


Holcomb Foundation Engineering Co. LOG of BORING 31								
393 Wood Road Carbondale, Illinois  Unconfined Compressive Strength (Tons/Sq. Ft.)	- · 		- '					
1 2 3 4 5 6	<b>+</b>			Distance	Description of Material			
Water Content (%)	Depth in Feet	Sample No.	ımple	Disto	Description of Material			
Standard N Penetration, Blows/Ft.	oth ir	mple	Se Sc	Sample				
10 20 30 40 50 60	Del	Sa	Typ	Sa	Surface Elevation 437.3			
		1	au		Black Coarse Refuse			
		'	uu					
					End of Boring @ -3.0'			
	5							
	1.0							
	10							
	15							
	20							
	25							
	25							
	1							
	30	)						
	35	j						
Ground Water Data	 	<u></u>	•	1				
No Ground Water Encountered Durin	ng (	Orill	ing	ar	nd Dry Upon Completion.  Date of Boring			
Project: Bluebird Coal Co. #6 — Pitco Mine Stonefort, Illinois  Date of Boring September 11, 2019								
Client: Brown & Roberts Harrisburg, Illinois	Project No. H-19194							

Holcomb Foundation Engineering Co. 393 Wood Road Carbondale, Illinois LOG of BORING 32									
Unconfined Compressive Strength (Tons/Sq. Ft.)									
1 2 3 4 5 6	- <del>-</del>		e)	Distance	Description of Material				
Water Content (%)	Depth in Feet	No.	Type Sample	Dis	2 3 3 3 7 Marsha				
Standard N Penetration, Blows/Ft.	t d	Sample		Sample					
10 20 30 40 50 60		Ŋ	Ty	Š	Surface Elevation 436.6				
		1	au		Black Coarse Refuse				
	=			$\angle$	Brown CLAY (CL) w/shale and trash				
	_				End of Boring ◎ -3.0'				
	5								
	1								
	10								
	-	1 =							
	- 15 -								
	_								
	20								
	<b>-</b> `								
	1								
	25								
	30								
	35	5							
Ground Water Data		· · · ·	•	1					
No Ground Water Encountered Duri		Jrill	ing	ar	od Dry Upon Completion.  Date of Boring				
Stonefort, Illinois					September 11, 2019				
Client: Brown & Roberts Harrisburg, Illinois	Project No. H-19194								




Holcomb Foundation Engineering Co. LOG of BORING 37							
Unconfined Compressive Strength (Tons/Sq. Ft.)							
1 2 3 4 5 6	Description of Material						
Water Content (%)	Depth in Feet	Sample No.	ampl	Distance	2 3 3 3 1 phon of majorial		
Standard N Penetration, Blows/Ft.	3pth	ample	ype S	Sample			
10 20 30 40 50 60	Ğ	Ϋ́	<u>^</u>	й	Surface Elevation 455.7		
					Brown CLAY (CL)		
		1	ss				
	5			<b>/</b>			
	1						
	1	_			Brown Weathered SHALE		
	10	2	ss				
	] . J				End of Boring @ -10.0'		
	1						
	15						
	1						
	1						
	1,,						
	20						
	1						
	25						
	1						
	30	)					
	1						
	] 						
	35	)					
	]_						
Ground Water Data No Ground Water Encountered During Drilling and Dry Upon Completion.							
Project: Bluebird Coal Co. #6 — Pitco Mine	Date of Boring						
Stonefort, Illinois  Client: Brown & Roberts					September 10, 2019 Project No.		
Harrisburg, Illinois	H-19194						


Holcomb Foundation Engineering Co. 393 Wood Road Carbondale, Illinois LOG of BORING 38								
Unconfined Compressive Strength (Tons/Sq. Ft.)								
1 2 3 4 5 6 Water Content (%)	- tee	٠	e	Distance	Description of Material			
	Depth in Feet	le No	Type Sample	e Dis	·			
Standard N Penetration, Blows/Ft.	epth	amp	уре	Sample				
10 20 30 40 50 60		0,	<del> </del>	S	Surface Elevation 449.8 Brown CLAY (CL)			
				/				
	-	1	ss					
	5							
		2	ss		Brown Mottled Gray SHALE			
	10				End of Boring @ -10.0'			
	1							
	15							
	}							
	20							
	1							
	25							
	30							
	- - 35							
	1							
Ground Water Data								
No Ground Water Encountered During Drilling and Dry Upon Completion.								
Project: Bluebird Coal Co. #6 — Pitco Mine Stonefort, Illinois					Date of Boring September 10, 2019			
Client: Brown & Roberts	Project No.							
Harrisburg, Illinois H—19194								





Unconfined Compressive Strength (Tons/Sq. Ft.)  1 2 3 4 5 6  Water Content (%)  Standard N Penetration, Blows/Ft.  10 20 30 50 60 50 50 50 50 50 50 50 50 50 50 50 50 50
water Content (%)
Standard N Penetration, Blows/Ft.  10 20 30 40 50 60 20 Surface Elevation 450.9
Brown CLAY (CL)
5 1 ss / End of Boring @ -5.0'
End of Boring @ =5.0
10
15
20
25
30
35
Ground Water Data
No Ground Water Encountered During Drilling and Dry Upon Completion.  Project: Bluebird Coal Co. #6 — Pitco Mine  Date of Boring Southern No. 2010
Stonefort, Illinois  Client: Brown & Roberts Harrisburg, Illinois  September 10, 2019  Project No. H—19194



Holcomb Foundation Engineering Co. LOG of BORING 42 393 Wood Road Carbondale, Illinois								
Unconfined Compressive Strength (Tons/Sq. Ft.)								
1 2 3 4 5 6	+ to		4,	Distance	Description of Material			
Water Content (%)	Depth in Feet	No.	mple	Dist	Description of Material			
Standard N Penetration, Blows/Ft.	th ir	npie	e Sa	Sample				
10 20 30 × 40 50 60	Dep	Sample No.	Type	San	Surface Elevation 447.9			
					Black Coarse Refuse			
		<b></b>			Brown Mottled Gray CLAY (CL)			
	_	1	ss		Stown Morned Gray CLAT (CL)			
	5							
┠┼┼┼╲┠┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼			•					
		ļ		-				
	1,	2	ss					
	10			<u> </u>	End of Boring @ -10.0'			
	1							
	<b> </b>							
	15							
	1							
	1							
	20							
	1							
	1							
	25							
	30							
	1							
	35	5						
Ground Water Data		1	_l	.1				
No Ground Water Encountered During Drilling and Dry Upon Completion.								
Project: Bluebird Coal Co. #6 — Pitco Mine Stonefort, Illinois					Date of Boring September 10, 2019			
Client: Brown & Roberts	Project No.							
Harrisburg, Illinois	H-19194							







### "SAMPLE DOCUMENT"

# ILLINOIS DEPARTMENT OF NATURAL RESOURCES OFFICE OF MINES AND MINERALS DIVISION OF ABANDONED MINED LANDS RECLAMATION (DNR) STORM WATER POLLUTION PREVENTION PLAN CERTIFICATE

Project Name:			
Project Number:		Construction Acreage:	
County:	Section(s):	Township:	Range:

The plans and specifications have been prepared to comply with the provisions of the NPDES Permit Number ILR100000, issued by the Illinois Environmental Protection Agency (*IEPA*) for storm water discharges from Construction Site Activities. <u>This General Permit is applicable to all reclamation sites resulting in the disturbance of one or more acres total land area.</u>

#### **Background**

This project is being conducted in order to either restore abandoned lands to productive use, to protect the health, safety and general welfare of the people, to correct and prevent soil erosion, stream pollution, water, air, and land pollution, and/or other injurious effects to persons, property, wildlife and natural resources. It is recognized that the DNR and the IEPA are committed to ensuring that abandoned mine reclamation activities in Illinois are conducted in such manner so as to minimize, to the fullest extent practicable, any further adverse impact to the public's health, safety and/or the environment. It is hereby recognized that this site may exist in a state of non-compliance with or in violation of, the provisions of the Environmental Protection Act and/or the Pollution Control Board's Rules and Regulations. It is further recognized and agreed that the DNR and its Contractor(s) do not assume the responsibilities for the pre-existing pollutional sources. It shall be the objective of all parties that offsite pollution shall be controlled to the maximum extent practicable, throughout the course of this reclamation project.

#### **Controls**

The plans and specifications for the above-mentioned project, together with all attachments and documents incorporated therein by reference, comprise the storm water pollution prevention plan as required by the General Permit. The following items highlight the critical components of the storm water pollution prevention plan developed for this construction site and covered by this permit:

- 1) The construction limits, grading plan, erosion and sediment controls and storm water management controls as shown in the Project Plans;
- 2) The prerequisite earthwork, erosion control, seeding and mulching date as specified under PROGRESS AND LIQUIDATED DAMAGES of the Special Provisions;
- 3) Article 108.02 <u>Progress Schedule</u>, of the Standard Specifications which requires submittal of the progress schedule by the contractor prior to starting work;
- 4) The Acid Water Treatment and/or Dewatering Impoundments Sections (when required) as detailed in the Special Provisions;
- 5) The Seeding, Erosion and Sediment Control, Special Excelsior Blanket and Riprap Sections as detailed in the Special Provisions, including other sections which relate to the establishment of vegetation, erosion control, and storm water pollution prevention;

### "SAMPLE DOCUMENT"

- 6) The TEMPORARY CONTROLS, described in the Special Provisions, especially paragraph C, Pollution Control, which states that the Contractor shall provide methods, means and facilities required to prevent contamination of soil, water or atmosphere by the discharge of noxious substances and sediments from construction operations. This section incorporates the requirements of the General Permit for storm water discharges;
- 7) Controls shall be implemented to ensure that solid waste materials are not carried by storm water into the receiving streams; and
- 8) Site Inspections by the Engineer or Project Manager will be conducted to ensure that the proper storm water pollution controls are in place and operating correctly. The disturbed areas will be inspected for evidence of, or the potential for, pollutants entering the drainage system. Should the inspection reveal inadequate or ineffective measures in preventing storm water pollutants entering the drainage system, the Project Manager will discuss these findings with the Contractor. The Contractor and the Project Manager shall establish the revised or additional control measures determined necessary and appropriate, and the timetable for implementation. The Project Manager shall document on the Inspection Report major observations relating to the implementation of this storm water pollution prevention plan, discussions with the Contractor with regard to this plan and any specific changes to the plan.

If any violation of the provisions of this plan is identified during the conduct of the construction work covered by this plan, the Project Manager or Resident Technician shall complete and file an "Incidence of Non-Compliance" (*ION*) report for the identified violation. The Project Manager or Resident Technician shall use forms provided by the Illinois Environmental Protection Agency and shall include specific information on the cause of non-compliance, actions which were taken to prevent any further causes of non-compliance, and a statement detailing any environmental impact which may have resulted from the non-compliance. All reports of non-compliance shall be signed by the DNR Supervisor of Project Management. The report of non-compliance shall be mailed to the Illinois Environmental Protection Agency within 5 (five) days of the observance of the non-compliance.

#### NPDES PERMIT No. ILR100000 Storm Water Pollution Prevention Plan Certifications

Project Name:	
Project Number	r:
The Storm Wat	er Pollution Prevention Plan was presented and discussed at the Preconstruction Meeting
held on:	. Project Manager:

I certify under penalty of law that the plans and specifications and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

# "SAMPLE DOCUMENT"

Street Address								
	Date							
	- Doto							
	of the general National Pollutant rizes the storm water discharges s part of this certification.							
Supervisor of Project Management Date Division of Abandoned Mined Lands Reclamation								
<u></u> Date								
1	nd the terms and conditions mit (ILR100000) that authornstruction site identified a Title							

### SAFETY FACT SHEET

The purpose of this fact sheet is to alert contractors, consulting engineers, landowners and the general public to the safety hazards which abandoned mine sites pose. While not intended to be a comprehensive safety manual, this document will provide some general guidelines for working or living near abandoned mines.

#### Mine Openings

Open mine shafts or other portals to underground mines are a problem commonly found at abandoned sites. In addition to the obvious hazard that an open, vertical shaft presents, seemingly sound shafts may, in fact, contain unstable fill material or be covered by poorly-constructed, deteriorated caps or seals. Such seals can fail without notice and extreme care should be taken to avoid unnecessary ground disturbance around old shafts.

Horizontal shafts, often called drifts or adits, can provide easy access to underground mines and, because there is no vertical drop, may seem harmless. However, abandoned mines frequently contain heavy concentrations of harmful gases and may be severely deficient in oxygen. They may also contain other physical hazards such as flooded rooms or fractured and falling roofs, and may house a variety of vermin.

#### Mine Gas

Underground mine atmospheres frequently contain explosive or toxic gases such as methane and hydrogen sulfide. These gases can make their way to the surface either through shafts, fissures, or in the case of a very shallow mine, directly through the A mere 5-15 percent concentration of methane escaping to the surface is highly combustible explosive under certain conditions. Consequently, smoking or use of any open flame near a mine opening of any type must be avoided. While methane is both flammable and an asphyxiant, hydrogen sulfide is poisonous and quite deadly at significantly lower concentrations. For this reason alone, abandoned underground coal mines should never be entered.

#### Mine Refuse

"Gob" refers to the coarse refuse, usually deposited in large, steep piles, stemming from the coal sorting process. "Slurry" is defined as the fine, silty refuse which remains after the coal washing process is completed. Both types of refuse have the potential to ignite and burn slowly for long periods of time due to their coal content. While some burning refuse areas are easily identified by smoke, ash or burned coal particles, other areas may be burning below the surface and exhibit no visible signs. As a result, extreme caution should be exercised when walking or driving on or near gob piles or slurry impoundments.

#### Highwalls

Surface mining for coal often results in a final cut pit with steep, sheer walls surrounding a flooded impoundment. These walls pose a unique hazard because of their vertical height above the water level, and because of their erosive nature resulting from their unstable slopes. Drownings have occurred when individuals slipped into the pits and were unable to climb out. In some areas, final cuts do not fill with water, presenting a hazard due to the vertical drop.

#### Mine Buildings

Many abandoned mines include old machinery, buildings and equipment referred to collectively as the "tipple area". Abandoned mine structures are frequently quite deteriorated and subject to collapse. Coal hoppers, auger pits and underground steam ducts can also be found at most tipple sites and are sometimes obscured by vegetative growth or rubble accumulation, creating a trap-like situation.

#### Toxic Substances

Industrial chemicals and other harmful substances occasionally have been found at abandoned mine sites. Coal oil, abandoned transformers containing PCB's, and asbestos insulation in tipple buildings are not uncommon. Abandoned mine sites also attract illegal dumping of other substances not related to the mining operation, but equally as dangerous. Workers should consider any unknown substance to be potentially harmful until determined to be otherwise.

#### Safety Precautions

As with any construction site, standard safety precautions required by the Occupational Safety and Health Administration (OSHA) should be strictly followed when performing reclamation work. These include, but are not limited to, wearing hard hats, safety glasses and steel-toed boots. Be aware of any electrical or other cables on site and always take the necessary water safety precautions when working around water impoundments. Always contact J.U.L.I.E. before excavating.

The reclamation of abandoned mines sometimes involves the use of chemicals such as alkali materials and chemical grouts. Always follow the directions provided in the Manufacturer's Safety Data Sheet when ha1ndling these and other materials.

Finally, abandoned mine reclamation generally requires the use of bulldozers, pan scrapers, large backhoes, heavy-duty trucks and other heavy equipment. Individual pieces must meet all OSHA standards and must never be operated in a negligent or reckless manner. Individuals on the construction site, whether on foot or in a road vehicle, should always give the heavy equipment operator the right-of-way since visibility is often quite limited.

### **NOTICE: Prevailing Wage Rates**

The Illinois Prevailing Wage Act (820 ILCS 130/) requires payment of prevailing wages on State of Illinois public works projects.

As required by this Act, not less than the rates of wages ascertained by the Illinois Department of Labor and as revised during the performance of a Contract shall be paid to all laborers, workers and mechanics performing abandoned mined lands reclamation work under the Contract.

Post the scale of wages in a prominent and easily accessible place at the site of work. If the Illinois Department of Labor revises the prevailing rates of wages to be paid as listed in the specification of rates, the contractor shall post the revised rates of wages and shall pay not less than the revised rates of wages. Current wage rate information shall be obtained by visiting the Illinois Department Labor site at https://www2.illinois.gov/idol/Laws-Rules/CONMED/Pages/Rates.aspx or by calling 312-793-2814. It is the responsibility of the contractor to review the rates applicable to the work of the contract at regular intervals in order to insure the timely payment of current rates. Provision of this information to the contractor by means of the Illinois Department of Labor web site satisfies the notification of revisions by the Department to the contractor pursuant to the Act, and the contractor agrees that no additional notice is required. The contractor shall notify each of its subcontractors of the revised rates of wages.

Abandoned mined lands reclamation projects are federally funded public works projects, therefore they are also subject to the provisions of the federal Davis-Bacon Act including its wage and benefit determinations. Please see the U.S. Department of Labor website at: <a href="https://www.dol.gov/whd/govcontracts/dbra.htm">https://www.dol.gov/whd/govcontracts/dbra.htm</a> for assistance with compliance with this Act.

Vendor acknowledges and agrees that compliance with this subsection in its entirety for the term of the contract and any renewals is a material requirement and condition of this contract. By executing this contract Vendor certifies compliance with this subsection in its entirety, and is under a continuing obligation to remain in compliance and report any non-compliance.

This subsection, in its entirety, applies to subcontractors used on this contract. Vendor shall include these Standard Certifications in any subcontract used in the performance of the contract using the Standard Certification form provided by the State.

If this contract extends over multiple fiscal years, including the initial term and all renewals, Vendor and its subcontractors shall confirm compliance with this section in the manner and format determined by the State by the date specified by the State and in no event later than July 1 of each year that this contract remains in effect.

If the Parties determine that any certification in this section is not applicable to this contract it may be stricken without affecting the remaining subsections.

- 1. As part of each certification, Vendor acknowledges and agrees that should Vendor or its subcontractors provide false information, or fail to be or remain in compliance with the Standard Certification requirements, one or more of the following sanctions will apply:
  - the contract may be void by operation of law,
  - the State may void the contract, and
  - the Vendor and it subcontractors may be subject to one or more of the following: suspension, debarment, denial of payment, civil fine, or criminal penalty.

Identifying a sanction or failing to identify a sanction in relation to any of the specific certifications does not waive imposition of other sanctions or preclude application of sanctions not specifically identified.

- 2. Vendor certifies it and its employees will comply with applicable provisions of the United States Civil Rights Act, Section 504 of the Federal Rehabilitation Act, the Americans with Disabilities Act, and applicable rules in performance of this contract.
- 3. Vendor, if an individual, sole proprietor, partner or an individual as member of a LLC, certifies he/she is not in default on an educational loan. 5 ILCS 385/3.
- 4. Vendor, if an individual, sole proprietor, partner or an individual as member of a LLC, certifies it he/she has not received (i) an early retirement incentive prior to 1993 under Section 14-108.3 or 16-133.3 of the Illinois Pension Code or (ii) an early retirement incentive on or after 2002 under Section 14-108.3 or 16-133.3 of the Illinois Pension Code. 30 ILCS 105/15a; 40 ILCS 5/14-108.3; 40 ILCS 5/16-133.
- 5. Vendor certifies that it is a legal entity authorized to do business in Illinois prior to submission of a bid, offer, or proposal. 30 ILCS 500/1-15.80, 20-43.

- 6. To the extent there was a current Vendor providing the services covered by this contract and the employees of that Vendor who provided those services are covered by a collective bargaining agreement, Vendor certifies (i) that it will offer to assume the collective bargaining obligations of the prior employer, including any existing collective bargaining agreement with the bargaining representative of any existing collective bargaining unit or units performing substantially similar work to the services covered by the contract subject to its bid or offer; and (ii) that it shall offer employment to all employees currently employed in any existing bargaining unit who perform substantially similar work to the work that will be performed pursuant to this contract. This does not apply to heating, air conditioning, plumbing and electrical service contracts. 30 ILCS 500/25-80.
- 7. Vendor certifies it has neither been convicted of bribing or attempting to bribe an officer or employee of the State of Illinois or any other State, nor made an admission of guilt of such conduct that is a matter of record. 30 ILCS 500/50-5.
- 8. If Vendor has been convicted of a felony, Vendor certifies at least five years have passed after the date of completion of the sentence for such felony, unless no person held responsible by a prosecutor's office for the facts upon which the conviction was based continues to have any involvement with the business. 30 ILCS 500/50-10.
- 9. If Vendor or any officer, director, partner, or other managerial agent of Vendor has been convicted of a felony under the Sarbanes-Oxley Act of 2002, or a Class 3 or Class 2 felony under the Illinois Securities Law of 1953, Vendor certifies at least five years have passed since the date of the conviction. Vendor further certifies that it is not barred from being awarded a contract and acknowledges that the State shall declare the contract void if this certification is false. 30 ILCS 500/50-10.5.
- 10. Vendor certifies it is not barred from having a contract with the State based upon violating the prohibitions related to either submitting/writing specifications or providing assistance to an employee of the State of Illinois by reviewing, drafting, directing, or preparing any invitation for bids, a request for proposal, or request of information, or similar assistance (except as part of a public request for such information). 30 ILCS 500/50-10.5(e), amended by Pub. Act No. 97-0895 (August 3, 2012).
- 11. Vendor certifies that it and its affiliates are not delinquent in the payment of any debt to the State (or if delinquent has entered into a deferred payment plan to pay the debt), and Vendor and its affiliates acknowledge the State may declare the contract void if this certification is false or if Vendor or an affiliate later becomes delinquent and has not entered into a deferred payment plan to pay off the debt. 30 ILCS 500/50-11, 50-60.
- 12. Vendor certifies that it and all affiliates shall collect and remit Illinois Use Tax on all sales of tangible personal property into the State of Illinois in accordance with provisions of the Illinois Use Tax Act and acknowledges that failure to comply may result in the contract being declared void. 30 ILCS 500/50-12.
- 13. Vendor certifies that it has not been found by a court or the Pollution Control Board to have committed a willful or knowing violation of the Environmental Protection Act within the last five years, and is therefore not barred from being awarded a contract. 30 ILCS 500/50-14.
- 14. Vendor certifies it has neither paid any money or valuable thing to induce any person to refrain from bidding on a State contract, nor accepted any money or other valuable thing, or acted upon the promise of same, for not bidding on a State contract. 30 ILCS 500/50-25.

- 15. Vendor certifies it is not in violation of the "Revolving Door" provisions of the Illinois Procurement Code. 30 ILCS 500/50-30.
- 16. Vendor certifies that it has not retained a person or entity to attempt to influence the outcome of a procurement decision for compensation contingent in whole or in part upon the decision or procurement. 30 ILCS 500/50-38.
- 17. Vendor certifies that if it has hired a person required to register under the Lobbyist Registration Act to assist in obtaining any State contract, that none of the lobbyist's costs, fees, compensation, reimbursements, or other remuneration were billed to the State. 30 ILCS 500\50-38.
- 18. Vendor certifies it will report to the Illinois Attorney General and the Chief Procurement Officer any suspected collusion or other anti-competitive practice among any bidders, offerors, contractors, proposers, or employees of the State. 30 ILCS 500/50-40, 50-45, 50-50.
- 19. Vendor certifies steel products used or supplied in the performance of a contract for public works shall be manufactured or produced in the United States, unless the executive head of the procuring Agency/University grants an exception. 30 ILCS 565.
- 20. Drug Free Workplace
  - 20.1 If Vendor employs 25 or more employees and this contract is worth more than \$5,000, Vendor certifies it will provide a drug free workplace pursuant to the Drug Free Workplace Act.
  - 20.2 If Vendor is an individual and this contract is worth more than \$5000, Vendor certifies it shall not engage in the unlawful manufacture, distribution, dispensation, possession, or use of a controlled substance during the performance of the contract. 30 ILCS 580.
- 21. Vendor certifies that neither Vendor nor any substantially owned affiliate is participating or shall participate in an international boycott in violation of the U.S. Export Administration Act of 1979 or the applicable regulations of the United States. Department of Commerce. 30 ILCS 582.
- 22. Vendor certifies it has not been convicted of the offense of bid rigging or bid rotating or any similar offense of any state or of the United States. 720 ILCS 5/33 E-3, E-4.
- 23. Vendor certifies it complies with the Illinois Department of Human Rights Act and rules applicable to public contracts, which include providing equal employment opportunity, refraining from unlawful discrimination, and having written sexual harassment policies. 775 ILCS 5/2-105.
- 24. Vendor certifies it does not pay dues to or reimburse or subsidize payments by its employees for any dues or fees to any "discriminatory club." 775 ILCS 25/2.
- 25. Vendor certifies that no foreign-made equipment, materials, or supplies furnished to the State under the contract have been or will be produced in whole or in part by forced labor or indentured labor under penal sanction. 30 ILCS 583.
- 26. Vendor certifies that no foreign-made equipment, materials, or supplies furnished to the State under the contract have been produced in whole or in part by the labor of any child under the age of 12. 30 ILCS 584.

- 27. Vendor certifies that any violation of the Lead Poisoning Prevention Act, as it applies to owners of residential buildings, has been mitigated. 410 ILCS 45.
- 28. Vendor warrants and certifies that it and, to the best of its knowledge, its subcontractors have and will comply with Executive Order No. 1 (2007). The Order generally prohibits Vendors and subcontractors from hiring the then-serving Governor's family members to lobby procurement activities of the State, or any other unit of government in Illinois including local governments if that procurement may result in a contract valued at over \$25,000. This prohibition also applies to hiring for that same purpose any former State employee who had procurement authority at any time during the one-year period preceding the procurement lobbying activity.
- 29. Vendor certifies that information technology, including electronic information, software, systems and equipment, developed or provided under this contract comply with the applicable requirements of the Illinois Information Technology Accessibility Act Standards as published at (www.dhs.state.il.us/iitaa) 30 ILCS 587.
- 30. Vendor certifies that it has read, understands, and is in compliance with the registration requirements of the Elections Code (10 ILCS 5/9-35) and the restrictions on making political contributions and related requirements of the Illinois Procurement Code. 30 ILCS 500/20-160 and 50-37. Vendor will not make a political contribution that will violate these requirements.

In accordance with section 20-160 of the Illinois Procurement Code, Vendor certifies as applicable:

Ш	Vendor is not required to register as a business entity with the State Board of Elections.
	or
	Vendor has registered with the State Board of Elections. As a registered business entity, Vendor acknowledges a continuing duty to update the registration as required by the Act.

- 31. Vendor certifies that if it is awarded a contract through the use of the preference required by the Procurement of Domestic Products Act, then it shall provide products pursuant to the contract or a subcontract that are manufactured in the United States. 30 ILCS 517.
- 32. For contracts other than construction contracts subject to the requirements of 30 ILCS 500/30-20 and 30 ILCS 500/33-10, a person (other than an individual acting as a sole proprietor) must be a duly constituted legal entity to qualify as a bidder or offeror prior to submitting a bid, offer, or proposal. 30 ILCS 500/20-43. Vendor certifies that it is a legal entity as of the date for submitting this bid, offer, or proposal.
- 33. Vendor certifies that, for the duration of this contract it:
  - will post its employment vacancies in Illinois and border states on the Department of Employment Security's IllinoisJobLink.com website or its successor system; or
  - will provide an online link to these employment vacancies so that this link is accessible through the IllinoisJobLink.com website it successor system; or
  - is exempt from 20 ILCS 1005/1005-47 because the contract is for construction-related services as that term is defined in section 1-15.20 of the Procurement Code; or the contract is for construction and vendor

is a party to a contract with a bona fide labor organization and performs construction. (20 ILCS 1005/1005
47).

#### 1. PAYMENT TERMS AND CONDITIONS:

- 1.1. Late Payment: Payments, including late payment charges, will be paid in accordance with the State Prompt Payment Act and rules when applicable. 30 ILCS 540; 74 III. Adm. Code 900. This shall be Vendor's sole remedy for late payments by the State. Payment terms contained on Vendor's invoices shall have no force and effect.
- 1.2. Minority Contractor Initiative: Any Vendor awarded a contract under Section 20-10, 20-15, 20-25 or 20-30 of the Illinois Procurement Code (30 ILCS 500) of \$1,000 or more is required to pay a fee of \$15. The Comptroller shall deduct the fee from the first check issued to the Vendor under the contract and deposit the fee in the Comptroller's Administrative Fund. 15 ILCS 405/23.9.
- 1.3. Expenses: The State will not pay for supplies provided or services rendered, including related expenses, incurred prior to the execution of this contract by the Parties even if the effective date of the contract is prior to execution.
- 1.4. Prevailing Wage: As a condition of receiving payment Vendor must (i) be in compliance with the contract, (ii) pay its employees prevailing wages when required by law, (iii) pay its suppliers and subcontractors according to the terms of their respective contracts, and (iv) provide lien waivers to the State upon request. Examples of prevailing wage categories include public works, printing, janitorial, window washing, building and grounds services, site technician services, natural resource services, security guard and food services. The prevailing wages are revised by the Department of Labor and are available on the Department's official website, which shall be deemed proper notification of any rate changes under this subsection. Vendor is responsible for contacting the Illinois Department of Labor to ensure understanding of prevailing wage requirements at 217-782-6206 or (http://www.state.il.us/agency/idol/index.htm).
- 1.5. Federal Funding: This contract may be partially or totally funded with Federal funds. If federal funds are expected to be used, then the percentage of the good/service paid using Federal funds and the total Federal funds expected to be used will be provided in the award notice.
- 1.6. Invoicing: By submitting an invoice, Vendor certifies that the supplies or services provided meet all requirements of the contract, and the amount billed and expenses incurred are as allowed in the contract. Invoices for supplies purchased, services performed and expenses incurred through June 30 of any year must be submitted to the State no later than July 31 of that year; otherwise Vendor may have to seek payment through the Illinois Court of Claims. 30 ILCS 105/25. All invoices are subject to statutory offset. 30 ILCS 210.
  - 1.6.1. Vendor shall not bill for any taxes unless accompanied by proof that the State is subject to the tax. If necessary, Vendor may request the applicable Agency/University state tax exemption number and federal tax exemption information.
  - 1.6.2. Vendor shall invoice at the completion of the contract unless invoicing is tied in the contract to milestones, deliverables, or other invoicing requirements agreed to in the contract.

- **2. ASSIGNMENT**: This contract may not be assigned, transferred in whole or in part by Vendor without the prior written consent of the State.
- 3. SUBCONTRACTING: For purposes of this section, subcontractors are those specifically hired to perform all or part of the work covered by the contract. Vendor must receive prior written approval before use of any subcontractors in the performance of this contract. Vendor shall describe, in an attachment if not already provided, the names and addresses of all authorized subcontractors to be utilized by Vendor in the performance of this contract, together with a description of the work to be performed by the subcontractor and the anticipated amount of money that each subcontractor is expected to receive pursuant to this contract. If required, Vendor shall provide a copy of any subcontracts within fifteen (15) days after execution of this contract. All subcontracts must include the same certifications that Vendor must make as a condition of this contract. Vendor shall include in each subcontract the subcontractor certifications as shown on the Standard Certification form available from the State. If at any time during the term of the Contract, Vendor adds or changes any subcontractors, then Vendor must promptly notify, by written amendment to the Contract, the State Purchasing Officer or the Chief Procurement Officer of the names and addresses and the expected amount of money that each new or replaced subcontractor will receive pursuant to the Contract. 30 ILCS 500/20-120.
- AUDIT/RETENTION OF RECORDS: Vendor and its subcontractors shall maintain books and records relating to 4. the performance of the contract or subcontract and necessary to support amounts charged to the State pursuant the contract or subcontract. Books and records, including information stored in databases or other computer systems, shall be maintained by the Vendor for a period of three (3) years from the later of the date of final payment under the contract or completion of the contract, and by the subcontractor for a period of three (3) years from the later of final payment under the term or completion of the subcontract. If Federal funds are used to pay contract costs, the Vendor and its subcontractors must retain their respective records for five (5) years. Books and records required to be maintained under this section shall be available for review or audit by representatives of: the procuring Agency, the Auditor General, the Executive Inspector General, the Chief Procurement Officer, State of Illinois internal auditors or other governmental entities with monitoring authority, upon reasonable notice and during normal business hours. Vendor and its subcontractors shall cooperate fully with any such audit and with any investigation conducted by any of these entities. Failure to maintain books and records required by this section shall establish a presumption in favor of the State for the recovery of any funds paid by the State under this contract or any subcontract for which adequate books and records are not available to support the purported disbursement. The Vendor or subcontractors shall not impose a charge for audit or examination of the Vendor's or subcontractor's books and records. 30 ILCS 500/20-65.
- **5. TIME IS OF THE ESSENCE:** Time is of the essence with respect to Vendor's performance of this contract. Vendor shall continue to perform its obligations while any dispute concerning the contract is being resolved unless otherwise directed by the State.
- **6. NO WAIVER OF RIGHTS:** Except as specifically waived in writing, failure by a Party to exercise or enforce a right does not waive that Party's right to exercise or enforce that or other rights in the future.
- 7. FORCE MAJEURE: Failure by either Party to perform its duties and obligations will be excused by unforeseeable circumstances beyond its reasonable control and not due to its negligence, including acts of nature, acts of terrorism, riots, labor disputes, fire, flood, explosion, and governmental prohibition. The non-declaring Party may cancel the contract without penalty if performance does not resume within thirty (30) days of the declaration.

- 8. **CONFIDENTIAL INFORMATION:** Each Party, including its agents and subcontractors, to this contract may have or gain access to confidential data or information owned or maintained by the other Party in the course of carrying out its responsibilities under this contract. Vendor shall presume all information received from the State or to which it gains access pursuant to this contract is confidential. Vendor information, unless clearly marked as confidential and exempt from disclosure under the Illinois Freedom of Information Act, shall be considered public. No confidential data collected, maintained, or used in the course of performance of the contract shall be disseminated except as authorized by law and with the written consent of the disclosing Party, either during the period of the contract or thereafter. The receiving Party must return any and all data collected, maintained, created or used in the course of the performance of the contract, in whatever form it is maintained, promptly at the end of the contract, or earlier at the request of the disclosing Party, or notify the disclosing Party in writing of its destruction. The foregoing obligations shall not apply to confidential data or information lawfully in the receiving Party's possession prior to its acquisition from the disclosing Party; received in good faith from a third Party not subject to any confidentiality obligation to the disclosing Party; now is or later becomes publicly known through no breach of confidentiality obligation by the receiving Party; or is independently developed by the receiving Party without the use or benefit of the disclosing Party's confidential information.
- 9. USE AND OWNERSHIP: All work performed or supplies created by Vendor under this contract, whether written documents or data, goods or deliverables of any kind, shall be deemed work for hire under copyright law and all intellectual property and other laws, and the State of Illinois is granted sole and exclusive ownership to all such work, unless otherwise agreed in writing. Vendor hereby assigns to the State all right, title, and interest in and to such work including any related intellectual property rights, and/or waives any and all claims that Vendor may have to such work including any so-called "moral rights" in connection with the work. Vendor acknowledges the State may use the work product for any purpose. Confidential data or information contained in such work shall be subject to confidentiality provisions of this contract.
- 10. INDEMNIFICATION AND LIABILITY: The Vendor shall indemnify and hold harmless the State of Illinois, its agencies, officers, employees, agents and volunteers from any and all costs, demands, expenses, losses, claims, damages, liabilities, settlements and judgments, including in-house and contracted attorneys' fees and expenses, arising out of: (a) any breach or violation by Vendor of any of its certifications, representations, warranties, covenants or agreements; (b) any actual or alleged death or injury to any person, damage to any real or personal property, or any other damage or loss claimed to result in whole or in part from Vendor's negligent performance; (c) any act, activity or omission of Vendor or any of its employees, representatives, subcontractors or agents; or (d) any actual or alleged claim that the services or goods provided under this contract infringe, misappropriate, or otherwise violate any intellectual property (patent, copyright, trade secret, or trademark) rights of a third party. In accordance with Article VIII, Section 1(a),(b) of the Constitution of the State of Illinois and 1973 Illinois Attorney General Opinion 78, the State may not indemnify private parties absent express statutory authority permitting the indemnification. Neither Party shall be liable for incidental, special, consequential, or punitive damages.
- INSURANCE: Vendor shall, at all times during the term and any renewals maintain and provide a Certificate of Insurance naming the State as additionally insured for all required bonds and insurance. Certificates may not be modified or canceled until at least thirty (30) days' notice has been provided to the State. Vendor shall provide: (a) General Commercial Liability occurrence form in amount of \$1,000,000 per occurrence (Combined Single Limit Bodily Injury and Property Damage) and \$2,000,000 Annual Aggregate; (b) Auto Liability, including Hired Auto and Non-owned Auto, (Combined Single Limit Bodily Injury and Property Damage) in amount of \$1,000,000

per occurrence; and (c) Worker's Compensation Insurance in amount required by law. Insurance shall not limit Vendor's obligation to indemnify, defend, or settle any claims.

- **12. INDEPENDENT CONTRACTOR:** Vendor shall act as an independent contractor and not an agent or employee of, or joint venture with the State. All payments by the State shall be made on that basis.
- 13. SOLICITATION AND EMPLOYMENT: Vendor shall not employ any person employed by the State during the term of this contract to perform any work under this contract. Vendor shall give notice immediately to the Agency's director if Vendor solicits or intends to solicit State employees to perform any work under this contract.
- 14. COMPLIANCE WITH THE LAW: The Vendor, its employees, agents, and subcontractors shall comply with all applicable federal, state, and local laws, rules, ordinances, regulations, orders, federal circulars and all license and permit requirements in the performance of this contract. Vendor shall be in compliance with applicable tax requirements and shall be current in payment of such taxes. Vendor shall obtain at its own expense, all licenses and permissions necessary for the performance of this contract.
- **15. BACKGROUND CHECK:** Whenever the State deems it reasonably necessary for security reasons, the State may conduct, at its expense, criminal and driver history background checks of Vendor's and subcontractor's officers, employees or agents. Vendor or subcontractor shall reassign immediately any such individual who, in the opinion of the State, does not pass the background check.

#### **16.** APPLICABLE LAW:

- 16.1. **PREVAILING LAW:** This contract shall be construed in accordance with and is subject to the laws and rules of the State of Illinois.
- 16.2. **EQUAL OPPORTUNITY:** The Department of Human Rights' Equal Opportunity requirements are incorporated by reference. 44 ILL. ADM. CODE 750.
- 16.3. **COURT OF CLAIMS; ARBITRATION; SOVEREIGN IMMUNITY:** Any claim against the State arising out of this contract must be filed exclusively with the Illinois Court of Claims. 705 ILCS 505/1. The State shall not enter into binding arbitration to resolve any dispute arising out of this contract. The State of Illinois does not waive sovereign immunity by entering into this contract.
- 16.4. **OFFICIAL TEXT:** The official text of the statutes cited herein is incorporated by reference. An unofficial version can be viewed at (<a href="https://www.ilga.gov/legislation/ilcs/ilcs.asp">www.ilga.gov/legislation/ilcs/ilcs.asp</a>).
- 17. ANTI-TRUST ASSIGNMENT: If Vendor does not pursue any claim or cause of action it has arising under federal or state antitrust laws relating to the subject matter of the contract, then upon request of the Illinois Attorney General, Vendor shall assign to the State rights, title and interest in and to the claim or cause of action.
- 18. CONTRACTUAL AUTHORITY: The Agency that signs for the State of Illinois shall be the only State entity responsible for performance and payment under the contract. When the Chief Procurement Officer or authorized designee signs in addition to an Agency, they do so as approving officer and shall have no liability to Vendor. When the Chief Procurement Officer or authorized designee, or State Purchasing Officer signs a master contract on behalf of State agencies, only the Agency that places an order with the Vendor shall have any liability to Vendor for that order.

- **19. EXPATRIATED ENTITIES:** Except in limited circumstances, no business or member of a unitary business group, as defined in the Illinois Income Tax Act, shall submit a bid for or enter into a contract with a State agency if that business or any member of the unitary business group is an expatriated entity.
- **20. NOTICES:** Notices and other communications provided for herein shall be given in writing via electronic mail whenever possible. If transmission via electronic mail is not possible, then notices and other communications shall be given in writing via registered or certified mail with return receipt requested, via receipted hand delivery, via courier (UPS, Federal Express or other similar and reliable carrier), or via facsimile showing the date and time of successful receipt. Notices shall be sent to the individuals who signed this contract using the contact information following the signatures. Each such notice shall be deemed to have been provided at the time it is actually received. By giving notice, either Party may change its contact information.
- 21. MODIFICATIONS AND SURVIVAL: Amendments, modifications and waivers must be in writing and signed by authorized representatives of the Parties. Any provision of this contract officially declared void, unenforceable, or against public policy, shall be ignored and the remaining provisions shall be interpreted, as far as possible, to give effect to the Parties' intent. All provisions that by their nature would be expected to survive, shall survive termination. In the event of a conflict between the State's and the Vendor's terms, conditions and attachments, the State's terms, conditions and attachments shall prevail.
- **PERFORMANCE RECORD / SUSPENSION:** Upon request of the State, Vendor shall meet to discuss performance or provide contract performance updates to help ensure proper performance of the contract. The State may consider Vendor's performance under this contract and compliance with law and rule to determine whether to continue the contract, suspend Vendor from doing future business with the State for a specified period of time, or whether Vendor can be considered responsible on specific future contract opportunities.
- **23. FREEDOM OF INFORMATION ACT:** This contract and all related public records maintained by, provided to or required to be provided to the State are subject to the Illinois Freedom of Information Act (FOIA) (50 ILCS 140) notwithstanding any provision to the contrary that may be found in this contract.
- **SCHEDULE OF WORK:** Any work performed on State premises shall be done during the hours designated by the State and performed in a manner that does not interfere with the State and its personnel.

#### 25. WARRANTIES FOR SUPPLIES AND SERVICES:

25.1. Vendor warrants that the supplies furnished under this contract will: (a) conform to the standards, specifications, drawing, samples or descriptions furnished by the State or furnished by the Vendor and agreed to by the State, including but not limited to all specifications attached as exhibits hereto; (b) be merchantable, of good quality and workmanship, and free from defects for a period of twelve months or longer if so specified in writing, and fit and sufficient for the intended use; (c) comply with all federal and state laws, regulations and ordinances pertaining to the manufacturing, packing, labeling, sale and delivery of the supplies; (d) be of good title and be free and clear of all liens and encumbrances and; (e) not infringe any patent, copyright or other intellectual property rights of any third party. Vendor agrees to reimburse the State for any losses, costs, damages or expenses, including without limitations, reasonable attorney's fees and expenses, arising from failure of the supplies to meet such warranties.

- 25.2. Vendor shall insure that all manufacturers' warranties are transferred to the State and shall provide a copy of the warranty. These warranties shall be in addition to all other warranties, express, implied or statutory, and shall survive the State's payment, acceptance, inspection or failure to inspect the supplies.
- 25.3. Vendor warrants that all services will be performed to meet the requirements of the contract in an efficient and effective manner by trained and competent personnel. Vendor shall monitor performances of each individual and shall reassign immediately any individual who is not performing in accordance with the contract, who is disruptive or not respectful of others in the workplace, or who in any way violates the contract or State policies.
- **26. REPORTING, STATUS AND MONITORING SPECIFICATIONS:** Vendor shall immediately notify the State of any event that may have a material impact on Vendor's ability to perform the contract.
- **27. EMPLOYMENT TAX CREDIT:** Vendors who hire qualified veterans and certain ex-offenders may be eligible for tax credits. 35 ILCS 5/216, 5/217. Please contact the Illinois Department of Revenue (telephone #: 217-524-4772) for information about tax credits.
- **28. TERMINATION FOR CAUSE:** The State may terminate this contract, in whole or in part, immediately upon notice to the Vendor if: (a) the State determines that the actions or inactions of the Vendor, its agents, employees or subcontractors have caused, or reasonably could cause, jeopardy to health, safety, or property, or (b) the Vendor has notified the State that it is unable or unwilling to perform the contract.
  - 28.1. If Vendor fails to perform to the State's satisfaction any material requirement of this contract, is in violation of a material provision of this contract, or the State determines that the Vendor lacks the financial resources to perform the contract, the State shall provide written notice to the Vendor to cure the problem identified within the period of time specified in the State's written notice. If not cured by that date the State may either: (a) immediately terminate the contract without additional written notice or (b) enforce the terms and conditions of the contract.
  - 28.2. For termination due to any of the causes contained in this Section, the State retains its rights to seek any available legal or equitable remedies and damages.
- **29. TERMINATION FOR CONVENIENCE:** The State may, for its convenience and with thirty (30) days prior written notice to Vendor, terminate this contract in whole or in part and without payment of any penalty or incurring any further obligation to the Vendor.
  - 29.1. The Vendor shall be entitled to compensation upon submission of invoices and proof of claim for supplies and services provided in compliance with this contract up to and including the date of termination.
- **30. AVAILABILITY OF APPROPRIATION:** This contract is contingent upon and subject to the availability of funds. The State, at its sole option, may terminate or suspend this contract, in whole or in part, without penalty or further payment being required, if (1) the Illinois General Assembly or the federal funding source fails to make an appropriation sufficient to pay such obligation, or if funds needed are insufficient for any reason (30 ILCS 500/20-60), (2) the Governor decreases the Department's funding by reserving some or all of the Department's

appropriation(s) pursuant to power delegated to the Governor by the Illinois General Assembly, or (3) the Department determines, in its sole discretion or as directed by the Office of the Governor, that a reduction is necessary or advisable based upon actual or projected budgetary considerations. Contractor will be notified in writing of the failure of appropriation or of a reduction or decrease.

#### REQUIRED FEDERAL AID CONTRACT PROVISIONS

The Illinois Abandoned Mined Lands Reclamation program is federally funded through grants made to the State of Illinois, Abandoned Mined Lands Reclamation, by the U.S. Department of Interior, Office of Surface Mining Reclamation and Enforcement. The following Required Contract Provisions are applicable to the construction contract for this reclamation project.

#### I. GENERAL

- 1. These contract provisions shall apply to all work performed on the contract by the contractor's own organization and with the assistance of workers under the contractor's immediate superintendence and to all work performed on the contract by piecework, station work, or by subcontract.
- 2. Except as otherwise provided for in each section, the contractor shall insert in each subcontract all of the stipulations contained in the Required Contract Provisions, and further require their inclusion in any lower tier subcontract or purchase order that may in turn be made. The Required Contract Provisions shall not be incorporated by reference in any case. The prime contractor shall be responsible for compliance by any subcontractor or lower tier subcontractor with the Required Contract Provisions.
- 3. A breach of any of the stipulations contained in these Required Contract Provisions shall be sufficient grounds for termination of the contract.

#### II. NONDISCRIMINATION

(Applicable to Federal-aid construction contracts and related subcontracts and purchase orders exceeding \$10,000.)

- 1. <u>Selection of Labor</u>: During the performance of this contract, the contractor shall not:
  - a. discriminate against labor from any other State, possession, or territory of the United States, or
  - b. employ convict labor for any purpose within the limits of the project unless it is labor performed by convicts who are on parole, supervised release, or probation.

#### 2. Employment Practices:

- a. The Equal Employment Opportunity Affirmative Action Notice set forth in 41 CFR 60-4.2 and the Equal Employment Opportunity Construction Contract Specifications set forth in 41 CFR 60-4.3 are incorporated by reference in this contract.
- b. Regulation 41 CFR 60-4.2 requires goals and timetables for minority and female participation expressed in percentage terms for the contractor's aggregate work force in each trade on all construction work in the covered area. The goals for this contract are stated elsewhere in the bidding documents and in the construction contract.
- c. Regulation 41 CFR 60-4.3 provides specific affirmative action standards the contractor shall implement to ensure equal employment opportunity in achieving the minority and female participation goals set forth in paragraph 2b of this Section.

- 3. Equal Opportunity Clause: During the performance of this contract, the contractor agrees as follows:
  - a. The contractor will not discriminate against any employee or applicant for employment because of race, color, religion, sex, or national origin. The contractor will take affirmative action to ensure that applicants are employed and that employees are treated during employment without regard to their race, color, religion, sex, or national origin. Such action shall include, but not be limited to, the following: employment, upgrading, demotion or transfer; recruitment or recruitment advertising; layoffs or termination; rates of pay or other forms of compensation; and, selection for training, including apprenticeship. The contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices setting forth the provisions of this nondiscrimination clause.
  - b. The contractor will, in all solicitations or advertisements for employees placed by or on behalf of the contractor, state that all qualified applicants will receive consideration for employment without regard to race, color, religion, sex, or national origin.
  - c. The contractor will send to each labor union or representative of workers with which the contractor has a collective bargaining agreement or other contract or understanding a notice advising the said labor union or workers' representative of the contractor's commitments under this Section II, paragraph 3.
  - d. The contractor will comply with all provisions of Executive Order 11246, Equal Employment Opportunity, dated September 24, 1965, and of the rules, regulations (41 CFR Part 60), and relevant orders of the Secretary of Labor.
  - e. The contractor will furnish all information and reports required by Executive Order 11246 and by rules, regulations, and orders of the Secretary of Labor, pursuant thereto, and will permit access to its books, records, and accounts by the Abandoned Mined Lands Reclamation and the U.S. Secretary of Labor for purposes of investigation to ascertain compliance with such rules, regulations, and orders.
  - f. In the event of the contractor's noncompliance with the nondiscrimination clauses of this Section II, paragraph 3, or with any of the said rules, regulations, or orders, this contract may be canceled, terminated, or suspended in whole or in part. The contractor may be declared ineligible for further Government contracts or federally-assisted construction contracts in accordance with procedures authorized in Executive Order 11246 and such other sanctions as may be imposed and remedies invoked as provided in Executive Order 11246 or by rule, regulations, or order of the Secretary of Labor, or as otherwise provided by law.
  - g. The contractor will include the provisions of this Section II, paragraph 3 in every subcontract or purchase order so that such provisions will be binding upon each subcontractor or vendor, unless exempted by rules, regulations, or orders of the Secretary of Labor issued pursuant to Section 204 of Executive Order 11246. The contractor will take such action with respect to any subcontract or purchase order as the Abandoned Mined Lands Reclamation (AMLRC) and the U.S. Secretary of Labor may direct as a means of enforcing such provisions, including sanctions for noncompliance. In the event a contractor becomes a party to litigation by a subcontractor or vendor as a result of such direction, the contractor may request the AMLRC to enter into such litigation to protect the interest of the State. In addition, the contractor may request the United States to enter into such litigation to protect the interests of the United States.

#### 4. Selection of Subcontractors, Procurement of Materials, and Leasing of Equipment:

- a. The contractor shall not discriminate on the grounds of race, color, sex, or national origin in the selection and retention of subcontractors, including procurement of materials and leases of equipment. In all solicitations made by the contractor each potential subcontractor or supplier shall be notified by the contractor of the contractor's obligations under this contract relative to nondiscrimination on the grounds of race, color, sex, or national origin.
- b. In the event of the contractor's noncompliance with the nondiscrimination provisions of this Section II, paragraph 4, this contract may be subject to sanctions including but not limited to the withholding of payments to the contractor under the contract until the contractor complies and/or cancellation, termination, or suspension of the contract in whole or in part.
- c. The contractor shall include the provisions of this paragraph 4 in every subcontract, including procurement of materials and leases of equipment. The contractor shall take such action with respect to any subcontractor or procurement as the AMLRC or U.S. Secretary of Labor may direct as a means of enforcing such provisions, including sanctions for noncompliance. In the event a contractor becomes involved in, or is threatened with, litigation by a subcontractor or supplier as a result of such direction, the contractor may request the AMLRC to enter into such litigation to protect the interests of the State. In addition, the contractor may request the United States to enter into such litigation to protect the interests of the United States.

#### III. NONSEGREGATED FACILITIES

(Applicable to Federal-aid construction contracts and related subcontracts exceeding \$10,000.)

- 1. By submission of this bid, the execution of this contract or subcontract, or the consummation of this material supply agreement or purchase order, as appropriate, the bidder, Federal-aid construction contractor, subcontractor, material supplier, or vendor, as appropriate, certifies that the firm does not maintain or provide for its employees any segregated facilities at any of its establishments, and that the firm does not permit its employees to perform their services at any location, under its control, where segregated facilities are maintained. The firm agrees that a breach of this certification is a violation of the Equal Opportunity Clause in this contract. The firm furthers certifies that no employee will be denied access to adequate facilities on the basis of sex.
- 2. As used in this certification, the term "segregated facilities" means any waiting rooms, work areas, restrooms and washrooms, restaurants and other eating areas, timeclocks, locker rooms, and other storage or dressing areas, parking lots, drinking fountains, recreation or entertainment areas, transportation, and housing facilities provided for employees which are segregated by explicit directive, or are, in fact, segregated on the basis of race, color, religion, or national origin, because of habit, local custom, or otherwise.
- 3. The contractor agrees that it has obtained or will obtain identical certification from proposed subcontractors or material suppliers prior to award of subcontracts or consummation of material supply agreements exceeding \$10,000 and that it will retain such certifications in its files.

#### IV. IMPLEMENTATION OF CLEAN AIR ACT AND FEDERAL WATER POLLUTION CONTROL ACT

(Applicable to Federal-aid construction contracts and related subcontracts exceeding \$100,000.)

By submission of this bid, or the execution of this contract or subcontract, as appropriate, the bidder, Federal-aid construction contractor, or subcontractor, as appropriate, will be deemed to have stipulated as follows:

- 1. That any facility that is or will be utilized in the performance of this contract, unless such contract is exempt under the Clean Air Act, as amended (42 U.S.C. 1857 et seq., as amended by Pub. L. 91-604), and under the Federal Water Pollution Control Act, as amended (33 U.S.C. 1251, et seq., as amended by Pub. L. 92-500), Executive Order 11738, and regulations in implementation thereof (40 CFR Part 15) is not listed, on the date of contract award, on the U.S. Environmental Protection Agency (EPA) List of Violating Facilities pursuant to 40 CFR 15.20.
- 2. That the firm agrees to comply and remain in compliance with all the requirements of Section 114 of the Clean Air Act and Section 308 of the Federal Water Pollution Control Act and all regulations and guidelines listed thereunder.
- 3. That the firm shall promptly notify the AMLRC of the receipt of any communication from the Director, Office of Federal Activities, EPA, indicating that a facility that is or will be utilized for the contract is under consideration to be listed on the EPA List of Violating Facilities.
- 4. That the firm agrees to include or cause to be included the requirements of paragraphs 1 through 4 of this Section IV in every nonexempt subcontract, and further agrees to take such action as the government may direct as a means of enforcing such requirements.

#### V. COMPLIANCE WITH COPELAND "ANTI-KICKBACK" ACT

The contractor and any and all subcontractors shall comply with the Copeland "Anti-Kickback" Act (18 U.S.C. 874) as supplemented in Department of Labor regulations (29 CFR, Part 3), which prohibits contractors or subcontractors from inducing, by any means, any person employed in the construction, completion, or repair of a public work, to give up any part of the compensation to which he or she is entitled.

#### VI. INTERPRETATION OF FEDERAL AID PROPOSAL NOTICE

The Federal Aid Proposal Notice which is included in the bidding documents further illustrates the required federal-aid contract provisions. Whenever in said Notice the following terms or pronouns in place of them are used, they shall be interpreted as follows:

"U.S. Department of Transportation (DOT)" shall be interpreted to mean U.S. Department of the Interior.

"Federal Highway Administration (FHWA)" shall be interpreted to mean the Office of Surface Mining Reclamation and Enforcement.

"State highway agency (SHA)" shall be interpreted to mean the Abandoned Mined Lands Reclamation.

#### FEDERAL AID PROPOSAL NOTICE

#### NOTICE TO PROSPECTIVE FEDERAL-AID CONSTRUCTION CONTRACTORS

#### I. CERTIFICATION OF NONSEGREGATED FACILITIES

- (a) A Certification of Nonsegregated Facilities, as required by the May 9, 1967, Order of the Secretary of Labor (32 F. R. 7439, May 19, 1967) on Elimination of Segregated Facilities (is included in the proposal and must be submitted prior to the award of a Federal-aid highway construction contract exceeding \$10,000 which is not exempt from the provisions of the Equal Opportunity clause.)
- (b) Bidders are cautioned as follows: By signing this bid, the bidder will be deemed to have signed and agreed to the provisions of the "Certification of Nonsegregated Facilities" in this proposal. This certification provides that the bidder does not maintain or provide for his employees facilities which are segregated on a basis of race, creed, color, or national origin, whether such facilities are segregated by directive or on a de facto basis. The certification also provides that the bidder will not maintain such segregated facilities.
- (c) Bidders receiving Federal-aid highway construction contract awards exceeding \$10,000 which are not exempt from the provisions of the Equal Opportunity clause, will be required to provide for the forwarding of the following notice to prospective subcontractors for construction contracts and material suppliers where the subcontracts or material supply agreements exceed \$10,000 and are not exempt from the provisions of the Equal Opportunity clause.

### "NOTICE TO PROSPECTIVE SUBCONTRACTORS AND MATERIAL SUPPLIERS OF REQUIREMENT FOR CERTIFICATION OF NONSEGREGATED FACILITIES"

- (a) A Certification of Nonsegregated Facilities as required by the May 9, 1967, Order of the Secretary of Labor (32 F. R. 7439, May 19, 1967) on Elimination of Segregated Facilities, which is included in the proposal, or attached hereto, must be submitted by each subcontractor and material supplier prior to the award of one subcontract or consummation of a material supply agreement if such subcontract or agreement exceeds \$10,000 and is not exempt from the provisions of the Equal Opportunity clause.
- (b) Subcontractors and material suppliers are cautioned as follows: By signing the subcontract or entering into a material supply agreement, the subcontractor or material supplier will be deemed to have signed and agreed to the provisions of the "Certification of Nonsegregated Facilities" in the subcontract or material supply agreement. This certification provides that the subcontractor or material supplier does not maintain or provide for his employees facilities which are segregated on the basis of race, creed, color, or national origin, whether such facilities are segregated by directive or on a de facto basis. This certification also provides that the subcontractor or material supplier will not maintain such segregated facilities.
- (c) Subcontractors or material suppliers receiving subcontract awards or material supply agreements exceeding \$10,000 which are not exempt from the provisions of the Equal Opportunity clause will be required to provide for the forwarding of this notice to prospective subcontractors for construction contracts and material suppliers where the subcontracts or material supply agreements exceed \$10,000 and are not exempt from the provisions of the Equal Opportunity clause."

### II . IMPLEMENTATION OF CLEAN AIR ACT AND FEDERAL WATER POLLUTION CONTROL ACT

- a) By signing this bid, the bidder will be deemed to have stipulated as follows:
  - (1) That any facility to be utilized in the performance of this contract, unless such contract is exempt under the Clean Air Act, as amended (42 U.S.C. 1857 et seq., as amended by Pub. L. 91-604), and under the Federal Water Pollution Control Act, as amended (33 U.S.C. 1251 et seq., as amended by Pub. L. 92-500), Executive Order 11738, and regulations in implementation thereof (40 C.F.R., Part 15), is not listed on the U.S. Environmental Protection Agency (EPA) List of Violating Facilities pursuant to 40 C.F.R. 15.20.
  - (2) That the State highway department shall be promptly notified prior to contract award of the receipt by the bidder of any communication from the Director, Office of Federal Activities, EPA, indicating that a facility to be utilized for the contract is under consideration to be listed on the EPA List of Violating Facilities.

#### SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES

#### FEDERAL-AID CONTRACTS

#### 1. General

- a. Equal Employment Opportunity Requirements not to discriminate and to take affirmative action to assure equal employment opportunity as required by Executive Order 11246 and Executive Order 11375 are set forth in Required Contract Provisions (Form PR-1273 or 1316, as appropriate) and these Special Provisions which are imposed pursuant to Section 140 of Title 23, USC, as established by Section 22 of the Federal-Aid Highway Act of 1968. The requirements set forth in these Special Provisions shall constitute the specific affirmative action requirements for project activities under this contract and supplement the equal employment opportunity requirements set forth in the Required Contract Provisions.
- b. The contractor will work with the State highway departments and the Federal Government in carrying out equal employment opportunity obligations and in their review of his/her activities under the contract.
- c. The contractor, and all his/her subcontractors holding subcontracts (not including material suppliers) of \$10,000 or more, will comply with the following minimum specific requirement activities of equal employment opportunity: (The equal employment opportunity requirements of Executive Order 11246, as set forth in Volume 6, Chapter 4, Section 1, Subsection 1 of the Federal-Aid Highway Program Manual, are applicable to material suppliers as well as contractors and subcontractors.) The contractor will include these requirements in every subcontract of \$10,000 or more with such modification of language as is necessary to make them binding on the subcontractor.

#### 2. Equal Employment Opportunity Policy

The contractor will accept as his operating policy the following statement which is designed to further the provision of equal employment opportunity to all persons without regard to their race, color, religion, sex, or national origin, and to promote the full realization of equal employment opportunity through a positive continuing program:

It is the policy of this Company to assure that applicants are employed, and that employees are treated during employment, without regard to their race, religion, sex, color, or national origin. Such action shall include: employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship, preapprenticeship, and/or on-the-job training.

#### Equal Employment Opportunity Officer

The contractor will designate and make known to the State highway department contracting officers an equal employment opportunity officer (hereinafter referred to as the EEO Officer) who will have the responsibility for and must be capable of effectively administering and promoting an active contractor program of equal employment opportunity and who must be assigned adequate authority and responsibility to do so.

#### Dissemination of Policy

- All members of the contractor's staff who are authorized to hire, supervise, promote, and discharge employees, or who recommend such action, or who are substantially involved in such action, will be made fully cognizant of, and will implement, the contractor's equal employment opportunity policy and contractual responsibilities to provide equal employment opportunity in each grade and classification of employment. To ensure that the above agreement will be met, the following actions will be taken as a minimum:
  - (1) Periodic meetings of supervisory and personnel office employees will be conducted before the start of work and then not less often than once every six months, at which time the contractor's equal employment opportunity policy and its implementation will be reviewed and explained. The meetings will be conducted by the EEO Officer or other knowledgeable company official.
  - (2) All new supervisory or personnel office employees will be given a thorough indoctrination by the EEO Officer or other knowledgeable company official covering all major aspects of the contractor's equal employment opportunity obligations within thirty days following their reporting for duty with the contractor.
  - (3) All personnel who are engaged in direct recruitment for the project will be instructed by the EEO Officer or appropriate company official in the contractor's procedures for locating and hiring minority group employees.
- b. In order to make the contractor's equal employment opportunity policy known to all employees, prospective employees and potential sources of employees, i.e., schools, employment agencies, labor unions (where appropriate), college placement officers, etc., the contractor will take the following actions:
  - Notices and posters setting forth the contractor's equal employment opportunity policy will be placed in areas readily accessible to employees, applicants for employment and potential employees.
  - (2) The contractor's equal employment opportunity policy and the procedures to implement such policy will be brought to the attention of employees by means of meetings, employee handbooks, or other appropriate means.

#### Recruitment

- a. When advertising for employees, the contractor will include in all advertisements for employees the notation: "An Equal Opportunity Employer." All such advertisements will be published in newspapers, or other publication, having a large circulation among minority groups in the area from which the project work force would normally be derived.
- b. The contract will, unless precluded by a valid bargaining agreement, conduct systematic and direct recruitment through public and private employee referral sources likely to yield qualified minority group applicants, including, but not limited to, State employment agencies, schools, colleges and minority group organizations. To meet this requirement, the contractor will, through his EEO Officer, identify sources of potential minority group employees, and establish with such identified sources procedures whereby minority group applicants may be referred to the contractor for employment consideration.

In the event the contractor has a valid bargaining agreement providing for exclusive hiring hall referrals, he is expected to observe the provisions of that agreement to the extent that the system permits the contractor's compliance with equal employment opportunity contract provisions. (The U.S. Department of Labor has held that where implementation of such agreements have the effect of discriminating against minorities or women, or obligates the contractor to do the same; such implementation violates Executive Order 11246, as amended.)

c. The contractor will encourage his present employees to refer minority group applicants for employment by posting appropriate notices or bulletins in areas accessible to all such employees. In addition, information and procedures with regard to referring minority group applicants will be discussed with employees.

#### 6. Personnel Actions

Wages, working conditions, and employee benefits shall be established and administered, and personnel actions of every type, including hiring, upgrading, promotion, transfer, demotion, layoff, and termination, shall be taken without regard to race, color, religion, sex, or national origin. The following procedures shall be followed:

- a. The contractor will conduct periodic inspections of project sites to insure that working conditions and employee facilities do not indicate discriminatory treatment of project site personnel.
- b. The contractor will periodically evaluate the spread of wages paid within each classification to determine any evidence of discriminatory wage practices.
- c. The contractor will periodically review selected personnel actions in depth to determine whether there is evidence of discrimination. Where evidence is found, the contractor will promptly take corrective action. If the review indicates that the discrimination may extend beyond the actions reviewed, such corrective action shall include all affected persons.
- d. The contractor will promptly investigate all complaints of alleged discrimination made to the contractor in connection with his obligations under this contract, will attempt to resolve such complaints, and will take appropriate corrective action within a reasonable time. If the investigation indicates that the discrimination may affect persons other than the complainant, such corrective action shall include such other persons. Upon completion of each investigation,

the contractor will inform every complainant of all of his avenues of appeal.

#### 7. Training and Promotion

- The contractor will assist in locating, qualifying and increasing the skills of minority group and women employees, and applicants for employment.
- b. Consistent with the contractor's work force requirements and as permissible under Federal and State regulations, the contractor shall make full use of training programs, i.e., apprenticeship, and on-the-job training programs for the geographical area of contract performance. Where feasible, 25 percent of apprentices or trainees in each occupation shall be in their first year of apprenticeship or training. In the event the Training Special Provision is provided under this contract, this subparagraph will be superseded as indicated in the Training Special Provision.
- The contractor will advise employees and applicants for employment of available training programs and entrance requirements for each.
- d. The contractor will periodically review the training and promotion potential of minority group and women employees and will encourage eligible employees to apply for such training and promotion.

#### 8. Unions

If the contractor relies in whole or in part upon unions as a source of employees, the contractor will use his/her best efforts to obtain the cooperation of such unions to increase opportunities for minority groups and women within the unions, and to effect referrals by such unions of minority and female employees. Actions by the contractor, either directly or through a contractor's association acting as agent, will include the procedures set forth below:

- a. The contractor will use his best efforts to develop, in cooperation with the unions, joint training programs aimed toward qualifying more minority group members and women for membership in the unions and increasing the skills of minority group employees and women so that they may qualify for higher paying employment.
- b. The contractor will use his best efforts to incorporate an equal employment opportunity clause into each union agreement to the end that such union will be contractually bound to refer applicants without regard to their race, color, religion, sex, or national origin.
- c. The contractor is to obtain information as to the referral practices and policies of the labor union except that to the extent such information is within the exclusive possession of the labor union and such labor union refuses to furnish such information to the contractor, the contractor shall so certify to the State highway department and shall set forth what efforts have been made to obtain such information.
- d. In the event the union is unable to provide the contractor with a reasonable flow of minority and women referrals within the time limit set forth in the collective bargaining agreement, the contractor will, through independent recruitment efforts, fill the employment vacancies without regard to race, color, religion, sex, or national origin, making full efforts to obtain qualified and/or qualifiable minority group persons and women. (The U.S. Department of Labor has held

that it shall be no excuse that the union with which the contractor has a collective bargaining agreement providing for exclusive referral failed to refer minority employees.) In the event the union referral practice prevents the contractor from meeting the obligations pursuant to Executive Order 11246, as amended, and these special provisions, such contractor shall immediately notify the State highway department.

#### 9. Subcontracting

- a. The contractor will use his best efforts to solicit bids from and to utilize minority group subcontractors or subcontractors with meaningful minority group and female representation among their employees. Contractors shall obtain lists of minority-owned construction firms from State highway department personnel.
- b. The contractor will use his best efforts to ensure subcontractor compliance with their equal employment opportunity obligations.

#### 10. Records and Reports

- a. The contractor will keep such records as are necessary to determine compliance with the contractor's equal employment opportunity obligations. The records kept by the contractor will be designed to indicate:
  - the number of minority and nonminority group members and women employed in each work classification on the project.
  - (2) the progress and efforts being made in cooperation with unions to increase employment opportunities for minorities and women (applicable only to contractors who rely in whole or in part on unions as a source of their work force).
  - (3) the progress and efforts being made in locating, hiring, training, qualifying, and upgrading minority and female employees.
  - (4) the progress and efforts being made in securing the services of minority group subcontractors or subcontractors with meaningful minority and female representation among their employees.
- b. All such records must be retained for a period of three years following completion of the contract work and shall be available at reasonable times and places for inspection by authorized representatives of the State highway department and the Federal Highway Administration.
- c. The contractors will submit to the State highway department a monthly report every month for the duration of the project, indicating the number of minority, women, and non-minority group employees currently engaged in each work classification required by contract work and the number of hours worked. This information is to be reported on Form BC-956. If on-the-job training is being required by "Training Special Provision", the contractor will be required to furnish Form BC-1014 weekly and Form BC-1052 quarterly.