

# SUMMARY OF QUANTITIES

CODE NUMBER	ITEM	UNIT	URBAN	I000-2A	Y007
			TOTAL QUANTITY	80% FED 20% STATE	80% FED 20% STATE (SN 101-1079)
70103815	TRAFFIC CONTROL SURVEILLANCE	CAL DA	15		15
70300100	SHORT-TERM PAVEMENT MARKING	FOOT	3,724	3,724	
70300520	PAVEMENT MARKING TAPE, TYPE III 4"	FOOT	13,766	13,766	
70301000	WORK ZONE PAVEMENT MARKING REMOVAL	SQ FT	4,907	4,907	
70400100	TEMPORARY CONCRETE BARRIER	FOOT	340		340
70400200	RELOCATE TEMPORARY CONCRETE BARRIER	FOOT	230		230
* 78000100	THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	47	47	
* 78000200	THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	20,250	20,250	
* 78000500	THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	250	250	
* 78000650	THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	48	48	
* 78100100	RAISED REFLECTIVE PAVEMENT MARKER	EACH	124	124	
78300100	PAVEMENT MARKING REMOVAL	SQ FT	1,503	1,503	
78300200	RAISED REFLECTIVE PAVEMENT MARKER REMOVAL	EACH	124	124	
* A2006514	TREE, QUERCUS BICOLOR (SWAMP WHITE OAK), 1-3/4" CALIPER, BALLED AND BURLAPPED	EACH	31	31	
X0323988	TEMPORARY SOIL RETENTION SYSTEM	SQ FT	432.5		432.5
X0712400	TEMPORARY PAVEMENT	SQ YD	1,897	1,897	
X0919000	TEMPORARY PAVEMENT REMOVAL	SQ YD	1,897	1,897	
X6064201	COMBINATION CONCRETE CURB AND GUTTER, TYPE M-4.06	FOOT	3,742	3,742	
Z0005400	BREAKER-RUN CRUSHED STONE	TON	434		434
Z0013798	CONSTRUCTION LAYOUT	L SUM	1		1
Z0024476	FLEXIBLE DELINEATOR MAINTENANCE	EACH	5		5
Z0028415	GEOTECHNICAL REINFORCEMENT	SQ YD	171	171	

\* SPECIALTY ITEM

△ REVISED 2/18/09

FILE NAME = ct\projects\p211406\dl1406ovr.dgn	USER NAME = polzinej	DESIGNED -	REVISED -	<b>STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION</b>	<b>SUMMARY OF QUANTITIES</b>	F.A.P. RTE. 303	SECTION (40R)T	COUNTY WINNEBAGO	TOTAL SHEETS 67	SHEET NO. 6
PLOT SCALE = 50.0000' / IN.		CHECKED -	REVISED -	SCALE:      SHEET NO.      OF      SHEETS      STA.      TO STA.		FED. ROAD DIST. NO.      ILLINOIS FED. AID PROJECT		CONTRACT NO. 64C65		
PLOT DATE = Wed Aug 20 13:19:38 2008		DATE -	REVISED -							

# SCHEDULE OF QUANTITIES

70400100 TEMPORARY CONCRETE BARRIER

FOOT	LOCATION
	US BUS 20
340	Sta 72+ 00 - 75+ 40 Stage 2
340	TOTAL

70400200 RELOCATE TEMPORARY CONCRETE BARRIER

FOOT	LOCATION
	US BUS 20
230	Sta 73+ 15 - 75+ 45 Stage 3
230	TOTAL

78000100 THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS

SQ FT	LOCATION
	US BUS 20
15.6	Sta 36 + 83 White - LT Turn Arrow
15.6	Sta 37 + 84 White - LT Turn Arrow
15.6	Sta 38 + 85 White - LT Turn Arrow
46.8	TOTAL

78000200 THERMOPLASTIC PAVEMENT MARKING - LINE 4"

FOOT	LOCATION
	US BUS 20
1,150	Sta 37 + 20 - 83+ 00 White Skip Dash - RT
1,150	Sta 37 + 20 - 83+ 00 White Skip Dash - LT
4,580	Sta 37 + 20 - 83+ 00 White EOP - RT
4,580	Sta 37 + 20 - 83+ 00 White EOP - LT
11,460	White Total
4,395	Sta 38 + 87 - 82+ 80 Yellow EOP - LT
4,395	Sta 38 + 87 - 82+ 80 Yellow EOP - RT
8,790	Yellow Total
20,250	TOTAL

78000500 THERMOPLASTIC PAVEMENT MARKING - LINE 8"

FOOT	LOCATION
	US BUS 20
250	Sta 38 + 85 - 41+ 35 White - LT Turn Lane
250	TOTAL

78000650 THERMOPLASTIC PAVEMENT MARKING - LINE 24"

FOOT	LOCATION
24	WELDON ROAD - LT White - Stop Bar
24	WELDON ROAD - RT White - Stop Bar
48	TOTAL

78100100 RAISED REFLECTIVE PAVEMENT MARKER

EACH	LOCATION
	US BUS 20
58	Sta 37 + 65 - 83+ 00 One-way Crystal - 80' o.c. - LT
58	Sta 37 + 65 - 83+ 00 One-way Crystal - 80' o.c. - RT
8	Sta 38 + 85 - 41+ 35 One-way Crystal - 40' o.c. - LT Turn Lane
124	TOTAL

78300100 PAVEMENT MARKING REMOVAL

SQ FT	LOCATION
	US BUS 20
58.3	Sta 61 + 00 - 68+ 00 Stage 2 - White EB Centerline Dash
151.7	Sta 67 + 60 - 85+ 80 Stage 2 - White WB Centerline Dash
283.3	Sta 61 + 00 - 69+ 50 Stage 2 - Yellow EB EOP
283.3	Sta 69 + 50 - 78+ 00 Stage 2 - Yellow WB EOP
73.3	Sta 78 + 00 - 80+ 20 Stage 2 - Yellow EB EOP
50.0	Sta 55 + 00 - 61+ 00 Stage 3 - White EB Centerline Dash
103.3	Sta 68 + 00 - 80+ 40 Stage 3 - White EB Centerline Dash
56.7	Sta 67 + 80 - 69+ 50 Stage 3 - Yellow WB EOP
283.3	Sta 69 + 50 - 78+ 00 Stage 3 - Yellow EB EOP
160.0	Sta 78 + 00 - 82+ 80 Stage 3 - Yellow WB EOP
1,503.2	TOTAL

78300200 RAISED REFLECTIVE PAVEMENT MARKER REMOVAL

EACH	LOCATION
	US BUS 20
58	Sta 37 + 65 - 83 + 00 80' o.c. - LT
58	Sta 37 + 65 - 83 + 00 80' o.c. - RT
8	Sta 38 + 85 - 41+ 35 40' o.c. - LT Turn Lane
124	TOTAL

A2006514 TREE, QUERCUS BICOLOR (SWAMP WHITE OAK), 1-3/4" CALIPER, BALLED AND BURLAPPED

EACH	LOCATION
	US BUS 20
31	As Directed by the Landscape Architect
31	TOTAL

X0323988 TEMPORARY SOIL RETENTION SYSTEM

SQ FT	LOCATION
	US BUS 20
432.5	Sta 73 + 70 Stage 2
432.5	Sta 73 + 70 Stage 3
432.5	TOTAL

X0712400 TEMPORARY PAVEMENT

SQ YD	LOCATION
	US BUS 20
702	Sta 67 + 40 - 72 + 08 Median Removal
1,195	Sta 72 + 68 - 80 + 60 Median Removal
1,897	TOTAL

X0919000 TEMPORARY PAVEMENT REMOVAL

SQ YD	LOCATION
	US BUS 20
702	Sta 67 + 40 - 72 + 08 Median Removal
1,195	Sta 72 + 68 - 80 + 60 Median Removal
1,897	TOTAL

X6064201 COMBINATION CONCRETE CURB AND GUTTER, TYPE M-4.06

FOOT	LOCATION
	US BUS 20
144	Sta 62 + 56 - 64 + 00 LT
144	Sta 62 + 56 - 64 + 00 RT
729	Sta 64 + 73 - 72 + 02 LT
729	Sta 64 + 73 - 72 + 02 RT
998	Sta 72 + 75 - 82 + 73 LT
998	Sta 72 + 75 - 82 + 73 RT
3,742	TOTAL

REVISD 2/18/09

