

PAVEMENT

LOCATION	SUB-BASE GRANULAR MATERIAL TYPE A 4"	BRIDGE APPROACH PAVEMENT CONNECTOR (FLEXIBLE)	BRIDGE APPROACH PAVEMENT	POLYMERIZED BITUMINOUS MATERIALS (PRIME COAT 0.00038 TON/SQ. YD)	POLYMERIZED HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N50	POLYMERIZED HOT-MIX ASPHALT SURFACE COURSE MIX "D", N50
STATION TO STATION	SQ. YD.			TON		
S.N. 090-0038				1.5	710	142
CATHERINE ST.				0.5	390	65
N. EAST LN.				0.6	353	63
S. EAST LN.	315			0.1	106	
S.N. 090-0040	313	79	393	1.2		121
<b>TOTAL</b>	<b>628</b>	<b>79</b>	<b>393</b>	<b>3.9</b>	<b>1559</b>	<b>391</b>

MANHOLES, TYPE A, 5'-DIAMETER, TYPE 37 GRATE

LOCATION	EACH
N EAST LANE 12+03.06 16.80' LT	1
<b>TOTAL</b>	<b>1</b>

CONCRETE THRUST BLOCKS

LOCATION	EACH
US 150 S.N. 090-0040 NW CORNER	1
SW CORNER	1
<b>TOTAL</b>	<b>2</b>

TYPE C INLET BOX, STANDARD 609001

LOCATION	EACH
US 150 S.N. 090-0040 NW CORNER	1
SW CORNER	1
<b>TOTAL</b>	<b>2</b>

MANHOLES, TYPE A, 5'-DIAMETER, TYPE 1 FRAME, OPEN LID

LOCATION	EACH
US 150 S.N. 090-0038 49+06.46 52.32' RT	1
<b>TOTAL</b>	<b>1</b>

SEEPAGE COLLAR

LOCATION	EACH
US 150 S.N. 090-0040 NW CORNER	1
SW CORNER	1
<b>TOTAL</b>	<b>2</b>

LOCATION	SQ. YD.
US 150 S.N. 090-0038 47+35.00 52+05.00 RT	517.6
47+35.00 50+46.83 LT	351.8
50+46.83 50+92.14 LT	20.1
51+44.18 51+65.78 LT	13.2
51+65.75 52+05.00 LT	34.9
US 150 S.N. 090-0040 87+61.06 89+19.10 RT	140.5
89+19.10 89+20.51 RT	0.6
87+61.06 88+25.41 LT	57.2
88+25.41 88+33.41 LT	3.6
88+49.27 89+04.77 LT	71.3
90+46.30 90+47.71 RT	0.6
90+47.71 92+24.00 RT	156.7
90+46.75 90+48.16 LT	0.6
90+48.16 92+24.00 LT	152.9
S.N. 090-0038 ENTRANCES 45+44.84 46+31.82 RT	70.0
46+68.77 47+11.54 RT	66.2
53+27.21 54+16.92 RT	54.7
CATHERINE STREET ENTRANCE 50+87.50 51+13.78 LT	16.2
50+99.03 51+52.50 RT	48.1
51+31.90 51+61.84 LT	21.7
51+55.24 51+80.00 RT	18.7
N EAST LANE ENTRANCE 11+15.38 11+41.11 RT	18.3
S.N. 090-0040 ENTRANCE 92+49.83 92+97.82 RT	51.5
<b>TOTAL</b>	<b>1887</b>

LOCATION	TON
US 150 S.N. 090-0038 47+59.41 48+36.93 LT	8.8
59+20.76 50+34.42 LT	13.0
48+11.74 49+20.13 RT	12.4
50+05.41 50+99.38 RT	10.6
US 150 S.N. 090-0040 88+62.77 89+44.67 LT	8.7
90+07.14 90+44.50 LT	4.2
88+22.38 89+15.83 RT	10.6
90+50.22 91+13.58 RT	6.6
WEDGES S.N. 090-0038	10.9
S.N. 090-0040	5.8
<b>TOTAL</b>	<b>92</b>

INCIDENTAL HOT-MIX ASPHALT SURFACING

LOCATION	TON
US 150 S.N. 090-0038	
S.N. 090-0038	120
P.E. 47+53.50 RT	11.2
CATHERINE ST C.E. 51+25.00 RT	22.4
P.E. 51+47.21 LT	9.1
P.E. 51+68.71 RT	10.5
US 150 S.N. 090-0040 S.N. 090-0040	120
P.E. 88+29.64 LT	11.2
C.E. 91+28.21 LT	136.9
C.E. 92+72.48 RT	40.7
<b>TOTAL</b>	<b>482</b>

AGGREGATE BASE COURSE, TYPE A

LOCATION	TON
US 150 S.N. 090-0038	536
<b>TOTAL</b>	<b>536</b>