



NOTE: REMOVAL OF MONOLITHIC CURB AND CURB AND GUTTER TO BE PAID FOR AS PAVEMENT REMOVAL.




TYPICAL EXISTING CROSS SECTION

JANE'S AVENUE
STA. 27+65 TO STA. 40+22.15
(CONCRETE SEGMENT)




TYPICAL EXISTING CROSS SECTION

JANE'S AVENUE
STA. 14+60 TO STA. 27+65
(ASPHALT SEGMENT)




TYPICAL EXISTING CROSS SECTION

JANE'S AVENUE
STA. 13+13.84 TO STA. 14+60
(ASPHALT SEGMENT)




TYPICAL PROPOSED CROSS SECTION

JANE'S AVENUE
STA. 33+30 TO STA. 40+22.15




TYPICAL PROPOSED CROSS SECTION

JANE'S AVENUE
STA. 27+65 TO STA. 33+30



TYPICAL PROPOSED CROSS SECTION

JANE'S AVENUE
STA. 19+00 TO STA. 27+65



TYPICAL PROPOSED CROSS SECTION

JANE'S AVENUE
STA. 13+13.84 TO STA. 19+00
(ASPHALT SEGMENT)

LEGEND

- EXIST. P.C.C. SIDEWALK
- EXIST. GRASS PARKWAY
- EXIST. COMB. C&G TYP. B-6.12
- EXIST. ASPHALT PAVEMENT, 7"
- EXIST. CONCRETE PAVEMENT, 6"
- EXIST. GRASS MEDIAN
- EXIST. MONOLITHICAL MOUNTABLE C&G (M-3.12/M-6.12)
- PROP. SUB-BASE GRANULAR MATERIAL, TYPE B, 4"
- PROP. COMB. C&G TYP. B-6.12
- PROP. HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N50, 6"
- PROP. HOT-MIX ASPHALT SURFACE COURSE, MIX "C", N50, 2"
- TOPSOIL FURNISH & PLACE, 12" & SOD
- PROP. COMB. C&G TYP. B-9.12
- HOT-MIX ASPHALT SURFACE REMOVAL, 2"
- PAVEMENT REMOVAL
- CURB & GUTTER REMOVAL

HOT-MIX ASPHALT MIXTURE REQUIREMENTS

ITEM	AC TYPE	VOIDS
FULL DEPTH PAVEMENT - HOT-MIX ASPHALT SURFACE COURSE, MIX "C", N50, 2" (IL-9.5MM)	PG 64-22	4% @ 50 Gyr.
FULL DEPTH PAVEMENT - HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N50, 6"	PG 64-22 PG 58-22	4% @ 50 Gyr.
RESURFACING - HOT-MIX ASPHALT SURFACE COURSE, MIX "C", N50, 2" (IL-9.5MM)	PG 64-22	4% @ 50 Gyr.
RESURFACING - POLYMERIZED LEVELING BINDER COURSE (MM), IL-19.0, N50, 3/4" (IL 9.5 MM)	PG 64-22 PG 58-22	4% @ 50 Gyr.
CLASS D PATCHES (HMA BINDER IL-19MM), 6"	PG 64-22	4% @ 50 Gyr.

- WHEN RAP EXCEEDS 20% THE NEW ASPHALT BINDER IN THE MIX SHALL BE PG 58-22
- THE UNIT WEIGHT USED TO CALCULATE ALL HOT-MIX ASPHALT SURFACE MIXTURE QUANTITIES IS 112 LBS / SQ. YD. / IN.

REVISIONS	
NAME	DATE

URS 100 S. WACKER DR., SUITE 500 TEL (312) 939-1000
CHICAGO IL, 60606 FAX (312) 939-4198

VILLAGE OF WOODRIDGE
JANE'S AVENUE
71ST STREET TO LORRAINE AVENUE
REHABILITATION AND RESURFACING
TYPICAL SECTIONS

SCALE: NONE
DATE: 11/30/2007

DRAWN BY: VAP
CHECKED BY: DDL