



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

February 25, 2025

SUBJECT: FAU 9167 (Sullivan Drive)
Section 22-00268-07-RS
St. Clair County
Contract No. 97842
Item 136
March 7, 2025 Letting
Addendum (A)

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

1. Revised page 7 of the Special Provisions

Prime contractors must utilize the enclosed material when preparing their bid and must include any changes to the Schedule of Prices in their bid.

Very truly yours,

A handwritten signature in black ink, appearing to read 'Jack A. Elston'.

Jack A. Elston, P.E.
Bureau Chief, Design and Environment

work as described, per the applicable portions of Articles 606 of the Standard Specifications and/or as directed by the Engineer.

16. BITUMINOUS SURFACE TREATMENT, A2:

This item shall be constructed at the locations shown on the plans or as directed by the engineer.

Construction of Bituminous Surface Treatment, A2 on this project shall not require application of Fog Seal as described in the BDE Special Provision 80426, #5. All references to the Fog Seal in said BDE Special Provision shall be disregarded.

Measurement for this item will be in square yards for the completed area of A2 surface treatment placed.

This work shall be paid for at the contract unit price for **BITUMINOUS SURFACE TREATMENT, A2**, per SQ YD, which price shall include all equipment, material and labor required to perform the work as described, per the applicable portions of Check Sheet#LRS9 of the Supplemental Specifications and Recurring Special Provisions and/or as directed by the Engineer.