


APPROACH SLAB ELEVATION

NOTE:

CONTROLLED LOW-STRENGTH MATERIAL SHALL BE USED TO FILL THE ENTIRE WIDTH OF THE APPROACHES. 70 FT FOR THE COMBINED NB & SB APPROACHES.

* AVERAGE DEPTH OF FILL AREA = 4'-6"



SECTION A-A

LEGEND:

- CONTROLLED LOW STRENGTH MATERIAL
- CLASS B PATCH (FULL DEPTH)

FILE NAME =	USER NAME = midyja	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	U.S. 41 OVER DEERPATH ROAD APPROACH SLAB CROSS SECTION S.N. 049-0033			F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
et:\pw\work\p\midot\midyja\0318685\0141412-sht-plan.dgn	PLOT SCALE = 99.9998' / in.	DRAWN -	REVISED -		346	1305-1(12)	LAKE	15	9			
MODELNAME	PLOT DATE = 12/26/2012	CHECKED -	REVISED -		CONTRACT NO. 60T65							
		DATE -	REVISED -		SCALE:	SHEET	OF	SHEETS	STA.	TO	STA.	ILLINOIS FED. AID PROJECT