



SEQUENCE OF CONSTRUCTION:

1. CLOSE EXISTING VALVE.
2. REMOVE EXISTING HYDRANT.
3. INSTALL HYDRANT EXTENSION AND NEW VALVE.
4. RELOCATE NEW HYDRANT.
5. OPEN EXISTING VALVE, REMOVE BOX.
6. BACKFILL.
7. FLUSH AND TEST FOR CHLORIDE RESIDUAL AND PROVIDE TEST.

NOTES:

NEW HYDRANTS SHALL BE APPROVED BY THE HARVEY PUBLIC WORKS DIRECTOR AND/ OR HARVEY FIRE CHIEF

THE COST FOR THIS WORK, MATERIALS, LABOR TOOLS, EQUIPMENT AND INCIDENTALS NECESSARY WILL BE PAID FOR AT THE CONTRACT UNIT PRICE PER EACH FOR FIRE HYDRANT TO BE REMOVED AND REPLACED

ALL WORK TO BE DONE IN ACCORDANCE WITH ARTICLE 564 OF THE STANDARD SPECIFICATIONS. NEW VALVE, BOX AND HYDRANT SHALL BE SAME MAKE AND MODEL AS EXISTING.

FIRE HYDRANT TO BE REMOVED AND REPLACED

Added Sheet 2-20-13

ALL DIMENSIONS ARE IN INCHES (MILLIMETERS) UNLESS OTHERWISE SHOWN.

FILE NAME *	USER NAME * guillaumefp	DESIGNED -	REVISED - R. SHAH 09-09-94	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	FIRE HYDRANT (HARVEY) TO BE REMOVED AND REPLACED			F.A.R. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
c:\pe_work\pwidot\guillaumefp\d8387142\01515.dgn		DRAWN -	REVISED - R. SHAH 10-25-94		357	104TS-1(12)	COOK	38	38A			
PLOT SCALE * 1/8" = 1' in.		CHECKED -	REVISED -		SCALE: NONE			SHEET NO. 1 OF 1 SHEETS	STA.	TO STA.	CONTRACT NO. 60T92	
PLOT DATE * 1/30/2013		DATE -	REVISED -		FED. ROAD DIST. NO. 1 ILLINOIS FED. AID PROJECT							