

CULVERT SCHEDULE							
PIPE NO.	FROM	TO	LENGTH (FT)	DIA. (IN)	PIPE TYPE	SLOPE (%)	TBF (CY)
P101	S101	S102	65	24	PC CLASS A TYPE 1	0.42	7.5
P102	S103	S104	20	18	PC CLASS A TYPE 1	0.80	2.1
P103	S106	S105	61	24	PC CLASS A TYPE 1	0.64	7.1
P104	S107	S108	67	18	PC CLASS A TYPE 1	0.28	7.0
P201	S201	S202	48	24	PC CLASS A TYPE 1	0.50	5.6
P202	S204	S203	20	18	PC CLASS A TYPE 1	0.60	2.1
P203	S206	S205	20	15	PC CLASS A TYPE 1	0.70	2.4
P414	S501	S414	18	15	PC CLASS A TYPE 1	1.11	2.2
P501	S503	S502	44	15	PC CLASS A TYPE 1	1.61	5.3
P502	S505	S504	28	15	WATER MAIN QUALITY	2.18	3.4
P601	S601	S606	55	18	PC CLASS A TYPE 1	0.80	5.8
P901	S901	S902	70	23x14	PCE CLASS A TYPE 1	1.01	7.4
P903	S905	S906	20	18x11	PCE CLASS A TYPE 1	0.00	2.4
P904	S907	S908	60	18	PC CLASS A TYPE 1	0.35	6.3
P1003	S1003	S1004	25	36	WATER MAIN QUALITY	0.32	4.2
P1004	S1005	S1006	25	36	WATER MAIN QUALITY	0.12	4.2
P1005	S1008	S1007	22	36	WATER MAIN QUALITY	0.82	3.7
P1006	S1010	S1009	18	30	WATER MAIN QUALITY	0.83	2.0
P1008	S1012	S1013	60	144x36	RCBC 12' X 3'	0.33	0
P1110	S1207	S1108	58	18	WATER MAIN QUALITY	0.00	5.0
P1401	S1402	S1403	2	6	PC CLASS A TYPE 1	0.80	0
P1402	S1403	S1404	40	15	PC CLASS A TYPE 1	0.80	4.5
P1403	S1405	S1406	3	10	PC CLASS A TYPE 1	1.31	0
P1404	S1406	S1407	18	15	PC CLASS A TYPE 1	1.31	2.2
P1405	S1408	S1409	3	10	PC CLASS A TYPE 1	2.46	0
P1406	S1409	S1410	18	15	PC CLASS A TYPE 1	2.46	2.3
P1501	S1502	S1501	30	15	PC CLASS A TYPE 1	0.43	3.1
P1502	S1503	S1504	60	23x14	PCE CLASS A TYPE 1	0.27	6.3

SUBSURFACE PAVEMENT DRAIN							
SPD NO.	STATION	FROM	TO	LENGTH (FT)	LENGTH SP (FT)	DIA. (IN)	
201	209+50.00	34.00 RT	209+50.00	43.84 RT	10	4	
202	211+50.00	44.98 RT	209+50.00	34.00 RT	200	4	
203	209+00.00	32.89 LT	209+00.00	44.60 LT	12	4	
204	211+50.00	36.58 LT	209+00.00	32.89 LT	250	4	
301	211+50.00	44.98 RT	212+50.00	44.98 RT	100	4	
302	211+50.00	44.98 RT	213+50.00	44.98 RT	200	4	
401	220+00.00	38.00 LT	216+00.00	48.58 LT	400	4	
701	146+00.00	19.06 RT	146+00.00	28.43 RT	9	4	
702	148+00.00	30.58 RT	146+00.00	19.06 RT	200	4	
801	148+00.00	30.58 RT	152+50.00	30.58 RT	450	4	
802	152+13.46	27.93 LT	152+78.71	46.84 LT	75	4	
901	155+00.00	23.00 RT	158+00.00	23.00 RT	300	4	
902	158+00.00	23.00 RT	158+00.00	32.31 RT	9	4	
1101	170+50.00	28.00 RT	168+25.00	23.00 RT	425	4	
1102	171+00.00	30.18 LT	168+50.00	25.18 LT	250	4	
1103	168+50.00	25.18 LT	168+50.00	33.66 LT	9	4	
1201	172+50.00	33.18 LT	172+50.00	41.79 LT	9	4	
1202	176+00.00	36.58 LT	172+50.00	33.18 LT	350	4	
1203	176+75.00	36.58 LT	176+75.00	47.96 LT	11	4	
1204	178+15.00	36.58 LT	176+75.00	36.58 LT	140	4	
1301	179+24.21	102.71 LT	178+17.00	36.58 LT	147	4	
1302	186+00.00	35.55 LT	181+00.00	36.58 LT	500	4	
1401	188+00.00	34.86 RT	190+25.00	26.36 RT	425	4	
1501	190+25.00	26.36 RT	190+25.00	35.17 RT	9	4	
1502	193+00.00	20.86 RT	190+25.00	26.36 RT	275	4	

WADSWORTH DRAINAGE STRUCTURE REMOVAL			
STRUCTURE	STATION	OFFSET	EACH
12" HW	144+86.25	22.75 LT	1
12" HW	144+91.25	23.53 LT	1
12" HW	145+31.29	23.77 LT	1
12" HW	145+54.65	23.60 LT	1
12" HW	145+44.50	25.03 RT	1
12" HW	145+67.23	24.78 RT	1
12" HW	149+39.41	28.92 RT	1
12" HW	149+72.85	29.04 RT	1
12" HW	151+99.12	28.87 RT	1
12" HW	152+34.60	29.50 RT	1
18" FES	152+86.95	45.75 LT	1
18" FES	155+15.38	46.12 LT	1
15" FES	155+82.02	21.95 RT	1
15" FES	155+31.13	25.35 RT	1
15" FES	156+11.21	23.05 RT	1
15" HW	157+25.24	22.12 RT	1
15" HW	157+49.84	22.56 RT	1
15" FES	158+66.05	24.48 RT	1
15" HW	159+15.06	24.17 RT	1
15" HW	160+38.67	22.59 LT	1
15" HW	160+78.24	22.79 LT	1
36" HW	163+17.59	23.65 LT	1
36" HW	162+87.32	23.47 LT	1
36" HW	163+27.04	24.64 RT	1
36" HW	163+27.60	21.84 LT	1
15" HW	163+61.64	21.83 LT	1
15" FES	164+02.29	23.25 LT	1
15" HW	164+66.75	23.60 LT	1
15" HW	164+91.38	23.65 LT	1
24" HW	164+14.66	23.29 RT	1
24" HW	164+38.88	22.59 RT	1
24" HW	165+94.16	24.06 RT	1
24" HW	168+18.32	23.29 RT	1
24" HW	167+32.37	23.28 RT	1
24" HW	167+57.15	23.19 RT	1
24" HW	168+45.41	23.95 RT	1
24" HW	168+63.58	24.21 RT	1
24" HW	170+95.57	23.24 RT	1
24" HW	171+19.38	23.21 RT	1
18" FES	171+49.43	23.38 LT	1
18" FES	172+25.97	23.26 LT	1
12" HW	172+29.67	21.51 LT	1
4" HW	173+34.74	25.37 RT	1
15" FES	176+34.88	34.91 LT	1
15" FES	176+61.58	35.95 LT	1
15" FES	177+52.37	37.80 LT	1
15" FES	177+84.41	37.72 LT	1
18X30 FES	178+47.59	32.88 RT	1
MH	178+85.15	31.76 RT	1
INL	178+85.66	27.91 RT	1
MH	179+23.13	24.58 RT	1
MH	180+09.55	26.53 RT	1
MH	180+11.46	32.50 LT	1
INL	180+13.55	41.27 RT	1
CB	180+38.07	34.58 LT	1
INL	180+37.75	28.41 LT	1
15" HW	181+02.76	37.95 LT	1
15" HW	181+38.37	36.51 LT	1
15" HW	181+67.74	34.30 LT	1
15" HW	182+64.07	34.26 LT	1
MH	181+66.01	20.79 RT	1
CB	181+66.03	33.89 RT	1
CB	183+61.78	34.42 RT	1
MH	183+62.46	28.58 RT	1
CB	183+63.59	33.21 LT	1
15" HW	188+14.84	25.44 LT	1
15" HW	188+39.78	27.30 LT	1
15" HW	188+61.28	30.75 LT	1
15" HW	188+84.76	30.73 LT	1
15" HW	189+89.64	37.15 LT	1
15" HW	190+14.96	36.77 LT	1
15" FES	191+79.85	32.74 LT	1
15" FES	192+04.23	33.69 LT	1
15" FES	195+01.58	27.42 LT	1
15" FES	195+36.44	28.75 LT	1

WADSWORTH PIPE CULVERT REMOVAL			
STATION	DIA (IN)	OFFSET	LENGTH
144+91	12	LT	25
145+55	12	LT	23
145+67	12	RT	23
149+39	12	RT	33
151+99	12	RT	35
152+87	18	LT	228
155+31	15	RT	80
157+25	15	RT	25
158+66	15	RT	49
160+39	15	LT	40
162+87	36	LT	30
163+28	36	CENTER	46
164+02	15	LT	41
164+39	24	RT	24
164+91	15	LT	25
166+18	24	RT	24
167+57	24	RT	25
168+64	24	RT	18
171+19	24	RT	24
172+26	18	LT	77
176+62	15	LT	27
177+85	15	LT	32
181+37	15	LT	34
182+64	15	LT	96
188+15	15	LT	25
188+61	15	LT	23
190+15	15	LT	25
192+04	15	LT	24
195+00	15	LT	37

WADSWORTH STORM SEWER REMOVAL					
STATION	DIA (IN)	OFFSET	LENGTH	TBF (CY)	
178+85	30X18	RT	238	25.9	
178+86	12	RT	4	0.8	
179+23	30X18	RT	39	8.2	
180+10	18	RT	58	10.4	
180+38	12	LT	27	5.2	
180+38	12	LT	8	1.6	
181+85	15	RT	157	28.1	
181+67	12	RT	13	2.4	
183+63	12	RT	197	34.1	
183+62	12	RT	10	1.7	
183+64	12	CENTER	60	12.9	

GREEN BAY DRAINAGE STRUCTURE REMOVAL			
STRUCTURE	STATION	OFFSET	EACH
12" HW	201+39.49	23.48 LT	1
12" HW	202+00.00	23.26 LT	1
24" HW	201+42.99	24.57 RT	1
24" HW	202+00.54	24.07 RT	1
12" HW	202+71.09	23.37 LT	1
12" HW	202+94.57	23.29 LT	1
15" FES	203+47.78	23.81 LT	1
15" HW	203+47.50	26.36 RT	1
15" HW	204+28.24	26.17 LT	1
15" HW	204+60.55	26.87 LT	1
15" HW	205+82.64	23.14 RT	1
15" HW	206+16.75	22.90 RT	1
12" HW	208+27.07	23.06 RT	1
4" HW	208+28.90	23.65 LT	1
15" HW	209+71.82	28.10 RT	1
15" FES	210+01.81	30.82 RT	1
CB	211+70.43	34.95 RT	1
CB	211+73.77	37.75 RT	1
INL	212+36.10	27.33 RT	1
CB	213+25.44	32.95 RT	1
INL	213+63.99	31.48 RT	1
INL	212+78.44	27.49 LT	1
CB	212+85.12	40.35 LT	1
CB	213+16.62	38.19 LT	1
MH	213+25.84	25.65 LT	1
CB	213+97.09	39.05 LT	1
MH	214+21.24	27.72 LT	1
INL	215+72.65	27.84 RT	1
MH	215+80.61	48.25 RT	1
15" HW	217+98.19	34.37 LT	1
MH	218+36.97	35.44 RT	1
15" FES	218+81.11	35.82 RT	1
24" FES	218+84.35	47.87 RT	1
18" HW	219+37.57	32.53 RT	1
6" HW	219+43.38	47.59 RT	1
6" HW	219+56.13	47.70 RT	1
18" FES	220+10.12	31.99 RT	1
15" FES	219+24.36	33.80 LT	1
15" FES	219+36.55	34.13 LT	1
15" FES	219+75.48	33.79 LT	1
15" HW	221+80.36	23.30 LT	1
15" HW	222+03.99	23.00 LT	1
15" HW	225+82.51	31.43 LT	1
15" FES	226+33.64	32.11 LT	1
15" HW	225+99.98	26.04 RT	1
15" HW	226+30.40	27.68 RT	1
12" HW	227+75.99	24.91 RT	1
12" HW	228+53.00	24.90 RT	1

GREEN BAY PIPE CULVERT REMOVAL			
STATION	DIA (IN)	OFFSET	LENGTH
201+39	12	LT	61
201+43	24	RT	58
202+71	12	LT	24
203+48	15	CENTER	50
204+28	15	LT	32
206+17	15	RT	24
209+72	15	RT	30
219+75	15	LT	39
220+10	18	RT	73
222+04	15	LT	24