



- LEGEND**
- ① TRAFFIC BARRIER TERMINAL TYPE 1 SPECIAL (TANGENT)
 - ② TRAFFIC BARRIER TERMINAL TYPE 2
 - ⑥ TRAFFIC BARRIER TERMINAL TYPE 6
 - ⑥A TRAFFIC BARRIER TERMINAL 6A
 - Ⓐ STEEL PLATE BEAM GUARDRAIL TYPE A
 - Ⓡ STEEL PLATE BEAM GUARDRAIL (SHORT RADIUS)
 - HOT-MIX ASPHALT SURFACE REMOVAL-VARIABLE DEPTH
 - COMBINATION CURB AND GUTTER REMOVAL SIDEWALK REMOVAL

R	NO. OF WOOD POST	X	Y
(8'-6")	5	(25')	(15')
(17'-0")	6	(30')	(15')
(25'-6")	8	(40')	(20')
(35'-0")	11	(50')	(20')

PLAN NOTE:
 EXISTING SIDEWALKS SHALL BE REMOVED AT THE LOCATIONS SHOWN IN THE PLANS AND NEW SIDEWALK CONSTRUCTED TO MATCH THE TOP SURFACE OF THE BRIDGE SIDEWALK. THIS WORK SHALL INCLUDE FURNISHING AND PLACING EMBANKMENT REQUIRED TO PREPARE THE SUBGRADE AND EMBANKMENT REQUIRED TO BACKFILL THE NEWLY CONSTRUCTED SIDEWALK. DISTURBED AREAS SHALL BE FERTILIZED AND SEEDING WITH CLASS 1 SEEDING AS SPECIFIED IN SECTION 250 OF THE STANDARD SPECIFICATIONS. EMBANKMENT, FERTILIZER NUTRIENTS, AND SEEDING WILL NOT BE PAID FOR SEPARATELY BUT SHALL BE INCLUDED IN THE COST FOR PORTLAND CEMENT CONCRETE SIDEWALK, 4 INCH.



- NOTES:**
- CONSTRUCT ACCORDING TO 631011 FOR TRAFFIC BARRIER TERMINAL TYPE 2, EXCEPT DELETE END SECTION AND SPLICE INTO RADIUS GUARDRAIL
 - TRANSITION GUTTER FLAG FROM 2' WIDE AT STA 66+68 TO 1'-6" WIDE AT STA 67+44.44
TRANSITION CURB HEIGHT FROM 6" AT STA 67+35 TO 9" AT STA 67+44.44
 - TRANSITION GUTTER WIDTH FROM 1'-6" AT STA 68+33.83 TO 2'-0" AT STA 69+33
TRANSITION CURB HEIGHT FROM 9" AT STA 68+33.83 TO 6" AT STA 68+43
 - HOT-MIX ASPHALT REMOVAL SHALL INCLUDE CONSTRUCTION OF BUTT JOINTS



**CURB & GUTTER, SIDEWALK,
 GUARD RAIL & RESURFACING DETAILS**
 FAP ROUTE 693 (IL 9)
 SECTION 129 B-2
 MCLEAN COUNTY

CUMMINS ENGINEERING CORPORATION	JOB #: 2114.5
	FILE: 2114elec
	DATE: 12/14/06