


F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
06-00051-00-MS	COOK/DUPAGE	14	6	
STA. TO STA.				
FED. ROAD DIST. NO. 7 ILLINOIS FED. AID PROJECT M-8003(658)				



SCHEDULE OF QUANTITIES

SIDEWALK REMOVAL	413 SQ FT
P.C.C. SIDEWALK, 5 INCH, SPECIAL	522 SQ FT
PROTECTIVE COAT	69 SQ YD
CONCRETE PAVERS	38.5 SOFT
BUS SHELTER	1 EACH
TRASH RECEPTACLES	1 EACH
FURNISH AND PLACE TOPSOIL, 4"	60 SQ YD
SODDING, SALT TOLERANT	60 SQ YD
FERTILIZER NUTRIENTS	1 POUND
INLET FILTERS	1 EACH



NOTE: THE DRIVEWAYS TO THE PROPERTY AT THE NORTHEAST CORNER OF HIGGINS ROAD AND KING STREET HAVE BEEN RECONSTRUCTED SINCE THIS AERIAL PHOTO WAS TAKEN. THE WESTERN DRIVEWAY HAS BEEN REMOVED AND THE EASTERN DRIVEWAY HAS BEEN SHOWN ON THESE PLANS BASED ON THE PROPOSED SITE PLANS.

ILLINOIS DEPARTMENT OF TRANSPORTATION

BUS SHELTER INSTALLATION PLAN

NORTHEAST CORNER OF
HIGGINS ROAD AND KING STREET

HORIZ.: 20 0 20

SCALE IN FEET


DATE: 12/1/06
DESIGNED BY: DJK
CHECKED BY: JRV

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	06-00051-00-MS	COOK/DUPAGE	14	7
STA.	TO STA.			
FED. ROAD DIST. NO. 7	ILLINOIS	FED. AID PROJECT M-80036580		



SCHEDULE OF QUANTITIES

SIDEWALK REMOVAL	425 SQ FT
P.C.C. SIDEWALK, 5 INCH, SPECIAL	484 SQ FT
PROTECTIVE COAT	65 SQ YD
CONCRETE PAVERS	38.5 SQ YD
BUS SHELTER	1 EACH
TRASH RECEPTACLES	1 EACH
FURNISH AND PLACE TOPSOIL, 4"	78 SQ YD
SODDING, SALT TOLERANT	78 SQ YD
FERTILIZER NUTRIENT	1 POUND



ILLINOIS DEPARTMENT OF TRANSPORTATION
BUS SHELTER INSTALLATION PLAN
 NORTHEAST CORNER OF
 HIGGINS ROAD AND MARTIN LANE

HORIZ. 20 0 20

 SCALE IN FEET


DATE: 12/1/06
 DESIGNED BY: DJK
 CHECKED BY: JRJ

F.A.U. R.T.E.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	06-00051-00-MS	COOK/DUPAGE	14	8
STA. TO STA.				
FED. ROAD DIST. NO. 7 ILLINOIS FED. AID PROJECT M-800316581				



SCHEDULE OF QUANTITIES

SIDEWALK REMOVAL	187 SQ FT
P.C.C. SIDEWALK, 6 INCH, SPECIAL	1078 SQ FT
PROTECTIVE COAT	131 SQ YD
CONCRETE PAVERS	254 SQ FT
BUS SHELTER	1 EACH
TRASH RECEPTACLES	1 EACH
FURNISH AND PLACE TOPSOIL, 4"	348 SQ YD
SODDING, SALT TOLERANT	348 SQ YD
FERTILIZER NUTRIENT	5 POUND
INLET FILTERS	1 EACH




NOTES:
 PROPOSED LANDSCAPE AREA SHALL CONSIST OF THE FOLLOWING:
 18 EACH - HEMEROCALLIS "STELLA D'ORO" - STELLA D'ORO DAYLILY - EVENLY SPACED
 8 SQ YD - SHREDDED BARK MULCH 3" (INCLUDED IN COST OF PLANTINGS)
 THE FOLLOWING QUANTITIES HAVE BEEN INCLUDED TO PROTECT THE EXISTING TREES DURING CONSTRUCTION. THESE ITEMS SHALL BE USED AT THE DIRECTION OF THE ENGINEER:
 60 FEET - TEMPORARY FENCE
 2 EACH - TREE TRUNK PROTECTION
 2 EACH - TREE ROOT PRUNING
 2 EACH - TREE PRUNING (1 TO 10 INCH DIAMETER)

ILLINOIS DEPARTMENT OF TRANSPORTATION
BUS SHELTER INSTALLATION PLAN
 SOUTHEAST CORNER OF
 HIGGINS ROAD AND LIVELY BOULEVARD

HORIZ.: 20 0 20
 SCALE IN FEET
 DATE: 12/1/06
 DESIGNED BY: DJK
 CHECKED BY: JRV

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	06-00051-00-MS	COOK/DUPAGE	14	9
STA. TO STA.				
FED. ROAD DIST. NO. 7 ILLINOIS FED. AID PROJECT M-800316581				




SCHEDULE OF QUANTITIES (NORTH SIDE)

SIDEWALK REMOVAL	516 SQ FT
P.C.C. SIDEWALK, 5 INCH, SPECIAL	671 SQ FT
PROTECTIVE COAT	86 SQ YD
CONCRETE PAVERS	38.5 SQ FT
BUS SHELTER	1 EACH
TRASH RECEPTACLES	1 EACH
FURNISH AND PLACE TOPSOIL, 4"	70 SQ YD
SODDING	70 SQ YD
FERTILIZER NUTRIENT	1 POUND
INLET FILTERS	1 EACH
MANHOLES TO BE ADJUSTED	1 EACH

SCHEDULE OF QUANTITIES (SOUTH SIDE)

SIDEWALK REMOVAL	460 SQ FT
P.C.C. SIDEWALK, 5 INCH, SPECIAL	524 SQ FT
PROTECTIVE COAT	69 SQ YD
CONCRETE PAVERS	38.5 SQ FT
BUS SHELTER	1 EACH
TRASH RECEPTACLES	1 EACH
FURNISH AND PLACE TOPSOIL, 4"	110 SQ YD
SODDING	110 SQ YD
FERTILIZER NUTRIENT	2 POUND
INLET FILTERS	1 EACH

ILLINOIS DEPARTMENT OF TRANSPORTATION
BUS SHELTER INSTALLATION PLAN
 NORTHWEST AND SOUTHWEST CORNERS OF
 DEVON AVENUE AND ARTHUR AVENUE



F.A.D. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	05-00051-00-MS	COOK/DUPAGE	14	10
STA.	TO STA.			
FED. ROAD DIST. NO. 7	ILLINOIS	FED. AID PROJECT H-6003(658)		




**SCHEDULE OF QUANTITIES
NORTH SIDE**

SIDEWALK REMOVAL	462 SQ FT
P.C.C. SIDEWALK, 5 INCH, SPECIAL	528 SQ FT
PROTECTIVE COAT	70 SQ YD
CONCRETE PAVERS	38.5 SQ FT
BUS SHELTER	1 EACH
TRASH RECEPTACLES	1 EACH
FURNISH AND PLACE TOPSOIL, 4"	90 SQ YD
SODDING	90 SQ YD
FERTILIZER NUTRIENT	1 POUND
INLET FILTERS	1 EACH

**SCHEDULE OF QUANTITIES
SOUTH SIDE**

P.C.C. SIDEWALK, 5 INCH, SPECIAL	343 SQ FT
PROTECTIVE COAT	49 SQ YD
CONCRETE PAVERS	38.5 SQ FT
BUS SHELTER	1 EACH
TRASH RECEPTACLES	1 EACH
FURNISH AND PLACE TOPSOIL, 4"	50 SQ YD
SODDING	50 SQ YD
FERTILIZER NUTRIENT	1 POUND
INLET FILTERS	1 EACH
MODULAR BLOCK RETAINING WALL	152 SQ FT



NOTE:
LIVELY BOULEVARD IS SCHEDULED TO BE RECONSTRUCTED IN 2007. THE EXISTING CURB AND GUTTER AND SIDEWALK SHOWN ON THIS PLAN WILL BE CONSTRUCTED AS PART OF THAT WORK. THE CONTRACTOR SHALL COORDINATE ALL WORK, INCLUDING TRAFFIC CONTROL, WITH THE CONTRACTOR FOR THE LIVELY BOULEVARD PROJECT.


NOTES:
THE FOLLOWING QUANTITIES HAVE BEEN INCLUDED TO PROTECT THE EXISTING TREES DURING CONSTRUCTION. THESE ITEMS SHALL BE USED AT THE DIRECTION OF THE ENGINEER:
60 FEET - TEMPORARY FENCE
2 EACH - TREE TRUNK PROTECTION
2 EACH - TREE ROOT PRUNING
2 EACH - TREE PRUNING (1 TO 10 INCH DIAMETER)

ILLINOIS DEPARTMENT OF TRANSPORTATION
BUS SHELTER INSTALLATION PLAN
 NORTHEAST AND SOUTHEAST CORNER OF
 DEVON AVENUE AND LIVELY BOULEVARD

HORIZ. 20 0 20
 DATE: 12/1/06
 DESIGNED BY: DJK
 CHECKED BY: JRJ

SCALE IN FEET

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	06-00051-00-MS	COOK/DUPAGE	14	11
STA. TO STA.				
FED. ROAD DIST. NO. 7 ILLINOIS FED. AID PROJECT M-8003(658)				



REGRADE AND SOD (AS DIRECTED BY THE ENGINEER)

NOTE:
RELOCATE EXISTING SPEED LIMIT SIGN TO THE EAST - AS DIRECTED BY THE ENGINEER

PROPOSED LANDSCAPE AREA SHALL CONSIST OF THE FOLLOWING:
10 EACH - HEMEROCALLIS 'STELLA D'ORO' - STELLA D'ORO DAYLILY - EVENLY SPACED
4 SQYD - SHREDED BARK MULCH 3" (INCLUDED IN COST OF PLANTINGS)


SEE TYPICAL SHELTER DETAIL A AND TYPICAL SHELTER CROSS SECTION 2

NOTE: DEVON AVENUE HAS BEEN WIDENED SINCE THIS AERIAL PHOTO WAS TAKEN. THE EXISTING CURB AND GUTTER AND SIDEWALK HAVE BEEN SHOWN BASED ON RECORD PLANS FOR THE IMPROVEMENT OF THE INTERSECTION OF BUSSE ROAD AND DEVON AVENUE.

SCHEDULE OF QUANTITIES


PROTECTIVE COAT	11 SQ YD
CONCRETE PAVERS	229 SQ FT
BUS SHELTER	1 EACH
TRASH RECEPTACLES	1 EACH
FURNISH AND PLACE TOPSOIL, 4"	44 SQ YD
SODDING	44 SQ YD
FERTILIZER NUTRIENT	1 POUND
INLET FILTERS	1 EACH
RELOCATE SIGN PANEL ASSEMBLY - TYPE A	1 EACH
TELESCOPING STEEL SIGN SUPPORT	15 FEET

ILLINOIS DEPARTMENT OF TRANSPORTATION
BUS SHELTER INSTALLATION PLAN
NORTHWEST CORNER OF
DEVON AVENUE AND BUSSE ROAD



DATE: 12/1/06
DESIGNED BY: DJK
CHECKED BY: JRY

F.A.I.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	06-00051-00-MS	COOK/DUPAGE	14	12
STA.	TO STA.			
FED. ROAD DIST. NO. 7 ILLINOIS FED. AID PROJECT M-800346581				



SCHEDULE OF QUANTITIES


P.C.C. SIDEWALK, 5 INCH, SPECIAL	463 SQ FT
PROTECTIVE COAT	63 SQ YD
CONCRETE PAVERS	36.5 SQ FT
BUS SHELTER	1 EACH
TRASH RECEPTACLES	1 EACH
FURNISH AND PLACE TOPSOIL, 4"	80 SQ YD
SODDING	80 SQ YD
FERTILIZER NUTRIENT	1 POUND
INLET FILTERS	1 EACH

ILLINOIS DEPARTMENT OF TRANSPORTATION
BUS SHELTER INSTALLATION PLAN
 NORTHEAST CORNER OF
 DEVON AVENUE AND NICHOLAS BOULEVARD

HORIZ.: 20 0 20
 SCALE IN FEET

DATE: 12/1/06
 DESIGNED BY: DJK
 CHECKED BY: JRV

F.A.U. NO.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	06-00051-00-MS	COOK/DUPAGE	14	13
STA.		TO STA.		
FED. ROAD DIST. NO. 7		ILLINOIS	FED. AID PROJECT N-0031544	



- 1 CATCH BASIN, TYPE C
TYPE B GRATE
PLACE INLET FILTER AFTER INSTALLATION
 - 2 3' - STORM SEWERS, CLASS A, TYPE 1, 12"
(CONNECT TO EXISTING INLET)
- RIM AND INVERT ELEVATIONS TO BE DETERMINED
IN THE FIELD BY THE ENGINEER

LIMITS OF SOD ARE BETWEEN THE BACK OF CURB
AND THE EXISTING RIGHT OF WAY LINE

SEE TYPICAL SHELTER DETAIL B
AND TYPICAL SHELTER CROSS SECTION 2

LIMITS OF SOD ARE BETWEEN THE EXISTING RIGHT OF WAY LINE
AND 5 FT SOUTH OF THE PROPOSED SIDEWALK (WEST OF DRIVEWAY)

NOTE:
DEVON AVENUE HAS BEEN WIDENED SINCE THIS AERIAL PHOTO
WAS TAKEN. THE PROPOSED 7' SIDEWALK SHALL MATCH THE
EXISTING BACK OF CURB.

LIMITS OF SOD ARE BETWEEN THE BACK OF CURB AND
THE EXISTING SIDEWALK THAT IS REMOVED.

SEE TYPICAL SHELTER DETAIL B
AND TYPICAL SHELTER CROSS SECTION 1

SCHEDULE OF QUANTITIES - NORTH SIDE

P.C.C. SIDEWALK, 5 INCH, SPECIAL	1,452 SQ FT
PROTECTIVE COAT	174 SQ YD
CONCRETE PAVERS	38.5 SQ FT
BUS SHELTER	1 EACH
TRASH RECEPTACLES	1 EACH
FURNISH AND PLACE TOPSOIL, 4"	222 SQ YD
SODDING	222 SQ YD
FERTILIZER NUTRIENT	3 POUND
INLET FILTERS	2 EACH
COMB. CURB AND GUTTER REMOVAL	27 FOOT
COMB. CONC. CURB AND GUTTER, TYPE B-6.12 (SPECIAL)	18 FOOT
COMB. CONC. CURB AND GUTTER, TYPE B-6.24 (SPECIAL)	9 FOOT
DETECTABLE WARNING	10 SQ FT
CATCH BASIN, TYPE C WITH TYPE B GRATE	1 EACH
STORM SEWERS, CLASS A, TYPE 1, 12"	3 FT

SCHEDULE OF QUANTITIES - SOUTH SIDE

SIDEWALK REMOVAL	374 SQ FT
P.C.C. SIDEWALK, 5 INCH, SPECIAL	602 SQ FT
PROTECTIVE COAT	80 SQ YD
CONCRETE PAVERS	38.5 SQ FT
BUS SHELTER	1 EACH
TRASH RECEPTACLES	1 EACH
FURNISH AND PLACE TOPSOIL, 4"	104 SQ YD
SODDING	104 SQ YD
FERTILIZER NUTRIENT	1 POUND
INLET FILTERS	1 EACH
DETECTABLE WARNING	20 SQ FT

ILLINOIS DEPARTMENT OF TRANSPORTATION
BUS SHELTER INSTALLATION PLAN
 NORTHWEST AND SOUTHWEST CORNERS OF
 DEVON AVENUE AND DELTA LANE

