



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

March 7, 2012

SUBJECT: Algonquin Road
Section 18A-1
McHenry County
Contract No. 60F78
Item No. 121, March 9, 2012 Letting
Addendum B

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

1. Revised pages 22 of the Special Provisions.

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal.

Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Very truly yours,

John D. Baranzelli, P. E.
Acting Engineer of Design and Environment

A handwritten signature in black ink, appearing to read "Ted B. Walschleger P.E.", with a small "P.E." to the right.

By: Ted B. Walschleger, P. E.
Engineer of Project Management

cc: Diane O'Keefe, Region 1, District 1; Mike Renner; Estimates

TBW/MS/ks

The rate of application for Coherex dust control agent shall be a minimum of 0.5 gallons per square yard. Dilution for Coherex shall be 4 to 6 parts water to 1 part agent.

The rate of application for Soil Net EM-500 shall be a minimum of 0.2 gallons per square yard. Dilution for Soil Net EM-500 shall be 800 gallons of water to 55 gallons polymer agent.

Basis of Payment. The work shall be paid for at the contract unit price per **diluted** gallon of dust control agent for DUST CONTROL, SPECIAL.

TEMPORARY DITCH CHECKS (SPECIAL)

Description. This work shall conform to Section 280 and Section 1080 of the Standard Specifications and the detail included in the plans. Temporary Ditch Check (Special) shall be limited to triangular silt dikes.

Each ditch check shall consist of an approximate 7 foot long triangular section of urethane foam covered with a geotextile fabric, and installed on a geotextile fabric apron. The ditch checks shall be installed at the locations specified on the Erosion and Sediment Control Plan, or as directed by the Engineer, and in accordance with the detail included in the plans and the manufacturer's recommendations.

The geotextile fabric shall conform to Article 1080.05 of the Standard Specifications for Geotechnical Fabric for French Drains.

The ditch checks shall become the property of the Contractor upon their removal. The maintenance of this item shall be included with and paid for as part of the contract lump sum price for Maintenance of Temporary Erosion Control Systems.

Method of Measurement. This work will be measured for payment as individual items and the unit of measurement will be each.

Basis of Payment. This work shall be paid for at the contract unit price per each for TEMPORARY DITCH CHECKS (SPECIAL), and shall include all labor, equipment and materials necessary for installation and removal.

METAL TRUSS REMOVAL

Description. This work shall be performed in accordance with Division 500 of the Standard Specifications and shall consist of the complete removal and disposal of the existing metal frame truss at Station 144+20, 230' LT.

Basis of Payment. This work shall be paid for at the contract unit price per lump sum for METAL TRUSS REMOVAL, which price shall include all labor, equipment, and excavation required for the removal and disposal as specified herein.

Revised 3/7/2012