

FILE NAME -	USER NAME - \$USER\$	DESIGNED -	REVISED -
\$FILES		DRAWN -	REVISED -
	PLOT SCALE - \$SCALES	CHECKED -	REVISED -
	PLOT DATE - \$DATES	DATE -	REVISED -

DESIGNED -	REVISED -
DRAWN -	REVISED -
CHECKED -	REVISED -
DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

LAKE COUNTY DIVISION OF TRANSPORTATION
STANDARD DETAILS

SCALE: NONE SHEET NO. 2 OF 9 SHEETS STA. TO STA.

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
2605	09-00171-13-BT	LAKE	59	51
CONTRACT NO. 63619				
ILLINOIS FED. AID PROJECT				

LC2050

TEMPORARY DITCH CHECK, (1) ONE EACH (7 FOOT LONG), CON THE RIGHT SIDE OF THE DITCHJ

SECTION A-A

STAPLES - 11 GAUGE WIRE
MINIMUM 6" LENGTH

TEMPORARY DITCH CHECK (1) ONE EACH (7 FOOT LONG), CON THE LEFT SIDE OF THE DITCHJ

SECTION B-B

SILT DIKE UNIT ISOMETRIC

NOTE:
THE INSTALLATION SHOWN ABOVE WILL BE MEASURED AS A TEMPORARY DITCH CHECK 14 FEET IN LENGTH.

SCALE: 1" = 5'

REVISIONS	DATE	APPROVED BY: M. G. ZEMAITIS
ADDED DIMENSIONS	04/11/08	DATE: APRIL 1, 2007
REVISED PAY ITEM	04/15/10	

TEMPORARY DITCH CHECK INSTALLATION FOR ROADWAY OR DRAINAGE DITCH

LC3000

TYPICAL METHOD

OPTIONAL METHOD

NOTE:
MINIMUM FLAG THICKNESS 9"

NOTE:
COST OF HOT-MIX ASPHALT MATERIAL UNDER CURB AND 6" OUTSIDE OF CURB TO BE INCIDENTAL TO COST OF COMBINATION CONCRETE CURB AND GUTTER.

SCALE: 1" = 2'

REVISIONS	DATE	APPROVED BY: M. G. ZEMAITIS
		DATE: APRIL 1, 2007

CURB & GUTTER SUBGRADE OPTIONS