




## METAL SHELL PILE TABLE

Designation and outside diameter	Wall thickness t	Weight per foot (Lbs./ft.)	Inside volume (yd.³/ft.)
PP12	0.179''	22.60	0.0274
PP12	0.250"	31.37	0.0267
PP14	0.250′′	36.71	0.0368
PP14	0.312"	45.61	0.0361



# WELDED COMMERCIAL SPLICE





Note:


Forms for encasement may be omitted when soil conditions permit.

END PLATE ATTACHMENT

³₄′′ End plate

Metal shell

pile



Shop or field weld

s = t - 16"

# METAL SHELL PILE SHOE ATTACHMENT


(See Note A)

# Field fabricated or commercial backing ring \*\*Shop or field weld pile \$ s = t - \frac{1}{16}''

## COMPLETE PENETRATION WELD SPLICE

\* Field fabricated backing ring may be made from pile shell by removing segment to allow reducing circumference and vertically rejoin with partial joint penetration weld.

## CONCRETE ENCASEMENT AT PIERS



## METAL SHELL REINFORCEMENT AT ABUTMENTS

Note:

The metal shell piles shall be according to ASTM A 252 Grade 3.

HE RESCHE

HURST-ROSCHE ENGINEERS, INC. HILLSBORO, ILLINOIS 62049 (217)532-3959 FAX (217)532-3212 HR JOB # 190-1580

ı	F-MS	7 - 1 - 10		
ſ	FILE NAME =	USER NAME =	DESIGNED - JSP	REVISED -
ı			CHECKED - CJC	REVISED -
		PLOT SCALE =	DRAWN - UJ	REVISED -
		PLOT DATE =	CHECKED - RVB	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

METAL SHELL PILE DETAILS	F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
STRUCTURE NO. 010-0286	808	94BR-1	CHAMPAIGN	50	30
31110C10HL 140. 010-0200			CONTRACT	NO. 7	0582
SHEET NO.17 OF 19 SHEETS	ILLINOIS FED, AID PROJECT				