



MINIMUM BAR LAPS

Bar	Lap
#4 (Moment Slab)	2'-3"
#4 (Parapet)	2'-0"
#8 (Parapet)	5'-2"

Reinforcement bars designated (E) shall be epoxy coated.

See sheet 8 of 21 for joint details.

Longitudinal dimensions are measured horizontally along the back of the parapet.



FILE NAME = L:\1001\0906603\DWG\CADD_Sheets\STRUCTURAL PLANS\MSE WALLS\100-W002\100W002-98859-010-N.Parapet_Elev.dgn

USER NAME = Gory Davis
 PLOT SCALE = 1/8" = 1'-0"
 PLOT DATE = 1/10/2012

DESIGNED - JMW
 CHECKED - REB
 DRAWN - AJK
 CHECKED - REB

REVISED -
 REVISED -
 REVISED -
 REVISED -

**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

**JOINT AND REINFORCING DETAILS
 STRUCTURE NO. 100-W002**

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
331	(IX-1) VB-1, B-1, N-4, R-3	WILLIAMSON	367	266

CONTRACT NO. 98859