

CODE NO.	ITEM	UNIT	TOTAL QUANTITY	CONSTRUCTION CODE	
				80% FED 20% STATE BRIDGE	80% FED 20% STATE BRIDGE
				0059	0059
				S.N. 088-0021	S.N. 088-0022
28100125	STONE RIPRAP, CLASS B3	SQ YD	65.2	35.6	29.6
28200200	FILTER FABRIC	SQ YD	98	54	44
40600295	POLYMERIZED BITUMINOUS MATERIALS (TACK COAT)	POUND	540	256	284
40600982	HOT-MIX ASPHALT SURFACE REMOVAL - BUTT JOINT	SQ YD	751	356	395
40604050	HOT-MIX ASPHALT SURFACE COURSE, IL-9.5, MIX "C", N50	TON	84	39.8	44.2
42001300	PROTECTIVE COAT	SQ YD	1599	860	739
44000300	CURB REMOVAL	FOOT	466	206	260
44000400	GUTTER REMOVAL	FOOT	170		170
50105220	PIPE CULVERT REMOVAL	FOOT	90	60	30
50300260	BRIDGE DECK GROOVING	SQ YD	1498	805	693
60260100	INLETS TO BE ADJUSTED	EACH	6	4	2
60600605	CONCRETE CURB, TYPE B	FOOT	466	206	260
60603800	COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.12	FOOT	170		170
* 63000001	STEEL PLATE BEAM GUARDRAIL, TYPE A, 6 FOOT POSTS	FOOT	1250	687.5	562.5
* 63100041	TRAFFIC BARRIER TERMINAL, TYPE 1B	EACH	1		1

*= SPECIALTY ITEM

MODEL: Default
 FILE NAME: P:\Illinois\Bentley.com\PROJECTS\DOT OFFICES\Distrc_4\Projects\DA_68G38\CADD\B3\CAD\Sheet\DA68G38-sh-500.dgn

USER NAME = Jacob.Weck	DESIGNED -	REVISED -
PLOT SCALE = 100.0000' / in.	DRAWN -	REVISED -
PLOT DATE = 12/14/2022	CHECKED -	REVISED -
	DATE -	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

SUMMARY OF QUANTITIES

SCALE: N/A SHEET 1 OF 1 SHEETS STA. TO STA.

F.A.S. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
1194	106[B(BR);(B)BR-1]BDR	STARK	44	3
ILLINOIS FED. AID PROJECT			CONTRACT NO. 68G38	

CODE NO	ITEM	UNIT	TOTAL QUANTITY	CONSTRUCTION CODE	
				80% FED 20% STATE BRIDGE	80% FED 20% STATE BRIDGE
				0059	0059
				S.N. 088-0021	S.N. 088-0022
63100045	TRAFFIC BARRIER TERMINAL, TYPE 2	EACH	1		1
* 63100167	TRAFFIC BARRIER TERMINAL, TYPE 1 (SPECIAL) TANGENT	EACH	7	5	2
63200310	GUARDRAIL REMOVAL	FOOT	1237.5	837.5	400
67000400	ENGINEER'S FIELD OFFICE, TYPE A	CAL MO	3	1.5	1.5
67100100	MOBILIZATION	L SUM	1	0.5	0.5
70100405	TRAFFIC CONTROL AND PROTECTION, STANDARD 701321	EACH	2	1	1
70106500	TEMPORARY BRIDGE TRAFFIC SIGNALS	EACH	2	1	1
70107006	PAVEMENT MARKING BLACKOUT TAPE, 6"	FOOT	3544	1303	2241
70107025	CHANGEABLE MESSAGE SIGN	CAL DA	28	14	14
70300100	SHORT TERM PAVEMENT MARKING	FOOT	5772	2895	2877
70300150	SHORT TERM PAVEMENT MARKING REMOVAL	SQ FT	3696	1616	2080
70400100	TEMPORARY CONCRETE BARRIER	FOOT	1038	538	500
70400200	RELOCATE TEMPORARY CONCRETE BARRIER	FOOT	1038	538	500
70600250	IMPACT ATTENUATORS, TEMPORARY (NON- REDIRECTIVE), TEST LEVEL 3	EACH	4	2	2
70600350	IMPACT ATTENUATORS, RELOCATE (NON- REDIRECTIVE), TEST LEVEL 3	EACH	4	2	2

*= SPECIALTY ITEM

MODEL: Default
 FILE: M:\GIS\Projects\68G38\CADD\68G38\CADD\68G38\68G38-68G38-68G38.dgn

USER NAME = Jacob.Weck	DESIGNED -	REVISED -
PLOT SCALE = 100.0000' / in.	DRAWN -	REVISED -
PLOT DATE = 12/14/2022	CHECKED -	REVISED -
	DATE -	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

SUMMARY OF QUANTITIES

SCALE: N/A SHEET 1 OF 1 SHEETS STA. TO STA.

F.A.S. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
1194	106[B(BR);(B)BR-1]BDR	STARK	44	4
CONTRACT NO. 68G38				
ILLINOIS FED. AID PROJECT				

CODE NO.	ITEM	UNIT	TOTAL QUANTITY	CONSTRUCTION CODE	
				80% FED 20% STATE BRIDGE	80% FED 20% STATE BRIDGE
				0059	0059
				S.N. 088-0021	S.N. 088-0022
* 72501000	TERMINAL MARKER - DIRECT APPLIED	EACH	8	4	4
* 78009004	MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	FOOT	666		666
* 78009006	MODIFIED URETHANE PAVEMENT MARKING - LINE 6"	FOOT	1436	770	666
* 78100100	RAISED REFLECTIVE PAVEMENT MARKER	EACH	8	4	4
78300200	RAISED REFLECTIVE PAVEMENT MARKER REMOVAL	EACH	8	4	4
X0320882	GUTTERS TO BE CLEANED	FOOT	462		462
X0322215	CLEANING BRIDGE SCUPPERS AND DOWNSPOUTS	EACH	1		1
X0326344	GROUT SLURRY, SPECIAL	CU YD	2.2	1.75	0.45
X0326444	SURFACE FILLER (SPECIAL)	GALLON	4	2	2
X0327809	LINEAR DELINEATOR PANELS, 4 INCH	EACH	15	9	6
X1200234	SHOULDER INLET WITH CURB	EACH	1		1
X4810100	TEMPORARY SHOULDERS	SQ YD	135	45	90
X5030550	PROTECTIVE COAT (SPECIAL)	SQ YD	1215	670	545
X6050700	REMOVE INLET BOX	EACH	1		1

*= SPECIALTY ITEM

MODEL: Default
FILE: M:\GIS\Projects\68G38\CAD\Drawings\DOT\Drawings\DOT - Office\Drawings\68G38\CAD\Drawings\DOT\Drawings\DOT - Office\Drawings\68G38\68G38-Sub-500.dgn

USER NAME = Jacob.Weck	DESIGNED -	REVISED -
PLOT SCALE = 100.0000' / in.	DRAWN -	REVISED -
PLOT DATE = 12/14/2022	CHECKED -	REVISED -
	DATE -	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**


SUMMARY OF QUANTITIES

SCALE: N/A SHEET 1 OF 1 SHEETS STA. TO STA.

F.A.S. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
1194	106[B(BR);(B)BR-1]BDR	STARK	44	5
CONTRACT NO. 68G38				
ILLINOIS FED. AID PROJECT				

MAINLINE BUTT JOINT SCHEDULE							
LOCATION	LENGTH	WIDTH	AREA	HMA SURFACE REMOVAL BUTT JOINT	POLY BIT MAT TACK COAT	HMA SURF CSE IL 9.5 N50 MIX C 2 INCHES	
	FOOT	FOOT	SQ YD	SQ YD	POUND	TON	
SN 088-0021							
STA 1378+80 TO STA 1379+30	50	32	178	178	128	19.9	
STA 1381+72 TO STA 1382+22	50	32	178	178	128	19.9	
SUB-TOTAL				356	256	39.8	
SN 088-0022							
STA 1615+54 TO STA 1616+29	75	26	217	217	156	24.3	
STA 1618+37 TO STA 1618+87	50	32	178	178	128	19.9	
SUB-TOTAL				395	284	44.2	
TOTAL				751	540	84	

DRAINAGE SCHEDULE											
LOCATION	CURB REMOVAL	GUTTER REMOVAL	REMOVE INLET BOX	PIPE CULVERT REMOVAL	CONCRETE CURB TYPE B	COMB. CONC. CURB & GUTTER TYPE B-6.12	GUTTERS TO BE CLEANED	SHOULDER INLET WITH CURB	FILTER FABRIC	STONE RIPRAP CLASS B3	CLEANING BRIDGE SCUPPERS AND DOWNSPOUTS
	FOOT	FOOT	EACH	FOOT	FOOT	FOOT	FOOT	EACH	SQ YD	TON	EACH
SN 088-0021											
RT STA 1377+98.00 TO STA 1378+15.00	17				17						
RT STA 1379+35.00 TO STA 1379+38.00	3				3						
LT STA 1379+59.50 TO STA 1379+62.50	3			30	3				27	17.8	
RT STA 1379+73.50 TO STA 1379+76.50	3			30	3				27	17.8	
RT STA 1382+51.00 TO STA 1383+01.00	50				50						
LT STA 1383+55.00 TO STA 1384+85.00	130				130						
SUB TOTAL	206			60	206				54	35.6	
SN 088-0022											
RT STA 1610+00.00 TO STA 1614+62.00							462				
RT STA 1616+32.50 TO STA 1616+34.50	2		1	30	2			1	44	29.6	
RT STA 1614+62.00 TO STA 1616+32.00		170				170					1
LT STA 1617+43.00											
LT STA 1618+78.00 TO STA 1619+93.00	115				115						
RT STA 1618+86.00 TO STA 1620+29.00	143				143						
SUB TOTAL	260	170	1	30	260	170	462	1	44	29.6	1
TOTAL	466	170	1	90	466	170	462	1	98	65.2	1



CHANGEABLE MESSAGE SIGN	
LOCATION	CAL DA
IL 93	
SN 088-0021	14
SN 088-0022	14
TOTAL	28

*TWO SIGNS @ 7 DAYS EACH PER STRUCTURE

MOBILIZATION	
LOCATION	L SUM
IL 93	1
SUB-TOTAL	1
TOTAL	1

ENGINEER'S FIELD OFFICE, TYP A	
LOCATION	CAL MO
IL 93	3
SUB-TOTAL	3
TOTAL	3

TEMPORARY SHOULDER SCHEDULE		
LOCATION	LEGTH	TEMPORARY SHOULDER
	FOOT	SQ YD
SN 088-0021		
RT STA 1377+21.00 TO STA 1377+71.00	50	16.7
RT STA 1382+77.00 TO STA 1383+37.00	60	20
LT STA 1377+60.00 TO STA 1377+85.00	25	8.3
SUB-TOTAL		45
SN 088-0022		
RT STA 1614+62.00 TO STA 1616+32.00	170	57
LT STA 1614+95.00 TO STA 1615+95.00	100	33
SUB-TOTAL		90
TOTAL		135

VOID GROUTING SCHEDULE		
LOCATION	GROUT SLURRY (SPECIAL) CU YD	
SN 088-0021		
LT STA 1379+51.00	0.2	
LT STA 1379+51.00	0.3	
RT STA 1379+66.00	0.5	
RT STA 1379+66.00	0.4	
LT STA 1381+38.00	0.05	
RT STA 1381+50.00	0.3	
SUB-TOTAL		1.75
SN 088-0022		
RT STA 1618+13.00	0.45	
SUB-TOTAL		0.45
TOTAL		2.2

MODEL: Default
FILE: \\nas01\paw.bentley.com\PI\DOT\Documents\DOT_Offices\Bartlett_A\Projects\104_68G38\CADD\Drawings\CAD\Sheets\10468G38-chnr-sched.dgn

USER NAME = Jacob.Weck	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 100,0000' / in.	CHECKED -	REVISED -
PLOT DATE = 12/14/2022	DATE -	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

SCHEDULE OF QUANTITIES			
SCALE:	SHEET 1	OF 2	SHEETS
	STA.	TO STA.	

F.A.S RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
1194	106[B(BR):(B)BR-1]BDR	STARK	44	11
CONTRACT NO. 68G38				
ILLINOIS FED. AID PROJECT				

GUARDRAIL SCHEDULE											
LOCATION	SIDE LT/RT	LENGTH OF NEED	GUARDRAIL REM	STEEL PLATE BEAM GUARDRAIL TYPE A, 6 FT POSTS	TBT TYPE 1 (SPL) TANGENT	TRAFFIC BARRIER TERMINAL TYPE 1B	TRAFFIC BARRIER TERMINAL TYPE 2	TERMINAL MARKER DIRECT APPLIED	LINEAR DELINEATOR PANELS 4 INCH	GUARDRAIL AGG EROSION CONTROL	
		FOOT	FOOT	FOOT	EACH	EACH	EACH	EACH	EACH	TON	
SN 088-0021											
STA 1378+09.5 TO STA 1379+47	RT	137.5	250.0	212.5	1			1	3	19.6	
STA 1378+56.3 TO STA 1379+38	LT	81.7	150.0	112.5	1			1	1	1.2	
STA 1381+64 TO STA 1382+41.5	RT	77.5	112.5	75.0	1			1	1	1.6	
STA 1381+58 TO STA 1384+74	LT	128.8	325.0	287.5	2			1	4	10.8	
SUB-TOTAL			837.5	687.5	5			4	9	33.2	
SN 088-0022											
STA 1614+32.5 TO STA 1616+45	RT	148.3	25.0	187.5		1		1	2	40.6	
STA 1615+58.7 TO STA 1616+36	LT	77.3	50.0	75.0	1			1	1	10.7	
STA 1618+21 TO STA 1616+92.5	RT	137.2	162.5	125.0	1			1	2	10.1	
STA 1618+30 TO STA 1619+87.5	LT	128.2	162.5	175.0			1	1	2	13.0	
SUB-TOTAL			400.0	562.5	2	1	1	4	6	74.4	
TOTAL			1237.5	1250.0	7	1	1	8	15	107.6	

TRAFFIC CONTROL & PROTECTION SCHEDULE										
LOCATION	TEMPORARY CONCRETE BARRIER		RELOCATE TEMPORARY CONCRETE BARRIER		TEMPORARY BRIDGE TRAFFIC SIGNALS	IMP ATTN NRD TL3	IMP ATTN REL NRD TL3	TEMP RUMBLE STRIPS	TC & PROT 701201*	TC & PROT 701321
	FOOT	FOOT	FOOT	FOOT	EACH	EACH	EACH	EACH	EACH	EACH
088-0021	528.9	538	529	538	1	2	2	12	1	1
SUB-TOTAL	528.9	538	529	538	1	2	2	12	1	1
088-0022	482.8	500	495	500	1	2	2	12	1	1
SUB-TOTAL	482.8	500	495	500	1	2	2	12	1	1
TOTAL		1038		1038	2	4	4	24	2	2

*STD 701201 SHALL BE USED TO INSTALL 701321. WHEN FLAGGING AND SIGNALS PRESENTS, THE SIGNALS SHALL BE OFF OR IN RED FLASH.

MAINLINE PAVEMENT MARKING SCHEDULE						
LOCATION	LENGTH	MODIFIED URETHANE PAVEMENT MARKING			RAISED REFLECTIVE PAVEMENT MARKERS	
		4" LINE		6" LINE	REMOVAL	TWO-WAY AMBER
		DOUBLE YELLOW	SOLID WHITE	SKIP-DASH YELLOW		
FOOT	FOOT	FOOT	FOOT	FOOT	EACH	EACH
SN 088-0021						
STA 1378+80.00 TO STA 1382+22.00	342.0		684	86	4	4
SUB-TOTAL			684	86	4	4
SN 088-0022						
STA 1615+54.00 TO STA 1618+87.00	333.0	666	666		4	4
SUB-TOTAL		666	666	0	4	4
TOTAL		666		1436	8	8

MAINLINE SHORT TERM PAVEMENT MARKING SCHEDULE				
LOCATION	LENGTH	SHORT TERM PAVEMENT MARKING	SHORT TERM PVTM MARKING	PAVEMENT MARKING
		4" LINE	REMOVAL	BLACKOUT TAPE
FOOT	FOOT	FOOT	SQ FT	FOOT
SN 088-0021				
STAGE 1		1447	808	652
STAGE 2		1448	808	651
SUB-TOTAL		2895	1616	1303
SN 088-0022				
STAGE 1		1527	1075	1133
STAGE 2		1351	1004	1108
SUB-TOTAL		2877	2080	2241
TOTAL		5772	3696	3544


MODEL: Default
 FILE NAME: p:\1148-cw-bentley.com\PROJECTS\DOT\Office\District_4\Projects\04_68G38\CADD\Drawn\CA\Drawings\04_68G38-CH-Schedule.dgn

USER NAME = Kyle.Harrison	DESIGNED - _____	REVISED  KRH 2/22/2023
DRAWN - _____	CHECKED - _____	REVISOR - _____
PLOT SCALE = 100.0000' / in.	DATE - _____	REVISIONS - _____
PLOT DATE = 2/22/2023		

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

SCHEDULE OF QUANTITIES			
SCALE: _____	SHEET 2 OF 2 SHEETS	STA. _____ TO STA. _____	

F.A.S RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
1194	106(B)(BR):(B)BR-1)BDR	STARK	44	12
ILLINOIS FED. AID PROJECT			CONTRACT NO. 68G38	



LEGEND

- PROP. HOT-MIX ASPHALT BUTT JOINT (SEE BUTT JOINT DETAIL)
- PROP. BRIDGE DECK SCARIFICATION 3/4"
BRIDGE DECK MICROSILICA CONCRETE OVERLAY 2 1/4"
- PROP. COMBINATION CURB AND GUTTER
- PROP. TEMP SHOULDER (SEE STAGING DETAILS)

MODEL: Default
 FILE: I:\MSA\68G38\16146638.dwg
 PROJECTS\DOT\Office\District_68G38\CADD\Drawn\68G38\16146638.dwg

USER NAME = Kyle.Harrison	DESIGNED -	REVISED - KRH 2.7.2023
PLOT SCALE = 100.0000' / in.	DRAWN -	REVISED -
PLOT DATE = 2/7/2023	CHECKED -	REVISED -
	DATE -	REVISED -





STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

EAST FORK PLAN VIEW			
SN 088-0022			
SCALE: N/A	SHEET 2	OF 2 SHEETS	STA. 1614+66.2 TO STA. 1620+55.3

F.A.S. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
1194	106((B)BR;(B)BR-1)BDR	STARK	44	18
CONTRACT NO. 68G38				
ILLINOIS FED. AID PROJECT				

GENERAL NOTES

Plan dimensions and details relative to existing plans are subject to nominal construction variations. The Contractor shall field verify existing dimensions and details affecting new construction and make necessary approved adjustments prior to construction or ordering of materials. Such variations shall not be cause for additional compensation for a change in scope of the work, however, the Contractor will be paid for the quantity actually furnished at the unit price bid for the work. Synthetic fibers shall be added to the bridge deck microsilica concrete overlay. Remove the Drainage Inlets and their Pipes and fill them with riprap and cover it with Concrete.



- (A) - Bridge Deck Scarification 3/4" and 2 1/4" Microsilica Concrete Overlay.
- (B) - Polymer Concrete Nosing (See Repair B).
- (C) - Apply surface filler and protective coat to the Parapets. See Special provisions.
- (D) - Approach Inlet Grate Adjustment.

TOTAL BILL OF MATERIAL

ITEM	UNIT	QUANTITY
Bridge Deck Microsilica Concrete Overlay, 2 1/4"	Sq. Yd.	860
Bridge Deck Scarification, 3/4"	Sq. Yd.	860
Protective Coat	Sq. Yd.	860
Bridge Deck Grooving	Sq. Yd.	805
Polymer Concrete	Cu. Ft.	5.0
Protective Coat (Special)	Sq. Yd.	670
Surface Filler (Special)	Gallon	2
Inlets to be Adjusted	Each	4

* Applied on New Concrete Only



EXPIRES 11-30-2024

DESIGNED - Adrian T. Halloway
 CHECKED - Chi-Cheung Chai
 DRAWN - Venkat Ramana Reddy
 CHECKED - ATH CCC

PASSED
 Jayme F. Schuff
 ENGINEER OF BRIDGES AND STRUCTURES

DATE - January 31, 2023
 REVISED - 02/17/2023 ATH
 REVISED -


STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION

GENERAL PLAN AND ELEVATION
 F.A.P. 107 (IL 93) OVER WEST FORK SPOON RIVER
 SN 088-0021


SHEET NO. 1 OF 4 SHEETS

F.A.S. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
1194	106(B)BR;(B)BR-1)BDR	STARK	44	25


CONTRACT NO. 68G38
 ILLINOIS FED. AID PROJECT




CROSS SECTION 088-0021
(Looking East)



SECTION AT ABUTMENT




DRAIN DETAIL
* slope to drain



DETAIL A

DESIGNED - ATH	DATE - January 31, 2023	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	CROSS SECTIONS & STAGING DETAILS SN 088 - 0021	F.A.S. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
CHECKED - CCC	REVISOR - 02/17/2023 ATH			1194	106((B)BR;(B)BR-1)BDR	STARK	44	26
DRAWN - Venkat Ramana Reddy	REVISOR -	SHEET NO. 2 OF 4 SHEETS		CONTRACT NO. 68G38				
CHECKED - ATH CCC	ENGINEER ENGINEER OF BRIDGES AND STRUCTURES			ILLINOIS FED. AID PROJECT				




ELEVATION


GENERAL NOTES

Plan dimensions and details relative to existing plans are subject to nominal construction variations. The Contractor shall field verify existing dimensions and details affecting new construction and make necessary approved adjustments prior to construction or ordering of materials. Such variations shall not be cause for additional compensation for a change in scope of the work, however, the Contractor will be paid for the quantity actually furnished at the unit price bid for the work.

Synthetic fibers shall be added to the bridge deck microsilica concrete overlay. Remove the Drainage Inlets and their Pipes and fill them with riprap and cover it with Concrete.




PLAN



REPAIR C

- (A) - Bridge Deck Scarification $\frac{3}{4}$ " and $2\frac{1}{4}$ " Microsilica Concrete Overlay.
- (B) - Polymer Concrete Nosing (See Repair B).
- (C) - Apply surface filler and protective coat to the Parapets. See Special provisions.
- (D) - Deck Drainage Scupper Adjustment.
- (E) - Approach Inlet Grate Adjustment.




REPAIR B

* Cost included with Polymer Concrete

TOTAL BILL OF MATERIAL

ITEM	UNIT	QUANTITY
Bridge Deck Microsilica Concrete Overlay, $2\frac{1}{4}$ "	Sq. Yd.	739
Bridge Deck Scarification, $\frac{3}{4}$ "	Sq. Yd.	739
Protective Coat	Sq. Yd.	739
Bridge Deck Grooving	Sq. Yd.	693
Polymer Concrete	Cu. Ft.	5.0
Protective Coat (Special)	Sq. Yd.	545
Surface Filler (Special)	Gallon	2
Drainage Scuppers to be Adjusted	Each	2
Inlets to be Adjusted	Each	2

* Applied on New Concrete Only



EXPIRES 11-30-2024

DESIGNED - Adrian T. Holloway
 CHECKED - Chi-Cheung Chai
 DRAWN - Venkat Ramana Reddy
 CHECKED - ATH CCC

PASSED
 Jayme F. Schiff
 ENGINEER OF BRIDGES AND STRUCTURES

DATE - January 31, 2023
 REVISED - 02/17/2023 ATH
 REVISED -


STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION

GENERAL PLAN AND ELEVATION
 F.A.P. 107 (ILL 93) OVER E FORK SPOON RIVER
 SN 088-0022




SHEET NO. 1 OF 7 SHEETS

F.A.S. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
1194	106(B)BR;(B)BR-1)BDR	STARK	44	29
CONTRACT NO. 68G38				

ILLINOIS FED. AID PROJECT



CROSS SECTION 088-0022
(Looking East)



DESIGNED - ATH
CHECKED - CCC
DRAWN - Venkat Ramana Reddy
CHECKED - ATH CCC

PASSED

Joane F. J. [Signature]
ENGINEER OF BRIDGES AND STRUCTURES

DATE - January 31, 2023





REVISED Δ - 02/17/2023 ATH
REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

CROSS SECTIONS & STAGING DETAILS
SN 088 - 0022

SHEET NO. 2 OF 7 SHEETS

F.A.S. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
1194	106(B)BR;(B)BR-1)BDR	STARK	44	30
CONTRACT NO. 68G38				
ILLINOIS FED. AID PROJECT				



NOT TO SCALE

MODEL: Default
 FILE NAME: p:\uldrac-zw_bentley.com\PROJECTS\DOT Offices\District_68G38\CADD\Drawn\CD\Drawings\68G38-rt-detail.dgn

USER NAME = Kyle.Harrison	DESIGNED - _____	REVISED - KRH 2.7.2023
PLOT SCALE = 100.0000' / in.	DRAWN - _____	REVISED - _____
PLOT DATE = 2/7/2023	CHECKED - _____	REVISED - _____
	DATE - _____	REVISED - _____

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

IL 93 PROPOSED RIPRAP DETAIL
SN 088-0021 & SN 088-0022

SCALE: N/A SHEET 1 OF 1 SHEETS STA. - TO STA. -

F.A.S RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
1194	106((B)BR;(B)BR-1)BDR	STARK	44	40
CONTRACT NO. 68G38				
ILLINOIS FED. AID PROJECT				

REV. 2/28/23