

SCHEDULES OF QUANTITIES

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
709	*	CHAMPAIGN	64	22
STA.		TO STA.		
FED. ROAD DIST. NO.		ILLINOIS FED. AID PROJECT		
		• 113RS-6 & 113BR-211 CONTRACT NO. 70181		

40800040 INCIDENTAL BITUMINOUS SURFACING

STATION	AREA (SQ. YDS.)	MAILBOX (TONS)	FIELD ENTR. (TONS)	PRIV ENT. W/ MBTO (TONS)	PRIVATE ENTR. (TONS)	COMMER. ENTR. (TONS)	SIDEROAD (TONS)	40800010 BIT MATLS PR CT (GALLONS)	40800030 AGG PR CT (TONS)
URBAN									
LT 108+17 BETHANY PRK DR	106.0						11.1	10.6	0.2
RT 111+29.8 C.E.	93.0					9.8		9.3	0.2
RT 114+11.2 C.E.	58.0					6.1		5.8	0.1
RT 115+74.3 C.E.	58.0					6.1		5.8	0.1
LT 120+62 LON DRIVE	100.0						10.5	10.0	0.2
RT 123+76.5 C.E.	68.0					7.1		6.8	0.1
RT 124+50.2 C.E.	44.0					4.6		4.4	0.1
RT 126+27.6 C.E.	33.0					3.5		3.3	0.1
LT 135+19.8 C.E.	86.0					9.0		8.6	0.2
RT 137+06.8 C.E.	110.0					11.6		11.0	0.2
LT 140+41.2 C.E.	80.0					8.4		8.0	0.2
SUBTOTAL =	836.0	0.0	0.0	0.0	0.0	66.2	21.6	83.6	1.7

RURAL

LT 142+46 P.E.	65.0				6.8			6.5	0.1
LT 143+65.7 P.E.	80.0				8.4			8.0	0.2
TR 1800E LT 153+81.73	122.0						12.8	12.2	0.2
TR 1800E RT 1533+82.86	88.0						9.2	8.8	0.2
LT 160+49 F.E.	38.0		4.0					3.8	0.1
RT 160+49 P.E./MBTO	69.0			7.2				6.9	0.1
LT 168+25.6 P.E.	33.0				3.5			3.3	0.1
RT 170+02.6 F.E.	11.0		1.2					1.1	0.0
LT 170+41.3 P.E.	33.0				3.5			3.3	0.1
LT 172+46 P.E.	65.0				6.8			6.5	0.1
RT 180+15.9 F.E.	6.0		0.6					0.6	0.0
LT 181+19 F.E.	11.0		1.2					1.1	0.0
RT 182+15.9 F.E.	15.0		1.6					1.5	0.0
RT 190+73.8 F.E.	7.0		0.7					0.7	0.0
RT 194+05.9 F.E.	46.0		4.8					4.6	0.1
LT 194+15.5 F.E.	6.0		0.6					0.6	0.0
RT 195+42.8 MBTO	36.0	3.8						3.6	0.1
RT 198+51 F.E.	10.0		1.1					1.0	0.0
TR 1900E LT 207+66.51	123.0						12.9	12.3	0.2
LT 208+08 P.E.	21.0				2.2			2.1	0.0
TR 1900E RT 208+56.83	99.0						10.4	9.9	0.2
LT 211+59 P.E.	47.0				4.9			4.7	0.1
LT 213+62.7 C.E.	118.0					12.4		11.8	0.2
RT 215+99 F.E.	6.0		0.6					0.6	0.0
LT 220+74.5 C.E.	62.0					6.5		6.2	0.1
LT 221+69 C.E.	68.0					7.1		6.8	0.1
LT 224+57 C.E.	73.0					7.7		7.3	0.1
LT 225+70 P.E.	49.0				5.1			4.9	0.1
LT 226+58.5 C.E.	89.0					9.3		8.9	0.2
LT 228+60 C.E.	144.0					15.1		14.4	0.3
LT 230+59 C.E.	50.0					5.3		5.0	0.1
LT 231+69.5 P.E.	37.0				3.9			3.7	0.1
LT 233+08.3 P.E.	42.0				4.4			4.2	0.1
LT 234+60 P.E.	32.0				3.4			3.2	0.1
LT 235+19.7 P.E.	35.0				3.7			3.5	0.1
LT 236+28.7 P.E.	22.0				2.3			2.2	0.0
LT 236+95.9 P.E.	35.0				3.7			3.5	0.1
LT 238+10 P.E.	36.0				3.8			3.6	0.1
LT 239+15.7 P.E.	36.0				3.8			3.6	0.1
LT 240+20.8 P.E.	42.0				4.4			4.2	0.1
LT 241+34.6 P.E.	40.0				4.2			4.0	0.1
LT 242+65.7 P.E.	36.0				3.8			3.6	0.1
RT 244+00 P.E.	12.0				1.3			1.2	0.0
LT 244+70.5 P.E.	43.0				4.5			4.3	0.1
LT 247+58.3 F.E.	9.0		0.9					0.9	0.0
RT 250+90.8 P.E.	11.0				1.2			1.1	0.0
RT 260+36.5 P.E.	37.0				3.9			3.7	0.1
TR 2000E LT 260+39.64	138.0						14.5	13.8	0.3