

## INCIDENTAL BITUMINOUS SURFACE F.A.P. ROUTE 711 (U.S. ROUTE 136)

\*115RS-4, 116RS-2  
CONTRACT NO. 90865

(SHEET 1 OF 3)

STATION	DESCRIPTION	INCIDENTAL AREA (SQ FT)	AVERAGE THICKNESS (INCH)	INCIDENTAL BITUMINOUS (TON)	BIT MAT'L PRIME COAT (GALLONS)	AGGREGATE PRIME COAT (TON)	BITUMINOUS SURFACE REMOVAL SPECIAL (SQ YD)	BITUMINOUS SURFACE REMOVAL 1 1/2" (SQ YD)	BITUMINOUS SURFACE REMOVAL BUTT JOINT (SQ YD)	AGGREGATE BASE COURSE, TYPE B (TON)	DRIVEWAY PAVEMENT REMOVAL (SQ YD)
RT. 214+20.00A	F. E.	165.00	1.50	1.54	1.83	0.04	18.33				
LT. 237+23.00A	F. E.	127.00	1.50	1.19	1.41	0.03	14.11				
RT. 237+67.00A	F. E.	135.00	1.50	1.26	1.50	0.03	15.00				
LT. 238+99.00A	P. E. W/ MBTO	197.00	2.00	2.45	5.47	0.04	10.56			4.58	
RT. 240+56.00A	F. E.	122.00	1.50	1.14	1.36	0.03	13.56				
LT. 241+61.00A	P. E. W/ MBTO	273.00	2.00	3.40	7.58	0.06	19.17			4.52	
LT. 243+90.00A	P. E.	230.00	1.50	2.15	6.39	0.05	25.56			9.35	
LT. 244+22.00A	P. E. W/ MBTO	83.00	1.50	0.77	0.92	0.02		9.22			
LT. 246+07.97A	ARMSTRONG RD.	1682.00	1.50	15.70	18.69	0.37	186.89				
RT. 246+07.97A	ARMSTRONG RD.	1682.00	1.50	15.70	18.69	0.37	186.89				
RT. 1+26.00	P. E.	102.00	1.50	0.95	1.13	0.02		11.33			
LT. 1+66.00	P. E.	228.00	2.00	2.84	6.33	0.05				9.33	
RT. 2+03.50	P. E. W/ MBTO	329.00	2.00	4.09	9.14	0.07				13.61	
LT. 6+50.00	F. E.	150.00	1.50	1.40	1.67	0.03	16.67				
RT. 10+50.00	P. E. W/ MBTO	247.00	2.00	3.07	6.86	0.05	16.11			4.58	
LT. 10+95.50	P. E.	144.00	1.50	1.34	1.60	0.03	16.00				
LT. 12+34.00	P. E. W/ MBTO	328.00	2.00	4.08	9.11	0.07	22.92			4.62	
RT. 12+50.00	P. E. W/ MBTO	212.00	2.00	2.64	5.89	0.05	8.83			6.22	
LT. 14+85.00	P. E. W/ MBTO	266.00	2.00	3.31	7.39	0.06		18.00		4.42	
RT. 15+98.00	P. E. W/ MBTO	407.00	2.00	5.06	11.31	0.09	32.14			4.62	
LT. 19+04.00	P. E. W/ MBTO	345.00	2.00	4.29	9.58	0.08				14.39	
RT. 19+45.00	P. E.	200.00	1.50	1.87	2.22	0.04	22.22				
RT. 21+49.30	P. E. W/ MBTO	305.00	2.00	3.80	8.47	0.07	22.50			4.61	
RT. 22+48.40	P. E.	180.00	2.00	2.24	5.00	0.04				7.46	
LT. 23+09.00	C. E.	737.00	1.50	6.88	8.19	0.16			81.89		
RT. 23+89.50	P. E.	201.00	1.50	1.88	2.23	0.04	22.33				
RT. 25+54.00	P. E. W/ MBTO	368.00	2.00	4.58	10.22	0.08	29.64			4.54	
RT. 27+31.00	F. E.	115.00	1.50	1.07	1.28	0.03	12.78				
LT. 29+85.00	C. E.	708.00	1.50	6.61	7.87	0.16			78.67		
RT. 39+86.00	F. E.	137.00	1.50	1.28	1.52	0.03	15.22				
LT. 40+10.00	T. R. 420 E	482.00	1.50	4.50	5.36	0.11	53.56				
LT. 55+20.00	F. E.	157.00	1.50	1.47	1.74	0.03	17.44				
RT. 56+56.00	F. E.	131.00	1.50	1.22	1.46	0.03	14.56				
RT. 59+81.50	P. E. W/ MBTO	200.00	2.00	2.49	5.56	0.04	10.33			4.70	
LT. 60+81.00	P. E.	165.00	1.50	1.54	1.83	0.04	18.33				
RT. 60+81.00	MBTO	130.00	2.00	1.62	3.61	0.03				5.88	
LT. 65+32.60	P. E.	204.00	1.50	1.90	2.27	0.05	22.67				
RT. 65+61.00	P. E. W/ MBTO	358.00	2.00	4.46	9.94	0.08	28.53			4.54	
LT. 66+44.00	P. E.	182.00	1.50	1.70	2.02	0.04	20.22				
RT. 66+44.00	MBTO	130.00	2.00	1.62	3.61	0.03				5.88	
RT. 67+04.00	F. E.	148.00	4.00	3.68	4.11	0.03				6.94	
LT. 74+65.00	F. E.	147.00	1.50	1.37	1.63	0.03	16.33				
RT. 76+15.00	P. E. W/ MBTO	338.00	2.00	4.21	9.39	0.08	28.00			4.05	
LT. 84+02.00	F. E.	240.00	1.50	2.24	2.67	0.05	26.67				
RT. 85+00.00	P. E.	312.00	1.50	2.91	3.47	0.07	34.67				
RT. 90+64.50	P. E. W/ MBTO	296.00	2.00	3.68	8.22	0.07	21.67			4.52	
LT. 94+13.80	T. R. 500 E	435.00	1.50	4.06	4.83	0.10			48.33		
RT. 94+13.80	P. E. W/ MBTO	199.00	2.00	2.48	5.53	0.04	10.44			4.67	
LT. 100+12.00	F. E.	113.00	1.50	1.05	1.26	0.03	12.56				
RT. 100+12.00	F. E.	108.00	1.50	1.01	1.20	0.02	12.00				
RT. 107+50.00	F. E.	116.00	1.50	1.08	1.29	0.03	12.89				
LT. 107+53.00	F. E.	145.00	1.50	1.35	1.61	0.03	16.11				
LT. 117+86.00	F. E.	100.00	1.50	0.93	1.11	0.02	11.11				
RT. 117+86.00	F. E.	160.00	1.50	1.49	1.78	0.04	17.78				
LT. 124+23.00	F. E.	145.00	1.50	1.35	1.61	0.03	16.11				
RT. 124+23.00	F. E.	145.00	1.50	1.35	1.61	0.03	16.11				
LT. 133+95.00	F. E.	145.00	1.50	1.35	1.61	0.03	16.11				
RT. 134+02.00	F. E.	140.00	1.50	1.31	1.56	0.03	15.56				
LT. 143+25.00	F. E.	175.00	1.50	1.63	1.94	0.04	19.44				
RT. 147+85.00	F. E.	118.00	1.50	1.10	1.31	0.03	13.11				
LT. 148+02.00	F. E.	132.00	1.50	1.23	1.47	0.03	14.67				
RT. 153+49.00	C. E.	624.00	1.50	5.82	6.93	0.14	69.33				
RT. 155+47.00	C. E.	574.00	1.50	5.36	6.38	0.13	63.78				
LT. 155+47.00	F. E.	138.00	1.50	1.29	1.53	0.03	15.33				
LT. 165+65.00	F. E.	96.00	1.50	0.90	1.07	0.02	10.67				
RT. 165+81.00	F. E.	150.00	1.50	1.40	1.67	0.03	16.67				
LT. 168+36.00	P. E. W/ MBTO	291.00	2.00	3.62	8.08	0.06	21.11			4.53	
LT. 173+50.00	C. E.	90.00	1.50	0.84	1.00	0.02	10.00				
RT. 175+42.00	F. E.	168.00	1.50	1.57	1.87	0.04	18.67				
LT. 175+61.00	T. R. 670 E	608.00	1.50	5.67	6.76	0.14			67.56		
LT. 178+94.00	P. E. W/ MBTO	262.00	2.00	3.26	7.28	0.06	17.78			4.58	
RT. 181+54.00	F. E.	158.00	1.50	1.47	1.76	0.04	17.56				
LT. 182+07.00	P. E. W/ MBTO	277.00	2.00	3.45	7.69	0.06	19.44			4.58	
RT. 184+43.00	F. E.	201.00	1.50	1.88	2.23	0.04	22.33				
LT. 186+74.00	P. E.	168.00	1.50	1.57	1.87	0.04			18.67		
RT. 187+23.00	P. E. W/ MBTO	255.00	2.00	3.17	7.08	0.06	17.72			4.34	
LT. 189+16.00	P. E.	156.00	1.50	1.46	1.73	0.03	17.33				
RT. 189+60.00	P. E. W/ MBTO	333.00	2.00	4.14	9.25	0.07			26.39		
RT. 193+37.60	DOWNING DR.	1808.00	1.50	16.87	20.09	0.40	200.89			4.34	
RT. 196+01.00	PARK ENT.	1152.00	1.50	10.75	12.80	0.26	128.00				
							170.22				