


SECTION A-A
N.T.S.



PLAN
N.T.S.

LEGEND



STABILIZED AGGREGATE DRIVEWAY

CONSTRUCTION SPECIFICATIONS AND NOTES

1. STABILIZED CONSTRUCTION ENTRANCE
 - A. LENGTH - AS REQUIRED, BUT NOT LESS THAN 80 FEET.
 - B. THICKNESS - NOT LESS THAN 4", ABOVE TOP OF CELLULAR CONFINEMENT GRID.
2. EXISTING DITCH DRAINAGE TO BE MAINTAINED.
3. GRADE FILL TO 1:10 ON APPROACH SIDE OF ENTRANCE

STABILIZED CONSTRUCTION ENTRANCE

STANDARD SYMBOL



FILE NAME =	USER NAME = TKI\egol
D160N09-SHT-EROS05.dgn	
PLOT SCALE = 1:50	
PLOT DATE = 12/29/2010	

DESIGNED - JCL	REVISED -
DRAWN - JCL	REVISED -
CHECKED - MJT	REVISED -
DATE - 12/17/10	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

EROSION AND SEDIMENT CONTROL DETAILS
SCALE: NONE SHEET NO. 1 OF 1 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
330	2010-135-1	COOK	101	31
ED-01		CONTRACT NO. 60N09		
ILLINOIS FED. AID PROJECT				

ILLINOIS FED. AID PROJECT
