

TREE REMOVAL			
LOCATION	(6 TO 15 UNITS DIAMETER)	(OVER 15 UNITS DIAMETER)	ACRES
	UNIT	UNIT	
RAMP H AREA	150	474	0.6
WB AT SN 048-0058			0.4
<b>RURAL TOTAL</b>			<b>0.4</b>
<b>URBAN TOTAL</b>	<b>150</b>	<b>474</b>	<b>0.6</b>

\*SEE REMOVAL SHEET FOR LOCATIONS & UNITS

LOCATION	INLET & PIPE PROTECTION	ABOVE GRADE INLET FILTERS	INLET FILTERS
	EACH	EACH	EACH
<b>RAMP H</b>			
STA. 17+47.49	1		1
STA. 17+82.96	1	1	1
<b>MAIN ST.</b>			
STA. 35+65	1		1
<b>URBAN TOTAL</b>	<b>3</b>	<b>1</b>	<b>3</b>

LOCATION	REMOVAL AND DISPOSAL OF UNSUITABLE MATERIALS
	CU YD
<b>EASTBOUND</b>	
STA. 373+00 TO 377+00	771.87
STA. 426+00 TO 430+00	669.47
<b>WESTBOUND</b>	
STA. 373+00 TO 378+00	852.72
STA. 426+00 TO 427+00	243.83
<b>RURAL TOTAL</b>	<b>913.3</b>
<b>URBAN TOTAL</b>	<b>1625</b>

TEMPORARY DITCH CHECKS	
LOCATION	FOOT
<b>RAMP H</b>	
Sta. 2+00	30
Sta. 3+00	30
Sta. 4+00	30
Sta. 5+00	30
Sta. 6+00	30
Sta. 7+00	30
Sta. 8+00	30
Sta. 9+00	30
Sta. 10+00	30
Sta. 11+00	30
Sta. 12+00	30
Sta. 13+00	30
Sta. 14+00	30
Sta. 15+00	30
Sta. 16+00	30
Sta. 17+00	30
Sta. 18+00	30
Sta. 19+00	30
Sta. 20+00	30
Sta. 21+00	30
Sta. 22+00	30
Sta. 23+00	30
Sta. 24+00	30
Sta. 25+00	30
Sta. 26+00	30
Sta. 27+00	30
Sta. 28+00	30
<b>URBAN TOTAL</b>	<b>810</b>

LOCATION	TOPSOIL FURNISH & PLACE 4"	SEEDING CLASS 2A	NITROGEN FERTILIZER	PHOSPHORUS FERTILIZER	POTASSIUM FERTILIZER	TEMP. EROS. CONTROL SEEDING	MULCH METHOD 2
	SQ YD	ACRE	POUND	POUND	POUND	POUND	ACRE
<b>RAMP H</b>							
RT. STA. 10+50 TO 30+00	8924	1.84380	166	166	166	2396.9	1.84
LT. STA. 11+00 TO 17+00	2333	0.482	43	43	43	626.6	0.48
DISTURBED AREA BETWEEN RAMP H, MAIN ST., AND I-74	2288	0.4727	43	43	43	614.5	0.47
<b>MAIN ST.</b>							
RT. STA. 34+00 TO 35+50	776	0.160	14	14	14	208.4	0.16
<b>I-74</b>							
EB RT. STA. 350+00 TO 354+50	1788	0.369	33	33	33	480.2	0.37
WB. STA. 378+90 TO THE KNOX ST. OVERPASS		0.40	36	36	36	520.0	0.40
<b>AREA BETWEEN STRUCTURES</b>						0.0	0.00
STA. 370+88 TO 379+12		1.32	119	119	119	1721.4	1.32
STA. 424+39 TO 433+06		1.39	125	125	125	1811.2	1.39
<b>RURAL TOTAL</b>		<b>1.4</b>	<b>125.4</b>	<b>125.4</b>	<b>125.4</b>	<b>1811.2</b>	<b>1.4</b>
<b>URBAN TOTAL</b>	<b>14321</b>	<b>5.1</b>	<b>454.7</b>	<b>454.7</b>	<b>454.7</b>	<b>6568.1</b>	<b>5.1</b>

GRADING AND SHAPING DITCHES	
LOCATION	FOOT
<b>S.N. 048-0058</b>	
STA. 370+88 TO 379+12 (Median Ditch)	824
RT. STA. 371+29 TO 378+08	679
LT. STA. 371+81 TO 378+73	692
<b>URBAN TOTAL</b>	<b>2195</b>
<b>S.N. 048-0048</b>	
STA. 424+39 TO 433+06 (Median Ditch)	867
RT. STA. 425+09 TO 432+81	772
LT. STA. 424+39 TO 428+35	371
<b>RURAL TOTAL</b>	<b>2010</b>

LOCATION	PERIMETER EROSION BARRIER
	FOOT
<b>MAIN ST.</b>	
STA. 33+58 TO 35+73	232.38
<b>I-74 (84" CULVERT)</b>	
STA. 365+67 TO 366+62	113.5
<b>URBAN TOTAL</b>	<b>346</b>

LOCATION	FOR INFORMATION ONLY				
	EARTH EXCAVATION	EARTH EXCAVATION ADJUST FOR SHRINKAGE	EMBANKMENT	EARTHWORK BALANCE WASTE (+) OR SHORTAGE (-)	FURNISHED EXCAVATION
	CU YD	CU YD	CU YD	CU YD	CU YD
<b>RAMP H</b>					
STA. 10+37 TO 12+00	400.87	300.65	20.76	279.89	
STA. 12+00 TO 18+50	1260.07	945.05	7092.42	-6147.37	6147.37
STA. 18+50 TO 30+50	1503.1	1127.33	2030.65	-903.32	903.32
STA. 11+50 TO 35+75 (MAIN ST.)	107	80.25	36.5	43.75	
<b>SUB-TOTAL</b>		<b>2453</b>	<b>9180</b>	<b>-6727</b>	<b>7125</b>
<b>TOTAL FROM SLOPE WALL TABLE</b>					<b>69.9</b>
<b>URBAN TOTAL</b>	<b>3275</b>				<b>7195</b>

LOCATION	STONE RIPRAP, CLASS A4	STONE RIPRAP, CLASS B3	FILTER FABRIC	HEAVY DUTY EROSION CONTROL BLANKET
	SQ. YD.	SQ. YD.	SQ. YD.	SQ. YD.
<b>RAMP H</b>				
STA. 27+50 TO 29+15 *84" CULVERT	207.76		207.76	687.5
RT. STA. 17+00 TO 29+14.85		932.02	932.02	
<b>MAIN ST.</b>				
AT GUTTER OUTLET		121.6	121.6	
<b>URBAN TOTAL</b>	<b>208</b>	<b>1054</b>	<b>1261</b>	<b>688</b>