

\* THICKNESS SHOWN FOR INFORMATION ONLY.

# SCHEDULES OF QUANTITIES

## HOT-MIX ASPHALT AND HOT-MIX ASPHALT SURFACE REMOVAL (SHEET 6 OF 8)

### WESTBOUND PASSING SHOULDER

LOCATION	STA.	TO	STA.	LENGTH (FEET)	WIDTH (FEET)	AREA (SQ YD)	* BINDER THICKNESS (IN)	SURFACE THICKNESS (IN)	BIT. MATLS (PRIME COAT) 40600100 (GALLONS)	AGGREGATE (PRIME COAT) 40600300 (TON)	POLYMERIZED HMA SURFACE COURSE, MIX "C", N90 40603320 (TON)	HMA SURFACE REMOVAL, BUTT JOINT 40600982 (SQ YD)	HMA SURFACE REMOVAL, 1 1/2" 44000155 (SQ YD)	HMA SURFACE REMOVAL, 1 3/4" 44000156 (SQ YD)	HMA SURFACE REMOVAL, 2 1/4" 44000158 (SQ YD)	HOT-MIX ASPHALT SHOULDERS 48203100 (TON)	
	WBPS	737+00.	737+52.5	52.5	4.0	23.3	0	1.75	2.3	0.05		23.33				2.3	
	WBPS	737+52.5	772+00.	3,447.5	4.0	1,532.2	0	1.75	153.2	3.06						150.2	
	WBPS	772+00.	778+85.97	686.0	6.0	457.3	0	1.75	45.7	0.91						44.8	
OMMISION S.N. 057-0121	WBPS	778+85.97	779+38.47	52.5	6.0	35.0	0	1.75	3.5	0.07		35.00				3.4	
	WBPS	779+38.47	781+58.39	219.9													
	WBPS	781+58.39	782+10.89	52.5	6.0	35.0	0	1.75	3.5	0.07		35.00				3.4	
	WBPS	782+10.89	828+59.25	4,648.4	6.0	3,098.9	0	1.75	309.9	6.20						303.7	
PCC PATCH	WBPS	828+59.25	829+11.75	52.5	6.0	35.0	0	1.75	3.5	0.07		35.00				3.4	
	WBPS	829+11.75	837+66.33	854.6	6.0	569.7	0	1.5	57.0	1.14			569.7			47.9	
	WBPS	837+66.33	838+18.83	52.5	6.0	35.0	0	1.75	3.5	0.07		35.00				3.4	
	WBPS	838+18.83	905+67.5	6,748.7	6.0	4,499.1	0	1.75	449.9	9.00						440.9	
TRANS UNDER S.N. 057-0123	WBPS	905+67.5	906+20.	52.5	6.0	35.0	0	1.75	3.5	0.07			35.0			3.4	
TRANS UNDER S.N. 057-0123	WBPS	906+20.	909+25.	305.0	6.0	203.3	0	1.75	20.3	0.41			203.3			19.9	
TRANS UNDER S.N. 057-0123	WBPS	909+25.	909+77.5	52.5	6.0	35.0	0	1.75	3.5	0.07			35.0			3.4	
	WBPS	909+77.5	1005+74.5	9,597.0	6.0	6,398.0	0	1.75	639.8	12.80						627.0	
TRANS UNDER S.N. 057-0124	WBPS	1005+74.5	1006+27.	52.5	6.0	35.0	0	1.75	3.5	0.07			35.0			3.4	
TRANS UNDER S.N. 057-0124	WBPS	1006+27.	1009+32.	305.0	6.0	203.3	0	1.75	20.3	0.41			203.3			19.9	
TRANS UNDER S.N. 057-0124	WBPS	1009+32.	1009+84.5	52.5	6.0	35.0	0	1.75	3.5	0.07			35.0			3.4	
	WBPS	1009+84.5	1037+21.75	2,737.3	6.0	1,824.8	0	1.75	182.5	3.65						178.8	
OMMISION S.N. 057-0126	WBPS	1037+21.75	1037+74.25	52.5	6.0	35.0	0	1.75	3.5	0.07		35.00				3.4	
	WBPS	1037+74.25	1040+25.25	251.0													
	WBPS	1040+25.25	1040+77.75	52.5	6.0	35.0	0	1.75	3.5	0.07		35.00				3.4	
	WBPS	1040+77.75	1088+30.	4,752.3	6.0	3,168.2	0	1.75	316.8	6.34						310.5	
TRANS UNDER S.N. 057-0127	WBPS	1088+30.	1088+82.5	52.5	6.0	35.0	0	1.75	3.5	0.07			35.0			3.4	
TRANS UNDER S.N. 057-0127	WBPS	1088+82.5	1091+97.5	315.0	6.0	210.0	0	1.75	21.0	0.42			210.0			20.6	
TRANS UNDER S.N. 057-0127	WBPS	1091+97.5	1092+50.	52.5	6.0	35.0	0	1.75	3.5	0.07			35.0			3.4	
	WBPS	1092+50.	1110+47.5	1,797.5	6.0	1,198.3	0	1.75	119.8	2.40						117.4	
	WBPS	1110+47.5	1111+00.	52.5	6.0	35.0	0	1.75	3.5	0.07		35.00				3.4	
OMMISION S.N. 057-0121	WBPS 4' INLAY	737+00.	779+38.47	4,238.5	4.0	1,883.8	2.25	0	188.4	3.77	237.35				1,883.8		
	WBPS 4' INLAY	779+38.47	781+58.39														
OMMISION PCC PATCH	WBPS 4' INLAY	781+58.39	829+11.75	4,753.4	4.0	2,112.6	2.25	0	211.3	4.23	266.19				2,112.6		
	WBPS 4' INLAY	829+11.75	837+66.33														
OMMISION S.N. 057-0126	WBPS 4' INLAY	837+66.33	1037+74.25	20,007.9	4.0	8,892.4	2.25	0	889.2	17.78	1120.44				8,892.4		
	WBPS 4' INLAY	1037+74.25	1040+25.75														
	WBPS 4' INLAY	1040+25.75	1116+00.	7,574.3	4.0	3,366.3	2.25	0	336.6	6.73	424.16				3,366.3		
									<b>WBPS TOTALS =</b>	<b>4,009.7</b>	<b>80.2</b>	<b>2,048.1</b>	<b>268.3</b>	<b>569.7</b>	<b>826.7</b>	<b>16,255.1</b>	<b>2,328.5</b>