

PAVEMENT SCHEDULE

STATION	OFFSET	STATION	OFFSET	SUB-BASE GRANULAR MATERIAL, TYPE A 12" (SQ YD)	SUB-BASE GRANULAR MATERIAL, TYPE C (TON)	HOT MIX ASPHALT BASE COURSE WIDENING, 12" (SQ YD)	HOT MIX ASPHALT PAVEMENT (FULL DEPTH), 10" (SQ YD)	POLYMERIZED HOT MIX ASPHALT SURFACE COURSE, MIX "D" N70 (TON)	AGGREGATE WEDGE SHOULDER, TYPE B (TON)	HOT MIX ASPHALT SHOULDERS 10" (SQ YD)	BITUMINOUS MATERIALS (PRIME COAT) (TON)	AGGREGATE PRIME COAT (TON)	PORTLAND CEMENT CONCRETE BASE COURSE WIDENING 12" (SQ YD)	COMBINATION CONCRETE CURB AND GUTTER, TYPE B - 6.12 (FOOT)	COMBINATION CONCRETE CURB AND GUTTER, TYPE B - 6.24 (FOOT)	CONCRETE MEDIAN SURFACE, 4 INCH (SQ FT)	CONCRETE MEDIAN TY SB-6.24 (SQ FT)	CONCRETE GUTTER TYPE B (FOOT)	GUTTER OUTLET (SPECIAL) (EACH)
IL 13/15																			
133+85.3		145+30.0		2,127.7		1,610.1		193.2			3.3	2.4							
135+00.0		139+23.0											114.0						
133+85.3	RT	135+32.4	RT		15.0				30.2	79.8	0.1	0.1							
133+85.3	RT	135+32.4	RT		11.9				30.2	61.5	0.1	0.1							
136+94.4	RT	137+90.2	RT		19.5				19.7	108.7	0.2	0.2							
138+91.2	LT	139+23.2	LT		4.7				6.6	26.0	0.0	0.0							
139+02.1	RT	139+31.9	RT		5.7				6.1	20.5	0.0	0.0							
140+40.7	RT	140+63.9	RT		3.8				4.8	15.4	0.0	0.0							
140+50.3	LT	140+86.6	LT		2.8				7.5	31.1	0.0	0.1							
135+10.0	26.9 RT	139+13.0	22.9 RT												403.1				
140+68.3	26.1 RT	145+30.0	13.3 RT												462.0				
135+09.9	14.7 RT	139+12.6	13.0 RT													402.7			
140+68.7	35.0 RT	145+30.0	23.5 RT													461.6			
135+10.0	RT	139+12.7	RT													3,237.3			
140+68.6	RT	145+30.0	RT													2,578.8			
135+05.4	20.4 RT																141.0		
139+16.8	18.3 RT																88.5		
140+64.5	29.7 RT																91.5		
141+82.0	LT	145+30.0	LT															348.0	1
CITY STREET																			
10+18.5	71.8 LT	12+52.8	24.0 LT															251.3	
10+19.0	55.3 RT	12+52.8	12.0 RT															249.9	
10+11.0		12+52.8		1,531.9			1,299.3				2.6	2.0							
ACCESS RD																			
20+69.5	RT	23+71.2	RT							169.9	0.2	0.3							
24+04.2	RT	24+19.2	RT						3.1	26.4	0.0	0.0							
20+69.2	LT	24+19.2	LT						72.0	140.2	0.2	0.2							
20+69.5	71.8 RT	23+67.2	66.0 RT													384.0			
20+59.7		24+19.2		2,366.3			1,834.2				4.0	2.8							
TOTAL				6,025.9	63.4	1,610.1	3,133.5	193.2	180.2	679.4	10.9	8.1	114.0	865.1	1,749.5	5,816.1	321.0	348.0	1.0
ROUNDED				6,026.0	64.0	1,611.0	3,134.0	194.0	181.0	680.0	11.0	9.0	114.0	866.0	1,750.0	5,817.0	321.0	348.0	1.0

PAVEMENT MARKING SCHEDULE

LOCATION	THERMOPLASTIC PAVEMENT MARKING						POLYUREA PAVEMENT MARKING			RAISED REFLECTIVE PAVEMENT MARKER (EACH)	PRISMATIC CURB REFLECTOR (EACH)	PAVEMENT MARKING REMOVAL (SQ FT)	PAINT PAVEMENT MARKING CURB (FOOT)	RAISED REFLECTIVE PAVEMENT MARKER REMOVAL (EACH)	TEMPORARY PAVEMENT MARKING				SHORT-TERM PAVEMENT MARKING (FOOT)	WORK ZONE PAVEMENT MARKING REMOVAL (SQ FT)
	SOLID 4" (FOOT)	SKIP DASH 4" (2' / 6') (FOOT)	SKIP DASH 4" (10' / 30') (FOOT)	SOLID 12" (FOOT)	SOLID 24" (FOOT)	LETTERS AND SYMBOLS (SQ FT)	SOLID 4" (FOOT)	SKIP DASH 4" (2' / 6') (FOOT)	SKIP DASH 4" (10' / 30') (FOOT)						SOLID 4" (FOOT)	SKIP DASH 4" (10' / 30') (FOOT)	SKIP DASH 4" (2' / 6') (FOOT)	LETTERS AND SYMBOLS (SQ FT)		
IL 13/15																				
EB	895.9	44.9				46.8	804.6	66.9	303.7	27	28.0	1,203.0	149.4	18						
WB	2,322.6	62.3	303.7			46.8				22	27.0	1,129.0	74.7	17	221.0	286.2	61.3	47	406	372
CITY STREET	705.8				54.1	46.8				12										
ACCESS RD	1,785.2			163.0	19.7					12										
SUBTOTAL	5,709.5	107.2	303.7				804.6	66.9	303.7						221.0	286.2	61.3			
TOTAL		6,120.4		163.0	73.8	140.4				73	55	2,332.0	224.1	35		568.5		46.8	406.4	372.3
ROUNDED		6,121.0		163.0	74.0	141.0				73	55	2,332.0	225.0	35		569.0		47.0	407.0	373.0