


STATE OF ILLINOIS
DEPARTMENT OF PUBLIC WORKS & BUILDINGS
DIVISION OF HIGHWAYS


R.C. ABUTMENTS FOR SLAB BRIDGE
HEIGHT OVER ALL 11 FEET

Sheet No. 2
2 Sheets

BOND ISSUE ROUTE NO.	COUNTY	SEC.	TOTAL SHEETS	SHEET NO.
13	Randolph	21B	34	31



Class A concrete shall be used throughout. Proportions 1 3/4. A reinforcing steel shall be securely wired in place before concrete is poured. Remove top of old wings to a line below new fill.



BILL OF MATERIAL

Bars	No	Size	Length
1	24	2"	8'-0"
2	8	2"	9'-1"
3	8	2"	8'-0"
4	8	2"	7'-6"
5	36	2"	6'-0"
6	36	2"	8'-0"
7	24	2"	4'-6"
8	20	2"	2'-9"
9	24	2"	4'-0"
10	24	2"	4'-0"
11	16	2"	6'-0"
12	16	2"	6'-0"
13	24	2"	3'-0"

Reinforcing Steel lbs 1310
Concrete cu yds 24.8

STA 160 + 19
STATE BOND ISSUE RT 13
SECTION 21B RANDOLPH CO

DESIGNED	9/2/23
DRAWN	J.H. Lab
CHECKED	7/1/23
DATE	4/2/23

Oct 5 23
G.F. Burd
[Signature]
[Signature]

FILE NAME	USER NAME	DESIGNED	REVISED
PLT SCALE	CHECKED	DRAWN	REVISED
PLT DATE	DATE	CHECKED	REVISED
		DATE	REVISED

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

EXISTING STRUCTURE PLANS
SCALE: NO SCALE SHEET NO. 2 OF 2 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
682	21B-HDF	RANDOLPH	7	7
FED. ROAD DIST. NO.			ILLINOIS FED. AID PROJECT	
			CONTRACT NO. 76E61	