



# Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

April 15, 2016

SUBJECT: FAU 5089 (Sandy Hollow Road)  
Section 13-00599-00-SP (Rockford)  
Winnebago County  
Contract No. 85629  
Item 95  
April 22, 2016 Letting  
Addendum (A)

## NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

- 1. Revised Index of Special Provisions.**
- 2. Revised page 16 of the Special Provisions.**
- 3. Revised sheets 2 & 5 of the Plans.**

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal.

Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Very truly yours,

Maureen M. Addis, P.E.  
Acting Bureau Chief of Design and Environment

A handwritten signature in black ink, reading "Ted B. Walschleger, P.E." with a stylized flourish at the end.

By: Ted B. Walschleger, P.E.  
Engineer of Project Management

INDEX OF SPECIAL PROVISIONS

ITEM	PAGE
<u>LOCATION OF PROJECT</u>	1
<u>DESCRIPTION OF WORK</u>	1
<u>COMPLETION DATE</u>	1
<u>CONSTRUCTION STAKING COMPLETE</u>	1
<u>CONSTRUCTION INSPECTION</u>	2
<u>SCHEDULING OF WORK</u>	2
<u>RECORD DRAWINGS</u>	2
<u>EXISTING UTILITIES AND DRAINAGE STRUCTURES LOCATIONS</u>	2
<u>REQUIREMENTS FOR SCHEDULED WATER MAIN VALVE SHUT OFF:</u>	2
<u>REQUIREMENTS FOR UNSCHEDULED (EMERGENCY) WATER MAIN VALVE SHUT OFF:</u>	3
<u>CONSTRUCTION SEAMS</u>	3
<u>MAINTENANCE OF ROADWAYS</u>	3
<u>MAINTENANCE OF DRIVEWAYS</u>	4
<u>EROSION CONTROL AND NPDES COMPLIANCE</u>	4
<u>TRAFFIC SIGNS IN THE RIGHT-OF-WAY</u>	5
<u>SAW CUTTING</u>	5
<u>BACTERIOLOGICAL SAMPLING</u>	5
<u>FIBERGLASS FABRIC REPAIR SYSTEM</u>	5
<u>WATER VALVES TO BE ADJUSTED</u>	6
<u>PORTLAND CEMENT CONCRETE SURFACE REMOVAL (VARIABLE DEPTH)</u>	6
<u>ISLAND REMOVAL</u>	6
<u>CONCRETE MEDIAN REMOVAL</u>	6
<u>CONCRETE MEDIAN TYPE SM-6.24 (SPECIAL)</u>	7
<u>TRAFFIC CONTROL AND PROTECTION, (SPECIAL)</u>	7
<u>FLEXIBLE DELINEATOR MAINTENANCE</u>	14
<u>CHANGEABLE MESSAGE SIGN</u>	14
<u>PARKWAY RESTORATION</u>	14
<u>REMOVE AND REPLACE LID</u>	15
<u>PAVEMENT REMOVAL AND REPLACEMENT</u>	15
<u>GEOTECHNICAL REINFORCEMENT</u>	16
<u>AGGREGATE SUBGRADE IMPROVEMENT</u>	16
<u>CONCRETE TRUCK WASHOUT</u>	16
<u>POLYMERIZED HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N50</u>	16

### **GEOTECHNICAL REINFORCEMENT**

This is a contingency item. This work shall consist of furnishing and installing geotechnical reinforcement in accordance with Section 210 of the Illinois Department of Transportation Standard Specifications for Road and Bridge Construction and the Illinois Department of Transportation District 2 Highway Standard 97.4.

Basis of Payment: This work will be paid for at the contract unit price per square yard for **GEOTECHNICAL REINFORCEMENT**.

### **AGGREGATE SUBGRADE IMPROVEMENT**

This is a contingency item. This work shall be performed in accordance with BDE Special Provision AGGREGATE SUBGRADE IMPROVEMENT and Section 303 of the Illinois Department of Transportation Standard Specifications for Road and Bridge Construction and the Illinois Department of Transportation District 2 Highway Standard 97.4.

Basis of Payment: This work will be paid for at the contract unit price per cubic yard for **AGGREGATE SUBGRADE IMPROVEMENT**.

### **CONCRETE TRUCK WASHOUT**

This item shall consist of constructing and maintaining a washout basin for concrete trucks and other construction vehicles. The washout basin will be as detailed on the plans.

The contractor shall provide a barrier wall washout basin per the requirements shown in the detail for "Temporary Concrete Washout Facility – Barrier Wall". The barrier wall washout basin is the minimum required. The contractor may request in writing to the Engineer to utilize alternate methods/designs for the washout basin. Any alternate will need to be approved by the Engineer.

The Contractor will be required to illustrate the location of the washout basin utilizing plan sheets from the plan set and submit the location to the Engineer for approval.

Any washouts constructed that do not meet the requirements of applicable IDOT and/or IUM standards will not be allowed.

Basis of Payment: This work will be paid for at the contract unit price per lump sum for **CONCRETE TRUCK WASHOUT**. The price shall include general cleaning and removal of all construction debris when two-thirds full or as directed by the Engineer, general maintenance or reconstruct as necessary throughout the duration of use, and all material, labor, tools, equipment, disposal of surplus material, and all incidentals necessary to complete this item of work. The washout basin will be measured for payment only once for the entire project duration.

If an alternate design for the washout basin has been submitted and approved for use in the project there shall be no additional compensation to the original unit bid price for Washout Basin.

### **POLYMERIZED HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N50**

This work shall be constructed in accordance with Section 406 of the Standard Specifications. Bituminous Material PG SBS 70-22 shall be used for the surface course. The Type and Mix shall be as specified in the bid item.

Mix designs and materials inspection reports must be submitted to the City for approval prior to Notice to Proceed.

Vibrating Rollers will not be allowed on residential streets unless specified by the Engineer.

Costs for cleaning and sweeping the existing pavement prior to paving shall be included in the price per ton for HMA surface course.

Basis of Payment: This work will be paid for at the contract unit price per ton for **HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N50**.