

STORM SEWER SCHEDULE

| NO. | U/S STR NO. | U/S STA. | U/S O/S | UPSTREAM ELEVATION | D/S STR NO. | D/S STA. | D/S O/S | DOWNSTREAM ELEVATION | DIA (Inches) | LENGTH (feet) | CLASS AND TYPE | WATER MAIN QUALITY PIPE | SLOPE (FT/FT) | TRENCH BACKFILL (CY) | SHEET NO. |
|-----|-------------|-----------|---------|--------------------|-------------|-----------|---------|----------------------|--------------|---------------|----------------|-------------------------|---------------|----------------------|-----------|
| 1 | 1 | 99+97.20 | -31.15 | 725.99 | 2 | 100+19.68 | -9.81 | 725.50 | 12 | 30 | C III, T-2 | 31 | 1.63% | 23.57 | 1 |
| 2 | 3 | 100+19.45 | -21.35 | 725.80 | 2 | 100+19.68 | -9.81 | 725.50 | 12 | 11 | C III, T-2 | 11 | 2.73% | 11 | 1 |
| 3 | 4 | 100+26.35 | 24.03 | 725.80 | 2 | 100+19.68 | -9.81 | 725.50 | 12 | 34 | C III, T-2 | | 0.88% | 27 | 1 |
| 4 | 2 | 100+19.68 | -9.81 | 725.50 | 6 | 102+31.00 | 3.20 | 722.33 | 12 | 211 | C III, T-2 | 37 | 1.50% | 168 | 1 |
| 5 | 5 | 102+31.00 | -11.00 | 722.63 | 6 | 102+31.00 | 3.20 | 722.24 | 12 | 14 | C III, T-2 | | 2.79% | 13.00 | 1 |
| 6 | 6 | 102+31.00 | 3.20 | 722.23 | 7 | 102+49.20 | 19.12 | 721.60 | 12 | 24 | C III, T-2 | 25 | 2.62% | 20.64 | 1 |
| 7 | 7 | 102+49.20 | 19.12 | 721.50 | 9 | 102+94.00 | 17.08 | 720.29 | 12 | 44 | C III, T-2 | 44 | 2.75% | 32.69 | 1 |
| 8 | 8 | 102+85.00 | -11.00 | 720.80 | 9 | 102+94.00 | 17.08 | 720.40 | 12 | 29 | C III, T-2 | 19 | 1.38% | 27.08 | 1 |
| 9 | 9 | 102+94.00 | 17.08 | 720.29 | 11 | 104+00.00 | 17.08 | 716.52 | 12 | 106 | C III, T-2 | 106 | 3.56% | 98.15 | 1 |
| 10 | 10 | 104+00.00 | 11.00 | 716.68 | 11 | 104+00.00 | 17.08 | 716.52 | 12 | 6 | C III, T-2 | 6 | 2.67% | 3.83 | 1 |
| 11 | 11 | 104+00.00 | 17.08 | 716.42 | 13 | 105+42.00 | 17.08 | 712.20 | 12 | 142 | C III, T-2 | 11 | 2.97% | 90.54 | 1 |
| 12 | 12 | 105+42.00 | 11.00 | 712.30 | 13 | 105+42.00 | 17.08 | 712.20 | 12 | 6 | C III, T-2 | | 1.67% | 3.83 | 2 |
| 13 | 13 | 105+42.00 | 17.08 | 712.10 | 16 | 106+16.00 | 17.17 | 711.50 | 15 | 74 | C III, T-2 | | 0.81% | 54.87 | 2 |
| 14 | 14 | 106+33.36 | 11.00 | 712.06 | 15 | 106+16.00 | 11.00 | 711.70 | 12 | 17 | C III, T-2 | | 2.12% | 11.09 | 2 |
| 15 | 15 | 106+16.00 | 11.00 | 711.60 | 16 | 106+16.00 | 17.17 | 711.50 | 12 | 6 | C III, T-2 | | 1.67% | 4.41 | 2 |
| 16 | 16 | 106+16.00 | 17.17 | 711.40 | 17 | 106+64.00 | 17.17 | 710.24 | 15 | 48 | C III, T-2 | | 2.42% | 45.75 | 2 |
| 17 | 17 | 106+64.00 | 17.17 | 710.14 | 18 | 106+77.70 | 17.71 | 709.90 | 15 | 13 | C III, T-2 | | 1.85% | 11.18 | 2 |
| 18 | 19 | 109+82.00 | 11.55 | 709.03 | 20 | 110+91.75 | 13.00 | 701.80 | 12 | 109 | C III, T-2 | | 6.63% | 96.97 | 3 |
| 19 | 20 | 110+91.75 | 13.00 | 701.70 | 21 | 111+90.45 | 8.12 | 696.86 | 12 | 98 | C III, T-2 | | 4.94% | 78.02 | 3 |
| 20 | 22 | 111+90.45 | 13.00 | 696.96 | 21 | 111+90.45 | 8.12 | 696.86 | 12 | 4 | C III, T-2 | | 2.50% | 3.49 | 3 |
| 21 | 21 | 111+90.45 | 8.12 | 696.76 | 24 | 113+45.00 | 11.07 | 692.97 | 12 | 154 | C III, T-2 | | 2.46% | 128.23 | 3 |
| 22 | 23 | 113+45.00 | -11.00 | 693.41 | 24 | 113+45.00 | 11.07 | 692.97 | 12 | 22 | C III, T-2 | | 2.00% | 17.44 | 3 |
| 23 | 24 | 113+45.00 | 11.07 | 692.87 | ex. Str. | 113+53.31 | 18.02 | 692.65 | 12 | 10 | C III, T-2 | | 2.20% | 11.18 | 3 |
| 24 | 27 | 115+33.86 | 6.00 | 693.13 | 25A | 113+73.24 | 6.00 | 692.57 | 30x19 | 160 | HE-IV, T-1 | | 0.35% | 192.59 | 3 |
| 24A | 25A | 113+73.24 | 6.00 | 692.47 | 25 | 113+60.24 | 6.00 | 692.40 | 24 | 13 | C III, T-2 | | 0.54% | 15.65 | 3 |
| 25 | 26 | 115+33.86 | -11.00 | 693.69 | 27 | 115+33.86 | 6.00 | 693.35 | 12 | 17 | C IV, T-1 | 13 | 2.00% | 9.93 | 4 |
| 25A | 26A | 115+23.86 | -11.00 | 693.69 | 26 | 115+33.86 | -11.00 | 693.35 | 12 | 10 | C IV, T-1 | 10 | 3.40% | 6.00 | 4 |
| 26 | 28 | 115+33.86 | 11.00 | 693.45 | 27 | 115+33.86 | 6.00 | 693.35 | 15 | 5 | C IV, T-1 | | 2.00% | 2.92 | 4 |
| 27 | 31 | 116+57.50 | 6.00 | 694.88 | 27 | 115+33.86 | 6.00 | 693.35 | 23x14 | 123 | HE-IV, T-1 | | 1.24% | 136.67 | 4 |
| 28 | 29 | 116+57.50 | -11.00 | 695.34 | 31 | 116+57.50 | 6.00 | 695.02 | 12 | 17 | C IV, T-1 | 13 | 1.88% | 11.07 | 4 |
| 29 | 30 | 116+57.50 | 11.00 | 695.12 | 31 | 116+57.50 | 6.00 | 695.02 | 12 | 5 | C IV, T-1 | | 2.00% | 3.26 | 4 |
| 30 | 34 | 117+27.00 | 6.00 | 695.50 | 31 | 116+57.50 | 6.00 | 694.88 | 15 | 69 | C IV, T-1 | | 0.90% | 69.00 | 4 |
| 31 | 32 | 117+38.50 | -11.50 | 695.88 | 34 | 117+27.00 | 6.00 | 695.60 | 12 | 20 | C IV, T-1 | 18 | 1.40% | 16.78 | 4 |
| 32 | 33 | 117+27.00 | 11.00 | 695.70 | 34 | 117+27.00 | 6.00 | 695.60 | 12 | 5 | C III, T-2 | | 2.00% | 3.83 | 4 |
| 33 | 36 | 119+23.00 | 6.00 | 702.87 | 34 | 117+27.00 | 6.00 | 695.60 | 12 | 196 | C III, T-2 | | 3.71% | 154.24 | 4 |
| 34 | 35 | 119+23.00 | -11.00 | 704.19 | 36 | 119+23.00 | 6.00 | 703.87 | 12 | 17 | C III, T-2 | 17 | 1.88% | 12.10 | 4 |
| 35 | 37 | 119+23.00 | 11.00 | 702.97 | 36 | 119+23.00 | 6.00 | 702.87 | 12 | 5 | C III, T-2 | | 2.00% | 3.78 | 4 |
| 36 | 40 | 123+22.00 | 7.00 | 701.77 | 38 | 122+97.80 | 13.31 | 700.00 | 15 | 25 | C III, T-2 | | 7.08% | 20.50 | 5 |
| 37 | 41 | 123+22.00 | 11.00 | 701.97 | 40 | 123+22.00 | 7.00 | 701.87 | 12 | 4 | C III, T-2 | | 2.50% | 3.14 | 5 |
| 38 | 39 | 123+22.00 | -11.00 | 703.21 | 40 | 123+22.00 | 7.00 | 702.87 | 12 | 18 | C III, T-2 | | 1.89% | 12.81 | 5 |
| 39 | 43 | 124+72.20 | 7.00 | 706.15 | 40 | 123+22.00 | 7.00 | 701.87 | 12 | 150 | C III, T-2 | | 2.85% | 118.02 | 5 |
| 40 | 42 | 124+72.20 | -11.23 | 706.61 | 43 | 124+72.20 | 7.00 | 706.25 | 12 | 18 | C III, T-2 | 18 | 2.00% | 12.92 | 5 |
| 41 | 44 | 124+72.20 | 11.00 | 706.35 | 43 | 124+72.20 | 7.00 | 706.25 | 12 | 4 | C III, T-2 | | 2.50% | 2.85 | 6 |
| 42 | 46 | 125+73.00 | 7.00 | 709.22 | 43 | 124+72.20 | 7.00 | 706.15 | 12 | 100 | C III, T-2 | | 3.07% | 79.20 | 6 |
| 43 | 45 | 125+73.00 | -11.00 | 709.58 | 46 | 125+73.00 | 7.00 | 709.22 | 12 | 18 | C III, T-2 | 18 | 2.00% | 12.81 | 6 |
| 44 | 47 | 127+98.00 | -11.00 | 705.98 | 48 | 127+98.00 | 0.00 | 705.78 | 12 | 11 | C III, T-2 | | 1.82% | 8.64 | 6 |
| 45 | 48 | 127+98.00 | 0.00 | 705.78 | 50 | 129+06.88 | 0.00 | 701.66 | 12 | 108 | C III, T-2 | | 3.81% | 85.65 | 6 |
| 46 | 49 | 128+95.88 | -23.60 | 702.22 | 50 | 129+06.88 | 0.00 | 701.66 | 12 | 26 | C III, T-2 | | 2.15% | 17.69 | 6 |
| 47 | 50 | 129+06.88 | 0.00 | 701.56 | 51 | 50+00.04 | 1.87 | 700.00 | 12 | 41 | C III, T-2 | 20 | 3.80% | 32.14 | 6 |
| 61 | 61 | 46+42.47 | -27.95 | 705.31 | ex. pipe | *N/A | *N/A | 705.28 | 12 | 5 | C IV, T-1 | | 0.60% | 3.50 | 8 |
| 62 | 62 | 48+43.44 | -31.00 | 704.18 | ex. pipe | *N/A | *N/A | 704.13 | 12 | 8 | C IV, T-1 | | 0.62% | 5.60 | 8 |
| 63 | 63 | 49+70.00 | -34.50 | 703.04 | 64 | 50+45.43 | -35.02 | 702.69 | 12 | 75 | C IV, T-1 | | 0.47% | 52.50 | 9 |
| 64 | 64 | 50+45.43 | -35.02 | 702.59 | ex. pipe | *N/A | *N/A | 702.52 | 12 | 12 | C IV, T-1 | | 0.58% | 8.40 | 9 |
| 65 | 65 | 52+43.85 | -30.24 | 699.30 | ex. pipe | *N/A | *N/A | 699.25 | 12 | 8 | C IV, T-1 | | 0.62% | 5.60 | 9 |
| 66 | 66 | 54+44.00 | -25.60 | 695.43 | ex. pipe | *N/A | *N/A | 695.41 | 12 | 4 | C IV, T-1 | | 0.50% | 2.80 | 10 |

PLAN SURVEYED BY DATE
 CHECKED BY DATE
 PLOT OF WAY CHECKED BY DATE
 NO. CAD FILE NAME

PROFILE SURVEYED BY DATE
 PLOTTED BY DATE
 CHECKED BY DATE
 NO. STRUCTURE NOTATIONS: OK

FILE NAME =
 #FILE#

USER NAME = #USER#
 PLDT SCALE = #SCALE#
 PLDT DATE = #DATE#

DESIGNED - AJB
 DRAWN - JMT
 CHECKED - DEB
 DATE - 12/01/2009

REVISED -
 REVISED -
 REVISED -
 REVISED -

STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION

SCALE: N.T.S. SHEET NO. 2 OF 2 SHEETS STA. TO STA.

DRAINAGE SCHEDULES

| | | | | |
|---|----------------|--------------------|--------------|-----------|
| F.A.U. RTE. | SECTION | COUNTY | TOTAL SHEETS | SHEET NO. |
| 2115 | 05-00068-00-FP | DUPAGE | 141 | 60 |
| RIFORD ROAD RECONSTRUCTION | | CONTRACT NO. 63092 | | |
| FED. ROAD DIST. NO. 1 ILLINOIS FED. AID PROJECT | | | | |