

GENERAL NOTES

A minimum of 2 air monitors will be required to monitor abrasive blasting operations at Structure No. 008-0028, see special provision for "Containment and Disposal of Lead Paint Cleaning Residues".

The Contractor shall seed all disturbed areas within the project limits. Seeding Class 4 or 2A shall be used, except in front of properties where the grass will be mowed, then use Seeding, Class 1. Class 2A shall be used on front slopes and ditch bottoms. Class 4 shall be used behind Type A gutter, on all backslopes and areas behind the backslope, and beyond the toe of front slope on fill sections without ditches. This work will be included in the contract unit price per LUMP SUM for CLEANING AND PAINTING STEEL BRIDGE NO. 1.

Fertilizer shall be applied to all disturbed areas and incorporated into the seedbed prior to seeding or placement of sod at the rate specified in Sections 250 and 252 of the Standard Specifications. This work shall be included in the cost of CLEANING AND PAINTING STEEL BRIDGE NO. 1.

Mulch Method II shall be applied over all seeded areas. This shall be included in the cost of the CLEANING AND PAINTING STEEL BRIDGE NO. 1.

The Contractor shall be responsible for protecting utility property during construction operations as outlined in Article 107.31 of the Standard Specifications. A minimum of 48 hours advance notice is required for non-emergency work. The JULIE number is 800-892-0123.

Traffic control quantities include storage of devices between stages due to the work restrictions on this contract.

INDEX OF SHEETS

1. Cover Sheet
2. Summary of Quantities
3. General Notes, Index of Sheets, Standards
4. Traffic Control Plan Structure No. 071-0051
Existing Bridge Plans Structure No. 008-0028
5. General Plan & Elevation
6. Superstructure Spans 1 thru 3
7. Superstructure Spans 4 thru 7
8. Framing Plan
9. Steel Details
10. Bearings
Existing Bridge Plans Structure No. 071-0051
11. General Plan & Elevation
12. Superstructure Details
13. Girder Details
14. Bearing Details
Existing Bridge Plans Structure No. 089-0060
15. General Plan & Elevation
16. Deck Plan & Section
17. Framing Plan Details
18. Bearing Details

STANDARDS

- 701006-03 Off-Road Operations, 2L, 2W, 4.5 m (15') to 600 mm (24") From Pavement Edge
- 701101-02 Off-Road Operations, Multilane, 4.5 m (15') to 600 mm (24") From Pavement Edge
- 701201-03 Lane Closure, 2L, 2W, Day Only, for Speeds > 45 MPH
- 701301-03 Lane Closure, 2L, 2W, Short Time Operations
- 701400-04 Approach to Lane Closure, Freeway/Expressway
- 701402-07 Lane Closure, Freeway/Expressway, with Barrier
- 701406-05 Lane Closure, Freeway/Expressway, Day Operations Only
- 701456 Partial Exit Ramp Closure Freeway/Expressway
- 701901-01 Traffic Control Devices
- 704001-06 Temporary Concrete Barrier
- 720001-01 Sign Panel Mounting Details
- 720006-02 Sign Panel Erection Details
- 720011-01 Metal Posts for Signs, Markers and Delineators
- 728001-01 Telescoping Steel Sign Support
- 729001-01 Applications of Types A and B Metal Posts (For Signs & Markers)

FILE NAME =	USER NAME = lmkdj	DESIGNED - ---	REVISED - ---	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	General Notes, Index of Sheets, Standards		F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
0:\BRV\Bridg Painting\Contract\PAINTING\64F89\PLANeng.dgn	DRAWN - ---	REVISED - ---	REVISED - ---		--- D2 Bridge Painting 2010-	Various	18	3	CONTRACT NO. 64F89		
	PLT SCALE = 50,0000' / IN.	CHECKED - ---	REVISED - ---		SCALE: -----	SHEET NO. -- OF --- SHEETS	STA. ----- TO STA. -----	ILLINOIS FED. AID PROJECT			
	PLT DATE = Wed Jan 28 08:28:44 2010	DATE - -----	REVISED - ---								